

DAILY PREVENTION PURE MINERAL TINTED MOISTURIZER SPF 30- titanium dioxide and zinc oxide cream
Allure Labs

Drug Facts

Active ingredients

Titanium Dioxide 4.7%

Zinc Oxide 6.0%

Purpose: Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings • For external use only

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Directions • apply generously 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply: • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses.

Keep out of reach of children. if swallowed, get medical help or contact a Poison Control Center right away.

Other information • protect the product in this container from excessive heat and direct sun

Inactive ingredients: Agua/Water/Eau, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Dimethicone, Glycerin, Cyclohexasiloxane, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Dimethicone /PEG-10/15 Crosspolymer, Aluminum Hydroxide, Stearic Acid, Sodium Chloride, Cetearyl Oliviate, Acetyl Zingerone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Dimethicone/Polyglycerin-3 Crosspolymer, Phenoxyethanol, Sorbitan Oliveto, Caprylic/Capric Triglyceride, Triethoxysilyethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Caprylyl Glycol, Ethylhexylglycerin, Hexylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopheryl Acetate, Phosphatidylcholine, Mannitol, Vanilla Planifolia Fruit Extract, Camellia Sinensis Leaf Extract, Dipropylene Glycol, Benzoic Acid, Methyl Propanediol, Triethoxycaprylylsilane, Sodium Citrate, Ectoin, Stearic Acid, Palmitic Acid, Haematococcus Pluvialis Extract, Tocopherol, Tatrahexyldecyl Ascorbate, Panthenol, Phenylpropanol, Alumina, Magnesium Oxide, Sodium Benzoate, Potassium Sorbate, Pentaerythrityl Tetra-Di-T-Butyl Hydroxyhydrocinnamate, Sodium Ferrocyanide, CI 77891, CI 77499, CI 77492, CI 77491.

clean
clinical
skincare®

Fragrance free

Formulated without
oxybenzone, octinoxate
and parabens

PHYSICIAN FORMULATED
Dermatologist tested
Non-comedogenic
Clinically proven

87% of users agreed their
skin looks more even-toned
after one application*

Increases hydration levels
by 65%*

*Based on a 2-week clinical and
consumer perception study of
30 participants ages 25 - 50
with once-daily application of
DAILY PREVENTION™ pure
mineral tinted moisturizer SPF 30.

Manufactured for IMAGE Skincare |
Lantana, FL 33462 USA
Manufactured in USA from globally
sourced ingredients and components.
www.ImageSkincare.com

B04-C06-104-411



**DAILY
PREVENTION™**

pure mineral
tinted moisturizer

30

BROAD SPECTRUM
SPF 30 SUNSCREEN
water resistant (40 minutes)



PATENT PENDING

Net wt. 2.6 oz / 73 g

Hydrate + protect for
better skin every day

Our proprietary,
patent-pending XOSM™
Technology delivery system
enhances the power of
antioxidants ectoin, vitamin C
and micro-algae to provide
comprehensive nourishment
to the skin. This dual-defense
formula evens out skin tone,
hydrates and protects skin
health with broad-spectrum
SPF 30 sunscreen while
reinforcing the vital moisture
barrier to help combat signs of
skin aging. For all skin types.

- Sheer tint gives light, blurring
coverage for a radiant finish
and healthy glow on all skin
tones. Helps to protect
against the effects of UV
rays and blue light
- Contains transparent zinc
oxide, proven to have a
high safety profile



Drug Facts

Active ingredients	Purpose
Titanium Dioxide 4.7%	Sunscreen
Zinc Oxide 6.0%	Sunscreen

Uses • helps prevent sunburn • If
used as directed with other sun protection
measures (see **Directions**), decreases the
risk of skin cancer and early skin aging
caused by the sun

Warnings

• **For external use only** • **Do not use** • on
damaged or broken skin • **When using this
product** • keep out of eyes. Rinse with water
to remove. • **Stop use and ask a doctor
if** • rash occurs • **Keep out of reach of
children.** If swallowed, get medical help or
contact a Poison Control Center right away.

Directions

• apply generously 15
minutes before sun exposure • **children**
under 6 months of age: Ask a doctor
• **reapply:** • after 40 minutes of swimming
or sweating • immediately after towel
drying • at least every 2 hours • **Sun
Protection Measures.** Spending time in the
sun increases your risk of skin cancer and
early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and other
sun protection measures including: • limit
time in the sun, especially from 10 a.m.-
2 p.m. • wear long-sleeved shirts, pants,
hats and sunglasses

Other information

• protect the
product in this container from excessive heat
and direct sun

Inactive ingredients

Aqua/Water/Eau,
Cyclopentasiloxane, C12-15 Alkyl Benzoate,
Dimethicone, C12-15 Alkyl Benzoate,
Dimethicone, C12-15 Alkyl Benzoate,
Polyacrylate-3, Polydimethylsiloxane,
Dimethicone/PEG-10/15 Crosspolymer, Aluminum
Hydroxide, Stearic Acid, Sodium Chloride,
Cetyl Citrate, Acetyl Zingerone, Polyacrylate-4
Isostearate, Cetyl PEG/PPG-10/1 Dimethicone,
Hexyl Laurate, Dimethicone/Polyacrylate-3
Crosspolymer, Phenoxyethanol, Sorbitan Citrate,
Caprylic/Capric Triglyceride, Triethoxycetyl
Polydimethylsiloxane, Hexyl Dimethicone,
Caprylyl Glycol, Ethylhexylglycerin, Hexylene Glycol,
Dimethicone/Vinyl Dimethicone Crosspolymer,
Tocopheryl Acetate, Phosphatidylcholine, Mannitol,
Vanilla Planifolia Fruit Extract, Camellia Sinensis
Leaf Extract, Dipropylene Glycol, Benzoic Acid,
Methylpropanediol, Triethoxycaprylylsilane,
Sodium Citrate, Ectoin, Stearic Acid, Palmitic
Acid, Haematooccus Purpureus Extract,
Tocopherol, Tetrahexyldecyl Ascorbate,
Panthenol, Phenylpropanediol, Alumina,
Magnesium Oxide, Sodium Benzoate, Potassium
Sorbate, Pentaserythritol Tetra-Di-T-Butyl
Hydroxyhydrocinamate, Sodium Farnesylate,
CI 77891, CI 77499, CI 77492, CI 77491.

Questions? call 800-796-7546

DAILY PREVENTION PURE MINERAL TINTED MOISTURIZER SPF 30

titanium dioxide and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62742-4254
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.7 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ACETYL ZINGERONE (UNII: V9D92S9YE5)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
MAGNESIUM OXIDE (UNII: 3A3U0GI71G)	
SODIUM FERROCYANIDE (UNII: 5HT6X21AID)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
WATER (UNII: 059QF0KO0R)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4) (UNII: 8INO2K35FA)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MANNITOL (UNII: 3OWL53L36A)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
ECTOINE (UNII: 7GXZ3858RY)	
PALMITIC ACID (UNII: 2V16EO95H1)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
HAEMATOCOCCUS PLUVIALIS (UNII: 31TOFF0472)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
PANTHENOL (UNII: WW9CM0O67Z)	
VANILLA (UNII: Q74T35078H)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHOSPHATIDYLCHOLINE TRANSLOCATOR ABCB4 (UNII: 9EI49ZU76O)	
DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER (UNII: 2P2G24V6T9)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62742-4254-1	7 g in 1 TUBE; Type 0: Not a Combination Product	03/15/2024	
2	NDC:62742-4254-3	1 in 1 CARTON	03/15/2024	
2	NDC:62742-4254-2	73 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/15/2024	

Labeler - Allure Labs (926831603)

Registrant - Allure Labs (926831603)

Establishment

Name	Address	ID/FEI	Business Operations
Allure Labs		926831603	manufacture(62742-4254)

Revised: 3/2024

Allure Labs