

ANTISEPTIC- benzalkonium chloride 0.13% spray
Trifecta Pharmaceuticals USA, LLC.

Globe Antiseptic Spray

Active Ingredient

Benzalkonium chloride .13%

Purpose

First Aid Antiseptic

First Aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings

For External Use Only

Flammable. Keep away from fire or flame.

Stop use and ask a doctor

- If the condition persists or gets worse.

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center immediately

Directions

- Clean affected area and spray 1 to 3 times daily
- May be covered with a sterile bandage
- Not to be used on children under 12 years of age

Do Not Use

- Near eyes or mucous membranes
- on deep or puncture wounds, animal bites, or serious burns
- over large areas of the body
- for more than one week unless directed by a doctor

Other information

- Store at controlled room temperature 68°-77°F (20°-25°C)

Inactive Ingredients

Purified water, alcohol

Questions or Comments

Call 1-888-296-9067

Distributed By:

Trifecta Pharmaceuticals USA, LLC.

101 NE Third Avenue, Suite 1500

Ft. Lauderdale, FL. 33301 USA



www.trifecta-pharma.com

SKU: 4069-FBA

Made in China

Packaging

LABEL

 Antiseptic Spray • Treats Minor Cuts, Scrapes, and Abrasions • Helps Prevent Infection Net Wt. 2 fl. oz. (59.1 mL) ANTISEPTIC	Durg Facts <table border="1"><thead><tr><th>Active ingredient</th><th>Purpose</th></tr></thead><tbody><tr><td>Benzalkonium chloride 0.13%</td><td>First aid antiseptic</td></tr></tbody></table>	Active ingredient	Purpose	Benzalkonium chloride 0.13%	First aid antiseptic	 8 50058 16105 1
	Active ingredient	Purpose				
Benzalkonium chloride 0.13%	First aid antiseptic					
Uses First aid to help prevent infection in minor cuts, scrapes and burns. Warnings For external use only. Flammable. Keep away from fire or flame. Do not use ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ for more than one week unless directed by a doctor Stop use and ask a doctor if condition persists or get worse. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age Other Information Store at 68° - 77°F (20° - 25°C). Inactive ingredients Alcohol, Purified water. Questions? Call 1-888-296-9067						

ANTISEPTIC

benzalkonium chloride 0.13% spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69396-153
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69396-153-02	0.0591 L in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/18/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/18/2024	

Labeler - Trifecta Pharmaceuticals USA, LLC. (079424163)

Revised: 3/2024

Trifecta Pharmaceuticals USA, LLC.