LOREAL PARIS TRUE MATCH SUPER BLENDABLE FOUNDATION BROAD SPECTRUM SPF 17 SUNSCREEN- titanium dioxide liquid L'Oreal USA Products Inc

Drug Facts

Active ingredient

Titanium dioxide 2.8%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Keep away from flames and heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, cyclohexasiloxane, glycerin, PEG-10 dimethicone, methyl methacrylate crosspolymer, butylene glycol, pentylene glycol, synthetic fluorphlogopite, disteardimonium hectorite, hydroxyethylpiperazine ethane sulfonic acid, cetyl PEG/PPG-10/1 dimethicone, sodium chloride, polyglyceryl-4 isostearate, hexyl laurate, caprylyl glycol, phenoxyethanol, disodium stearoyl glutamate, tocopherol, panthenol, aluminum hydroxide, hydroxyethyl urea, hydrated silica, methicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate; may contain: titanium dioxide, iron oxides, yellow 6 lake, blue 1 lake, red 28 lake, red 7

Questions or comments?


1-800-322-2036

Monday - Friday

(10 a.m. - 5 p.m. EST)











SUPER-BLENDABLE® FOUNDATION

TITANIUM DIOXIDE SUNSCREEN


BROAD SPECTRUM SPF 17




cool

creamy natural C3

1.0 FL.OZ. / 30 ml





Back of Mid Ply 2

DrugFacts (continued)
dycod symhetic fluorphlogoptie,
disterationorum health election
by dro ogist plyth personne;
by dro ogist plyth personne;
by dro ogist plyth personne;
sulforia acid, edy 1 Feb.
by dro ogist plyth election;
booderatie have ply aurel,
carphyl glycof, plemosyth aurel,
carphyl glycof, plemosyth aurel,
sooderatie havel fluorel,
by dro died, by dro og thyl urea,
aloe bartacensis ledj jusce
by dra ded silice, methicone,
prif aded silice, methicone,
prif aded silice, methicone,
prif agel from the died - by
lyd from ogist plythere.

Bottom


















LOREAL PARIS TRUE MATCH SUPER BLENDABLE FOUNDATION BROAD SPECTRUM SPF 17 SUNSCREEN

titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-855
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety Ingredient Name Basis of Strength TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 28 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
ISODODECANE (UNII: A8289P68Y2)		
CYCLOMETHICONE 6 (UNII: XHK3U310BA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PEG-14 DIMETHICONE (UNII: G7DL1Y4G26)		
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)		

PENTYLENE GLYCOL (UNII: 50C1307PZG) MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M) DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) HYDROXYETHYLPIPERAZINE ETHANE SULFONIC ACID (UNII: RWW266YE9I) CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W/1V8T0X) SODIUM CHLORIDE (UNII: 451W47IQ8X) POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) HEXYL LAURATE (UNII: 4CG9F9W01Q) CAPRYLYL GLYCOL (UNII: 00YIU5438U) PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0Z B2556P8) PANTHENOL (UNII: W9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: 7607T4G8P9) METHICONE (20 CST) (UNII: 6777U11MKT)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) HYDROXYETHYLPIPERAZINE ETHANE SULFONIC ACID (UNII: RWW266YE9I) CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) SODIUM CHLORIDE (UNII: 451W47IQ8X) POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) HEXYL LAURATE (UNII: 4CG9F9W01Q) CAPRYLYL GLYCOL (UNII: 00YIU5438U) PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: W9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
HYDROXYETHYLPIPERAZINE ETHANE SULFONIC ACID (UNII: RWW266YE9I) CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) SODIUM CHLORIDE (UNII: 451W47IQ8X) POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) HEXYL LAURATE (UNII: 4CG9F9W01Q) CAPRYLYL GLYCOL (UNII: 00YIU5438U) PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: W9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y607T4G8P9)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) SODIUM CHLORIDE (UNII: 451W47IQ8X) POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) HEXYL LAURATE (UNII: 4CG9F9W01Q) CAPRYLYL GLYCOL (UNII: 00YIU5438U) PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: W9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y607T4G8P9)
SODIUM CHLORIDE (UNII: 451W47IQ8X) POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) HEXYL LAURATE (UNII: 4CG9F9W01Q) CAPRYLYL GLYCOL (UNII: 00YIU5438U) PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: W9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) HEXYL LAURATE (UNII: 4CG9F9W01Q) CAPRYLYL GLYCOL (UNII: 00YIU5438U) PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: WY9CM0O67Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
HEXYL LAURATE (UNII: 4CG9F9W01Q) CAPRYLYL GLYCOL (UNII: 00YIU5438U) PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: WY9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
CAPRYLYL GLYCOL (UNII: 00YIU5438U) PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: WY9CM0O67Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
PHENOXYETHANOL (UNII: HIE492ZZ3T) DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: WY9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y607T4G8P9)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: WY9CM0O67Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
TOCOPHEROL (UNII: R0ZB2556P8) PANTHENOL (UNII: W9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
PANTHENOL (UNII: WV9CM0067Z) ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y607T4G8P9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) HYDRATED SILICA (UNII: Y6O7T4G8P9)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
METHICONE (20 CST) (HNII: 67771111MKT)
PILITICONE (20 CST) (ONII. 07770IIIMNI)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)
D&C RED NO. 7 (UNII: ECW0LZ41X8)

P	ackaging	ckaging		
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:49967-855- 01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/16/2017	05/26/2025

Marketing In	formation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/16/2017	05/26/2025

Labeler - L'Oreal USA Products Inc (002136794)

Establishment			
Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		624244349	manufacture(49967-855)

Revised: 1/2024 L'Oreal USA Products Inc