

**SUNMARK NASAL DECONGESTANT PE MAXIMUM STRENGTH- phenylephrine hydrochloride tablet, film coated**  
**Strategic Sourcing Services LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**McKesson Nasal Decongestant PE Drug Facts**

**Active ingredient (in each tablet)**

Phenylephrine HCl 10 mg

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product**

**do not exceed recommended dosage**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 1 tablet every 4 hours</li><li>• do not take more than 6 tablets in 24 hours</li></ul>
children under 12 years	do not use this product in children under 12 years of age

**Other information**

- store at 20-25°C (68-77°F)
- do not use if blister unit is broken or torn

**Inactive ingredients**

anhydrous dibasic calcium phosphate, carnauba wax, FD&C red no. 40 aluminum lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

COMPARE TO SUDAFED PE<sup>®</sup> CONGESTION

ACTIVE INGREDIENT

nasal decongestant PE

Maximum Strength

Phenylephrine HCl Tablets, 10 mg

Nasal & sinus congestion - Sinus pressure

36 doses - 1 pill/dose

GLUTEN FREE

NON-DROWSY

Actual Size

36 TABLETS 10 mg EACH

sunmark®

nasal decongestant PE

sunmark®

COMPARE TO SUDAFED PE® CONGESTION ACTIVE INGREDIENT\* NDC 49348-700-07

# nasal decongestant PE

## Maximum Strength

Phenylephrine HCl Tablets, 10 mg  
Nasal & sinus congestion • Sinus pressure  
36 doses • 1 pill/dose

**GLUTEN FREE**



Actual Size

**NON-DROWSY**

**36 TABLETS 10 mg EACH**

09468 S1 C4

OPEN OTHER END

Important: Read all product information before using. Keep this box for important information.

### Drug Facts

**Active Ingredient (in each tablet)** Purpose  
Phenylephrine HCl 10 mg ..... Nasal decongestant

### Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

### Warnings

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product do not exceed recommended dosage**

### Stop use and ask a doctor if

- nauseousness, dizziness, or sleepiness occur
- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Drug Facts (continued)

### Directions

- |                                       |   |
|---------------------------------------|---|
| adults and children 12 years and over | take 1 tablet every 4 hours                 |
|                                       | do not take more than 6 tablets in 24 hours |
| children under 12 years               | ask a doctor                                |

### Other Information

- store at 20-25°C (68-77°F)
- do not use if blister unit is broken or torn

**Inactive Ingredients** anhydrous dibasic calcium phosphate, camber wax, FD&C red no. 40 aluminum lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

### Questions or comments? 1-800-719-9260

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Sudafed PE® Congestion.

**McKesson**

Another Quality Product  
Distributed By McKesson  
6865 State Highway 161, Irving, TX 75039  
Money Back Guarantee  
Please visit us at [www.sunmarkbrand.com](http://www.sunmarkbrand.com)

CONVENIENT RE-CLOSING TAB



# SUNMARK NASAL DECONGESTANT PE MAXIMUM STRENGTH

phenylephrine hydrochloride tablet, film coated

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-700
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

## Product Characteristics

Color	RED	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L7
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-700-48	1 in 1 CARTON	02/14/2005	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:49348-700-07	2 in 1 CARTON	02/14/2005	
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/14/2005	

**Labeler** - Strategic Sourcing Services LLC (116956644)

Revised: 1/2021

Strategic Sourcing Services LLC