

MEDICHOICE PVP PREP SOLUTION- povidone-iodine solution
Owens & Minor Distribution, Inc.

MediChoice PVP Prep Solution

Drug Facts

Active ingredient

Povidone-Iodine, USP 10% (equivalent to 1% titratable iodine)

Purpose

Antiseptic

Uses

- Healthcare antiseptic for preparation of the skin prior to surgery.
- First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Do not use

- in the eyes
- on individuals who are allergic or sensitive to iodine
- over large areas of the body
- as first aid antiseptic longer than 1 week unless directed by doctor.

Stop use and consult a doctor if

- you have deep or puncture wounds
- animal bites
- serious burns
- the condition persists or gets worse
- irritation and redness develop

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- for preparation of the skin prior to surgery, apply product to the operative site
- for use as a first aid antiseptic, apply a small amount of product to the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information

Store at room temperature 59°-86°F (15°-30°C)

Inactive ingredients

citric acid monohydrate, sodium phosphate dibasic dihydrate, water

Package Labeling:

NDC 39892-0841-1

MEDICHOICE®

PVP Prep Solution 4 oz./118 ml

- Povidone-Iodine USP 10%
- Flip-Top Cap

Reorder: **51862**



Not made with natural rubber latex

LOT



stamped position

Manufactured for Owens & Minor, Inc.
9120 Lockwood Boulevard
Mechanicsville, VA 23116
Made in CHINA Rev. A

Drug Facts

Active ingredient Povidone-Iodine, USP 10% (equivalent to 1% titratable iodine)	Purpose Antiseptic
----------------------------------------------------------------------------------------------	------------------------------

Uses ■ Healthcare antiseptic for preparation of the skin prior to surgery. ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.

Warnings For external use only.

Do not use

■ in the eyes ■ on individuals who are allergic or sensitive to iodine ■ over large areas of the body ■ as first aid antiseptic longer than 1 week unless directed by doctor.

Stop use and consult a doctor if

■ you have deep or puncture wounds ■ animal bites ■ serious burns ■ the condition persists or gets worse ■ irritation and redness develop.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions ■ Clean the affected area ■ for preparation of the skin prior to surgery, apply product to the operative site ■ for use as a first aid antiseptic, apply a small amount of product to the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information Store at room temperature 59°-86°F (15°-30°C)

Inactive ingredients citric acid monohydrate, sodium phosphate dibasic dihydrate, water



Package Labeling:



MEDICHOICE PVP PREP SOLUTION

povidone-iodine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:39892-0841
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 94255I6E2T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39892-0841-1	118 mL in 1 PACKAGE; Type 0: Not a Combination Product	01/25/2024	
2	NDC:39892-0841-2	48 in 1 CASE	01/25/2024	
2		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/25/2024	

Labeler - Owens & Minor Distribution, Inc. (847412269)

Revised: 3/2024

Owens & Minor Distribution, Inc.