

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
SOFT BEIGE 50- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
CAMEL 105- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
COCA 115- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
CLASSIC IVORY 10- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
NATURAL IVORY 20- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
NATURAL BEIGE 60- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
MEDIUM BEIGE 80- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
HONEY 85- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
BUFF 30- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
NUDE 40- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
FRESH BEIGE 70- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
CHESTNUT 135- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
WARM BEIGE 90- titanium dioxide liquid  
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -  
NATURAL TAN 100- titanium dioxide liquid  
Johnson & Johnson Consumer Inc.

-----

## Neutrogena Healthy Skin Liquid Makeup Broad Spectrum SPF 20

### *Drug Facts*

#### **Active ingredient**

Titanium Dioxide 3.6%

#### **Purpose**

Sunscreen

#### **Use**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings

### For external use only

- **Do not use** on damaged or broken skin

### When using this product

- **When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

### For Sunscreen Use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

## Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium

Carbonate, Titanium Dioxide, Iron Oxides

## Questions or Comments?

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free **800-480-4812** or **215-273-8755** (collect)

Dist. by: JOHNSON & JOHNSON

CONSUMER INC. , Skillman,

NJ 08558

## Drug Facts

### Active ingredient

Titanium Dioxide (3.6%)

### Purpose

Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

- **For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

#### For Sunscreen Use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Butyloctyl Salicylate, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/ Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

### **Questions or comments?**

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll free **800-480-4812** or **215-273-8755** (collect)

Dist. by: JOHNSON & JOHNSON

CONSUMER INC. , Skillman,

NJ 08558

### **PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Classic Ivory 10**

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



**Classic Ivory 10** PEEL HERE ▶

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 ©J&JCI 2023 30054760

**Drug Facts (continued)**

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

### PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Ivory 20

Neutrogena

healthy skin®

liquid makeup

with

titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



Natural Ivory 20

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30054757  
JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558 ©J&JCI 2023

PEEL HERE ▶

**Drug Facts (continued)**

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Buff 30

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Buff 30** PEEL HERE ▶

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶




0 86800 67003 2

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 ©J&JCI 2023 30054758

**Drug Facts (continued)**

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free **800-480-4812** or **215-273-8755** (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Nude 40**

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Nude 40**

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 ©J&JCI 2023

30054759

PEEL HERE

9 0 86800 67004 9

**Drug Facts (continued)**

**ask a doctor if rash occurs. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Soft Beige 50

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)





**Soft Beige 50**

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**); decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 © J&J, 2023

30054762

PEEL HERE ▶

6

86800 67005

0

**Drug Facts (continued)**

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)


## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Beige 60

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)




**Natural Beige 60**

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look



**PEEL HERE** ▶



**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 ©J&JCI 2023 30054784

**Drug Facts** (continued)

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** **For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts** (continued)

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Fresh Beige 70**

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Drug Facts (continued)**  
 ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**  
**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Medium Beige 80**

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Medium Beige 80** **PEEL HERE** ▶

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30054764  
**JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 ©J&JCI 2023

7  
86800 67008  
0

**Drug Facts (continued)**

**ask a doctor if rash occurs. Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Warm Beige 90**

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Warm Beige 90**

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 ©J&JCI 2023

30054766

PEEL HERE ▶

QR Code

Barcode: 86800 67009 4

**Drug Facts (continued)**

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Tan 100**

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Natural Tan 100** PEEL HERE ▶

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 ©J&JCI 2023 30054767

**Drug Facts (continued)**

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free **800-480-4812** or **215-273-8755** (collect)

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Honey 85

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Honey 85** PEEL HERE ▶

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by:  
JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558

30054765  
©J&JCI 2023

**Drug Facts (continued)**

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Caramel 105**

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Caramel 105** PEEL HERE ▶



- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558 ©J&JCI 2023

**Drug Facts (continued)**

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexylactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Cocoa 115**

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)





**Drug Facts (continued)**

**ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Cocoa 115**

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and** ▶

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ, 08558 ©J&JCI2023 30054785

**PEEL HERE** ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Chestnut 135**

Neutrogena  
 healthy skin®  
 liquid makeup  
 with  
 titanium dioxide sunscreen  
 broad spectrum  
 SPF 20  
 antioxidant blend  
 1 FL. OZ. (30 mL)



**Chestnut 135** **PEEL HERE** ▶

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

**Drug Facts**

**Active ingredient**  
Titanium Dioxide (3.6%)..... Sunscreen

**Purpose**  
Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶




0 86800 43805 2

Dist. by: 30054769  
**JOHNSON & JOHNSON CONSUMER INC.**, Skillman, NJ 08558 ©J&JCI 2023

**Drug Facts (continued)**

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions For Sunscreen Use:** • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics ▶

**Drug Facts (continued)**

**Inactive ingredients** Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Butyloctyl Salicylate, Boron Nitride, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Silica Silylate, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide.

**Questions or comments?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-480-4812 or 215-273-8755 (collect)

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - SOFT BEIGE 50

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0871
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	

<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0871-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

**NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM**

# SPF 20 - CARAMEL 105

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0878
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

**NIACINAMIDE** (UNII: 25X51I8RD4)  
**SORBIC ACID** (UNII: X045WJ989B)  
**PANTHENOL** (UNII: WV9CM0067Z)  
**CAPRYLYL GLYCOL** (UNII: 00YIU5438U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0878-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - COCOA 115

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0879
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0879-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CLASSIC IVORY 10

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0867
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	

**Packaging**

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:69968-0867-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NATURAL IVORY 20

titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0868
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	



BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WW9CM0067Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
BORON NITRIDE (UNII: 2U4T60A6YD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0868-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NATURAL BEIGE 60

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0872
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0872-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

# NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - MEDIUM BEIGE 80

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0874
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>FEROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	

<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>PANTHENOL</b> (UNII: WV9CM0O67Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0874-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - HONEY 85

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0875
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	

<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE080375AB)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0875-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - BUFF 30

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0869
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>FEROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0869-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

# NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NUDE 40

titanium dioxide liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0870
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	

<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE080375AB)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0870-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	04/29/2024		

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - FRESH BEIGE 70

titanium dioxide liquid

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0873
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL



## Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>FEROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0873-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CHESTNUT 135

titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0880
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	

<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0880-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/20/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/20/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - WARM BEIGE 90

titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0876
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	

<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>SORBIC ACID</b> (UNII: X045WJ989B)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0876-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

## NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM

# SPF 20 - NATURAL TAN 100

titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0877
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PPG-12/SMDI COPOLYMER</b> (UNII: 1BK9DDD24E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>QUATERNIUM-90 BENTONITE</b> (UNII: 97K5YEF88C)	
<b>BENZOTRIAZOLYL DODECYL P-CRESOL</b> (UNII: 298PX4M11X)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>ALUMINUM DIMYRISTATE</b> (UNII: J2KA067N9O)	
<b>MAGNESIUM CARBONATE</b> (UNII: 0E53J927NA)	
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

**NIACINAMIDE** (UNII: 25X51I8RD4)

**SORBIC ACID** (UNII: X045WJ989B)

**PANTHENOL** (UNII: WW9CM0067Z)

**CAPRYLYL GLYCOL** (UNII: 00YIU5438U)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0877-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 3/2024

Johnson & Johnson Consumer Inc.