

**FORTICEPT UDDER FORTE SANITIZING TEAT DIP- benzethonium chloride,  
thymol emulsion  
Cosco International, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**Drug Facts**

***Active Ingredient/Purpose***

**Benzethonium Chloride.....0.1%**

**Thymol.....0.063% □**

***Inactive Ingredients***

Emollients, botanical extracts, and FD&C color.....99.83%

***Uses***

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

***Caution***

For external use only \* Not for human use \* Keep out of reach of children

***Directions for use***

**IMPORTANT:** Do not mix FORTICEPT™ UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping. If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

**PRIOR TO MILKING:** Wash teats thoroughly right before milking with FORTICEPT™ UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats should be dried with single-service towels. Use proper procedures for udder washing.

**POST-MILKING DIPPING:** Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

***Storage and handling***

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

***FIRST AID***

**Eye contact:** In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation

persists.

**Skin contact:** Wash the skin with water and soap. Wash clothing before reuse.

**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel. If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call: +1 212 709-8133

1Kg



**FORTICEPT™**  
**UDDER FORTE**  
**SANITIZING TEAT DIP**

IODINE FREE, PHOSPHORUS FREE  
EMOILENT SYSTEM

With natural extracts of  
**Chamomile & Yarrow**

Teat dip is an aid in  
reducing the spread of microorganisms  
which may cause mastitis

**For External Use Only**

1 Gal. / 3.785L

LIDAN, INC 30 WALL STR. 8th FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

<b>Active Ingredients</b>	
Benzethonium Chloride .....	0.1%
Thymol .....	0.063%
<b>Inactive Ingredients</b>	
Emollients, botanical extracts, and FD&C color.....	99.83%

**Uses**  
Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

**Caution**  
For external use only \* Not for human use \* Keep out of reach of children

**Directions for use**  
**IMPORTANT:** Do not mix FORTICEPT™ UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

**PRIOR TO MILKING:** Wash teats thoroughly right before milking with FORTICEPT™ UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats should be dried with single-service towels. Use proper procedures for udder washing.

**POST-MILKING DIPPING:** Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

**Storage and handling**  
Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

**FIRST AID**  
**Eye contact:** In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.  
**Skin contact:** Wash the skin with water and soap. Wash clothing before reuse.  
**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel. If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call:  
+1 (212) 709-8133

**MADE IN USA**



1 234514 899839



FORTICEPT™ is registered Trade Mark of Lidan, Inc. all rights reserved 2016  
**PATENT PENDING**



**FORTICEPT™**  
**UDDER FORTE**  
**SANITIZING TEAT DIP**

IODINE FREE, PHOSPHORUS FREE  
EMOILENT SYSTEM

With natural extracts of  
**Chamomile & Yarrow**

*Teat dip is an aid in  
reducing the spread of microorganisms  
which may cause mastitis*

**For External Use Only**

1.32 Gal. / 5L

LIDAN, INC 30 WALL STR. 8th FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

**Active Ingredients**

Benzethonium Chloride .....0.1%  
Thymol .....0.063%

**Inactive Ingredients**

Emollients, botanical extracts, and FD&C color.....99.83%

**Uses**

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

**Caution**

**For external use only \* Not for human use \* Keep out of reach of children**

**Directions for use**

**IMPORTANT:** Do not mix FORTICEPT™ UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

**PRIOR TO MILKING:** Wash teats thoroughly right before milking with FORTICEPT™ UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats should be dried with single-service towels. Use proper procedures for udder washing.

**POST-MILKING DIPPING:** Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

**Storage and handling**

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

**FIRST AID**

**Eye contact:** In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

**Skin contact:** Wash the skin with water and soap. Wash clothing before reuse.

**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel. If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call:  
+1 (212) 709-8133

**MADE IN USA**



FORTICEPT™ is registered Trade Mark of Lidan, Inc. all rights reserved 2016  
**PATENT PENDING**

20Kg



**FORTICEPT™**  
**UDDER FORTE**  
**SANITIZING TEAT DIP**

IODINE FREE, PHOSPHORUS FREE  
 EMOILENT SYSTEM

With natural extracts of  
**Chamomile & Yarrow**

Teat dip is an aid in  
 reducing the spread of microorganisms  
 which may cause mastitis

**For External Use Only**

5 Gal. / 20L

LIDAN, INC 30 WALL STR. 8th FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

**Active Ingredients**

Benzethonium Chloride .....0.1%  
 Thymol .....0.063%

**Inactive Ingredients**

Emollients, botanical extracts, and FD&C color.....99.83%

**Uses**

Teat dip is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and promote healthy skin

**Caution**

**For external use only \* Not for human use \* Keep out of reach of children**

**Directions for use**

**IMPORTANT:** Do not mix FORTICEPT™ UDDER FORTE Teat Dip with water, other teat dips, or any other products. When transferring from this container to any other, make sure that the other container is clean and is the proper container for dipping.

If product in dip cup becomes visibly dirty, discard contents and refill with undiluted product. Do not reuse or return any unused product to the original container.

**PRIOR TO MILKING:** Wash teats thoroughly right before milking with FORTICEPT™ UDDER WASH solution or pre-milking teat wash to avoid contamination of milk. Teats should be dried with single-service towels. Use proper procedures for udder washing.

**POST-MILKING DIPPING:** Immediately after each milking, use FORTICEPT™ UDDER FORTE Teat Dip. Submerge each teat full-length into the teat dip cup. Allow to air dry. Do not wipe. Always use fresh, full-strength FORTICEPT™ UDDER FORTE Teat Dip.

**Storage and handling**

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

**FIRST AID**

**Eye contact:** In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

**Skin contact:** Wash the skin with water and soap. Wash clothing before reuse.

**Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel. If large quantities of this material are swallowed, call a poison control center immediately.

For questions, please call:  
 +1 (212) 709-8133

**MADE IN USA**



FORTICEPT™ is registered Trade Mark of Lidan, Inc. all rights reserved 2016

**PATENT PENDING**

**FORTICEPT UDDER FORTE SANITIZING TEAT DIP**

benzethonium chloride, thymol emulsion

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:5226 1-0208
<b>Route of Administration</b>	Topical		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
benzethonium chloride (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	benzethonium chloride	0.025 kg in 1 kg
thymol (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	thymol	0.025 kg in 1 kg

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52261-0208-4	3.785 kg in 1 PAIL		
2	NDC:52261-0208-1	20 kg in 1 PAIL		
3	NDC:52261-0208-3	5 kg in 1 PAIL		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/29/2016	

**Labeler** - Cosco International, Inc. (016433141)

**Registrant** - Cosco International, Inc. (016433141)

## Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	api manufacture, pack, manufacture, label

Revised: 9/2016

Cosco International, Inc.