

**VEGA ORAL CARE RECOVERY SPEARMINT- kit**  
**StellaLife, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Vega Oral Care Recovery Kit - Spearmint**

**StellaLife VEGA Oral Care Spearmint Rinse**

StellaLife VEGA Oral Care Spearmint Rinse

**Cucumber Rinse Active Ingredient**

Azadirachta indica 3X  
Calendula 3X  
Echinacea purpurea 3X  
Plantago major 3X

**Purpose**

---

| <b>Active ingredient</b> | <b>Purpose</b>           |
|--------------------------|--------------------------|
| Azadirachta indica       | Antigingivitis, swelling |
| Calendula                | Antiseptic               |
| Echinacea purpurea       | Antiseptic               |
| Plantago major           | Antiseptic               |

---

**Uses**

- Antimicrobial.
- Promotes oral health.
- Hydrates oral cavity.
- Supports healthy gums.
- Freshens breath.

**Directions**

Adults and children over the age of 6 years: Shake well. Use 3/4 tablespoon (10 ml) per application 3 times a day or as recommended by a dental professional. Swish in the mouth for 1-2 minutes and then spit out. Do not swallow. Refrain from eating or drinking for at least 20 minutes after use. Consult your healthcare professional for use in children under 6 years of age.

## **Keep out of reach of children**

■ Keep this and all drugs out of the reach of children and pets. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

## **PREGNANCY AND BREAST FEEDING**

■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.

## **Other information**

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients, color may vary over time.
- Use within 60 days of opening.

## **Warnings**

For your protection, this bottle has an inner seal under the cap. Do not use if tamper evident cap seal is broken or missing.

## **Stop use**

■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.

## **Ask doctor**

■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

Alcohol, Allantoin, Citric acid, Cucumber flavor, Glycerin, Potassium sorbate, Propolis, Purified water, Sodium benzoate, Xylitol.

## **Questions?**

(305) 788-8555 or  
support@StellaLife.com

## **Unflavored Spray**

Unflavored Spray

## **Unflavored Spray Active Ingredients**

Arnica 3X, 6X, 18X, Calendula 3X, Chamomilla 5X, Echinacea angustifolia 3X, Echinacea purpurea 3X, Hepar sulph calc 8X, Hypericum 10X, Ignatia 30X, Ruta 12X, Silicea 8X, Staphysagria 8X

## **Unflavored Spray Pregnancy**

■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a

healthcare professional before using this product.

## Purpose

---

| Active Ingredient         | Purpose                    |
|---------------------------|----------------------------|
| Arnica                    | Bruising, swelling         |
| Calendula                 | Antiseptic                 |
| Chamomilla                | Swelling                   |
| Echinacea<br>angustifolia | Antiseptic                 |
| Echinacea<br>purpurea     | Antiseptic                 |
| Hepar sulph calc          | Antiseptic                 |
| Hypericum                 | Bruising, wound<br>healing |
| Ignatia                   | Soothing                   |
| Ledum palustre            | Analgesic                  |
| Ruta                      | Bruising                   |
| Silicea                   | Analgesic,<br>antiseptic   |
| Staphysagria              | Analgesic,<br>soothing     |

---

## Keep out of reach of children

■ Keep this and all drugs out of the reach of children. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

## Warnings

For your protection, this bottle has a full body seal. Do not use if this tamper evident seal is broken or missing.

## Directions

Adults and children over 6 years of age: Shake well. Spray 3-4 times per application under the tongue. Repeat 3-4 times per day or as directed by your doctor. Consult a healthcare professional for use in children under 6 years of age.

## Unflavored Spray Uses

- Relieves pain and swelling.
- Promotes healing.
- Reducing bruising.

## Do not use

- Do not use if you have a known allergy or sensitivity to any of the ingredients.

## Stop use

■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.

### **Ask dental professional**

■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

### **Other information**

■ Store at room temperature.

■ Keep away from direct heat or sunlight.

■ Because of natural ingredients. color may vary overtime.

■ Use within 60 days of opening

### **Questions?**

(305) 788-8555 or

Support@StellaLife.com

### **Unflavored Gel**

Unflavored Gel

### **Directions**

Adults and children over the age of 6 years: Wash hands. Apply to the gum at the surgical or affected area with a cotton swab. Allow gel to dissolve. Do not eat or drink for 20 minutes after application. Apply 4 times per day or as directed by a dental professional. Consult your healthcare professional for use in children under 6 years of age.

### **Keep out of reach of children**

■ Keep this and all drugs out of the reach of children and pets. In case of accidental overdose, seek professional assistance or contact a poison control center immediately

### **Pregnancy**

■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.

### **Inactive Ingredients**

Allantoin, Hydroxyethylcellulose, Potassium sorbate, Purified water, Sodium benzoate, Sodium metabisulfite, Xylitol.

### **Do not use**

■ Do not use if you have a known allergy or sensitivity to any of the ingredients.

## Stop Use

■ Stop use and consult a health professional if you experience irritation or unusual sensitivity, or develop a rash,

## Warnings

For your protection this container has a seal. Do not use if this tamper evident seal is broken or missing.

## Ask Dental Professional

■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

## Other Information

- Store at room temperature.
- Keep away from direct heat or sunlight.
- Because of natural ingredients, color may vary overtime.
- Use within 60 days of opening

## Questions?

(305) 788-8555 or

support@StellaLife.com

## Unflavored Gel Active Ingredients

Arnica 3X, 6X, 18X, Calendula 3X, Chamomilla 5X, Echinacea angustifolia 3X, Echinacea purpurea 3X, Hepar sulph calc 8X, Hypericum 10X, Ignatia 30X, Ruta 12X, Silicea 8X, Staphysagria 8X

## Purpose

---

| Active Ingredient      | Purpose                 |
|------------------------|-------------------------|
| Arnica                 | Bruising, swelling      |
| Calendula              | Antiseptic              |
| Chamomilla             | Swelling                |
| Echinacea angustifolia | Antiseptic              |
| Echinacea purpurea     | Antiseptic              |
| Hepar sulph calc       | Antiseptic              |
| Hypericum              | Bruising, wound healing |
| Ignatia                | Soothing                |
| Ledum palustre         | Analgesic               |
| Ruta                   | Bruising                |
| Silicea                | Analgesic,              |

**Uses**

**Temporarily**

- Relieves pain and swelling.
- Promotes healing.
- Reduces bruising.
- Relieves oral ulcers.
- Hydrates oral

STELLALIFE® Intelligent Healing® TOP 100 DENTAL RECOVERY PRODUCT

**SPEARMINT RECOVERY KIT**

Rinse (Spearmint) | Spray (Unflavored) | Gel (Unflavored)

Intelligent Healing® Choose natural when it comes to your health and well being. VEGA® Oral Care Recovery Kit is a combination of a rinse, spray and gel formulated to improve dental postsurgical recovery after wisdom teeth extractions, placement of dental implants, bone and gum graft, periodontal and other dental procedures.\*

---

**Spearmint Rinse**

**Drug Facts**

**Active ingredients** Purpose  
 Azadirachta indica 3X..... Antingingivitis, swelling  
 Calendula 3X..... Antiseptic  
 Echinacea purpurea 3X..... Antiseptic  
 Plantago major 3X..... Antiseptic

**Use**  
 ■ Antimicrobial.  
 ■ Promotes oral health.  
 ■ Hydrates oral cavity.  
 ■ Promotes healthy gums.  
 ■ Freshens breath.

**Warnings**  
 ■ Do not use if you have a known allergy or sensitivity to any of the ingredients.  
 ■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.  
 ■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.  
 ■ Keep this and all drugs out of the reach of children and pets. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.  
 ■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

**Directions**  
 Adults and children over the age of 6 years:  
**Shake well.** Use 3/4 Tablespoonful (10 ml) per application 3 times a day. Swish in the mouth for at least 1 minute and then spit out. Do not swallow. Refrain from eating or drinking for at least 20 minutes after use. Consult your healthcare professional for use in children under 6 years of age.

**Other information**  
 For your protection this bottle has an inner seal under the cap. Do not use if tamper evident cap seal is broken or missing.  
 ■ Store at room temperature.  
 ■ Keep away from direct heat or sunlight.  
 ■ Because of natural ingredients, color may vary over time.  
 ■ Use within 60 days of opening.

**Inactive ingredients**  
 Allantoin, Citric acid, Glycerin, Potassium sorbate, Propolis, Purified water, Spearmint flavor, Sodium benzoate, Xylitol.

**Questions?**  
 +1 (305) 788-8555  
 support@StellaLife.com

\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

STELLALIFE® Intelligent Healing® TOP 100 DENTAL RECOVERY PRODUCT

**VEGA® Oral Care RECOVERY KIT**

Homeopathic NDC 69685-107-01

**OPIOID-FREE**

**ADVANCED FORMULA Spearmint**

**DENTIST RECOMMENDED**

**Includes:**

|                              |                              |                              |
|------------------------------|------------------------------|------------------------------|
| Homeopathic NDC 69685-133-16 | Homeopathic NDC 69685-121-01 | Homeopathic NDC 69685-122-01 |
| <b>VEGA® Oral Care Rinse</b> | <b>VEGA® Oral Care Spray</b> | <b>VEGA® Oral Care Gel</b>   |
| Spearmint                    | Unflavored                   | Unflavored                   |
| ADVANCED FORMULA             | Pain and swelling relief*    | Pain and swelling relief*    |
| Antimicrobial*               | Promotes healing*            | Promotes healing*            |
| Promotes oral health*        | Reduces bruising*            | Reduces bruising*            |
| Hydrates oral cavity*        | Relieves oral ulcers*        | Relieves oral ulcers*        |
| Promotes healthy gums*       | Hydrates oral cavity*        | Hydrates oral cavity*        |
| Freshens breath*             |                              |                              |
| Alcohol 1.8%                 |                              |                              |

16 fl oz (473 ml) | 1 fl oz (30 ml) | 1 fl oz (30 ml)

**Unflavored Spray**

**Drug Facts**

**Active ingredients** Purpose  
 Arnica 3X, 6X, 18X.....Bruising, swelling  
 Calendula 3X..... Antiseptic  
 Chamomilla 5X..... Swelling  
 Echinacea angustifolia 3X..... Antiseptic  
 Echinacea purpurea 3X..... Antiseptic  
 Hepar sulph calc 6X..... Antiseptic  
 Hypericum 10X..... Bruising, wound healing  
 Ignatia 30X..... Soothing  
 Ledum palustre 6X..... Analgesic  
 Ruta 12X..... Bruising  
 Silicea 6X..... Analgesic, antiseptic  
 Staphysagria 6X..... Analgesic, soothing

**Use** Temporarily  
 ■ Relieves pain and swelling.  
 ■ Promotes healing.  
 ■ Reduces bruising.

**Warnings**  
 ■ Do not use if you have a known allergy or sensitivity to any of the ingredients.  
 ■ Stop use and consult a healthcare professional if you experience irritation or unusual sensitivity, or develop a rash.  
 ■ As with any drug, if you are pregnant or nursing a baby, seek the advice of a healthcare professional before using this product.  
 ■ Keep this and all drugs out of the reach of children and pets. In case of accidental overdose, seek professional assistance or contact a poison control center immediately.  
 ■ If pain, swelling or other related symptoms persist for more than 7 days of use, contact a dental professional.

**Directions**  
 Adults and children over 6 years of age:  
**Shake well.** Spray 4 times under the tongue. Repeat 3 times per day or as directed by your doctor. Consult a healthcare professional for use in children under 6 years of age.

**Other information**  
 For your protection this bottle has a full body seal. Do not use if this tamper evident seal around bottle is broken or missing.  
 ■ Store at room temperature.  
 ■ Keep away from direct heat or sunlight.  
 ■ Because of natural ingredients, color may vary over time.  
 ■ Use within 60 days of opening.

**Inactive ingredients**  
 Citric acid, Glycerin, Potassium sorbate, Purified water, Sodium benzoate.

**Questions?**  
 +1 (305) 788-8555  
 support@StellaLife.com

**3 • 3 • 3 StellaLife® Program**

- Start **3 DAYS** before the surgery or procedure to increase therapeutic levels.
- Apply **3 TIMES** per day, preferably after meals.
- Use all **3 PRODUCTS** at the same time in the order outlined.

**Directions**

**STEP 1** VEGA® Oral Care Rinse Shake well. Swish 3/4 tablespoon (10 ml) for 1-2 minutes, spit out.

**STEP 2** VEGA® Oral Care Spray Spray 4 times under the tongue.

**STEP 3** VEGA® Oral Care Gel Apply to the **gum at the affected area** with a cotton swab.

Continue using all 3 products after the surgery or procedure. Refrain from drinking and eating for at least 20 minutes after application. Consult your healthcare professional for use in children under 6 years of age.

StellaLife.com  
 Distributed by: StellaLife®, Inc. 2875 NE 191 Street, Suite 500 Aventura, FL 33180, USA +1 (305) 788-8555 support@StellaLife.com Patent No: US 11,707,498.B2  
 VEGA® and Intelligent Healing® are trademarks of StellaLife®, Inc. All rights reserved.

**VEGA ORAL CARE RECOVERY SPEARMINT**  
kit kit

## Product Information

|                     |                |                           |               |
|---------------------|----------------|---------------------------|---------------|
| <b>Product Type</b> | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:69685-107 |
|---------------------|----------------|---------------------------|---------------|

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69685-107-01 | 1 in 1 BOX; Type 1: Convenience Kit of Co-Package | 02/10/2024           |                    |

## Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 |                  | 1                      |
| Part 2 |                  | 1                      |
| Part 3 |                  | 1                      |

## Part 1 of 3

### STELLALIFE VEGA ORAL CARE SPEARMINT ADVANCED HEALING FORMULA

azadirachta indica, calendula, echinacea purpurea, plantago major rinse

## Product Information

|                           |               |
|---------------------------|---------------|
| <b>Item Code (Source)</b> | NDC:69685-133 |
|---------------------------|---------------|

|                                |      |
|--------------------------------|------|
| <b>Route of Administration</b> | ORAL |
|--------------------------------|------|

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength            | Strength         |
|---|------------------------------|------------------|
| <b>ECHINACEA PURPUREA</b> (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)                     | ECHINACEA PURPUREA           | 3 [hp_X] in 1 mL |
| <b>PLANTAGO MAJOR</b> (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)                             | PLANTAGO MAJOR               | 3 [hp_X] in 1 mL |
| <b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD) (CALENDULA OFFICINALIS FLOWER - UNII:P0M7O4Y7YD) | CALENDULA OFFICINALIS FLOWER | 3 [hp_X] in 1 mL |
| <b>AZADIRACHTA INDICA BARK</b> (UNII: G580B439YI) (AZADIRACHTA INDICA BARK - UNII:G580B439YI)           | AZADIRACHTA INDICA BARK      | 3 [hp_X] in 1 mL |

## Inactive Ingredients

| Ingredient Name                             | Strength |
|---|----------|
| <b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4) |          |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)   |          |
| <b>WATER</b> (UNII: 059QF0KO0R)             |          |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)         |          |

|   |  |
|---|--|
| <b>PROPOLIS WAX</b> (UNII: 6Y8XYV2NOF)            |  |
| <b>XYLITOL</b> (UNII: VCQ006KQ1E)                 |  |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)                 |  |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP) |  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                |  |
| <b>SPEARMINT</b> (UNII: J7I2T6IV1N)               |  |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 03/15/2024           |                    |

## Part 2 of 3

### STELLALIFE VEGA ORAL CARE PAIN AND SWELLING RELIEF

amica, calendula, chamomilla, echinacea angustifolia, echinacea purpurea, hepar sulph calc, hypericum, ignatia, ruta, staphysagria spray

## Product Information

|                                |               |
|--------------------------------|---------------|
| <b>Item Code (Source)</b>      | NDC:69685-121 |
| <b>Route of Administration</b> | ORAL          |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength                   | Strength          |
|---|-------------------------------------|-------------------|
| <b>MATRICARIA RECUTITA</b> (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)                                 | MATRICARIA RECUTITA                 | 5 [hp_X] in 1 mL  |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)   | SILICON DIOXIDE                     | 8 [hp_X] in 1 mL  |
| <b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)                           | ECHINACEA ANGUSTIFOLIA              | 3 [hp_X] in 1 mL  |
| <b>ECHINACEA PURPUREA</b> (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)                                   | ECHINACEA PURPUREA                  | 3 [hp_X] in 1 mL  |
| <b>ARNICA MONTANA</b> (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)   | ARNICA MONTANA                      | 3 [hp_X] in 1 mL  |
| <b>DELPHINIUM STAPHISAGRIA SEED</b> (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)               | DELPHINIUM STAPHISAGRIA SEED        | 8 [hp_X] in 1 mL  |
| <b>CALENDULA OFFICINALIS FLOWERING TOP</b> (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ) | CALENDULA OFFICINALIS FLOWERING TOP | 3 [hp_X] in 1 mL  |
| <b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)   | CALCIUM SULFIDE                     | 8 [hp_X] in 1 mL  |
| <b>HYPERICUM PERFORATUM</b> (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)                               | HYPERICUM PERFORATUM                | 10 [hp_X] in 1 mL |
| <b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)                                  | LEDUM PALUSTRE TWG                  | 6 [hp_X] in 1 mL  |
| <b>RUTA GRAVEOLENS FLOWERING TOP</b> (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)             | RUTA GRAVEOLENS FLOWERING TOP       | 12 [hp_X] in 1 mL |



**STRYCHNOS IGNATII SEED** (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)

STRYCHNOS IGNATII SEED

30 [hp\_X]  
in 1 mL

## Inactive Ingredients

| Ingredient Name                                   | Strength |
|---|----------|
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                |          |
| <b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP) |          |
| <b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)       |          |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)         |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                   |          |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 02/12/2024           |                    |

## Part 3 of 3

### STELLALIFE VEGA ORAL CARE UNFLAVORED PAIN AND SWELLING RELIEF

arnica, calendula, chamomilla, echinacea angustifolia, echinacea purpurea, hepar sulph calc, hypericum, Ignatia, ledum palustre, ruta, silicea, staphysagria gel

## Product Information

|                                |               |
|--------------------------------|---------------|
| <b>Item Code (Source)</b>      | NDC:69685-122 |
| <b>Route of Administration</b> | TOPICAL       |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength                   | Strength            |
|---|-------------------------------------|---------------------|
| <b>MATRICARIA RECUTITA</b> (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)                                 | MATRICARIA RECUTITA                 | 5 [hp_X]<br>in 1 mL |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)   | SILICON DIOXIDE                     | 8 [hp_X]<br>in 1 mL |
| <b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)                           | ECHINACEA ANGUSTIFOLIA              | 3 [hp_X]<br>in 1 mL |
| <b>ECHINACEA PURPUREA</b> (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)                                   | ECHINACEA PURPUREA                  | 3 [hp_X]<br>in 1 mL |
| <b>ARNICA MONTANA</b> (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)   | ARNICA MONTANA                      | 3 [hp_X]<br>in 1 mL |
| <b>DELPHINIUM STAPHISAGRIA SEED</b> (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)               | DELPHINIUM STAPHISAGRIA SEED        | 8 [hp_X]<br>in 1 mL |
| <b>CALENDULA OFFICINALIS FLOWERING TOP</b> (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ) | CALENDULA OFFICINALIS FLOWERING TOP | 3 [hp_X]<br>in 1 mL |

|   |                               |                   |
|---|-------------------------------|-------------------|
| <b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)                             | CALCIUM SULFIDE               | 8 [hp_X] in 1 mL  |
| <b>HYPERICUM PERFORATUM</b> (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)                   | HYPERICUM PERFORATUM          | 10 [hp_X] in 1 mL |
| <b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWG - UNII:877L01IZ0P)                      | LEDUM PALUSTRE TWG            | 6 [hp_X] in 1 mL  |
| <b>RUTA GRAVEOLENS FLOWERING TOP</b> (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S) | RUTA GRAVEOLENS FLOWERING TOP | 12 [hp_X] in 1 mL |
| <b>STRYCHNOS IGNATII SEED</b> (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)               | STRYCHNOS IGNATII SEED        | 30 [hp_X] in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)                     |          |
| <b>HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%)</b> (UNII: R33S7TK2EP) |          |
| <b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)                        |          |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)                          |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                    |          |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                                |          |
| <b>XYLITOL</b> (UNII: VCQ006KQ1E)                                  |          |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 02/12/2024           |                    |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 02/08/2024           |                    |

**Labeler** - StellaLife, Inc. (079714251)

Revised: 4/2024

StellaLife, Inc.