

LORATADINE- loratadine tablet
Select Brand

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**

INACTIVE INGREDIENTS

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

QUESTIONS?

Call **1-800-406-7984**

PRINCIPAL DISPLAY PANEL

*Compare to the active ingredient of Claritin®

NDC 15127-715-30

select brand®

NON-DROWSY■

Allergy Relief

Loratadine Tablets USP, 10 mg

Antihistamine

INDOOR & OUTDOOR ALLERGIES

RELIEF OF:

Sneezing; Runny Nose; Itchy, Watery Eyes; Itchy Throat or Nose


24 Hour Allergy Relief

30 Tablets

■ **When taken as directed. See Drug Facts Panel.**

Distributed by: **SELECT BRAND DISTRIBUTORS**

5069402/1008



5069402



5069402

Drug Facts

Active ingredient (in each tablet) Loratadine USP 10 mg.....Antihistamine

Purpose

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness. **Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours

children under 6 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

Other information

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

Antihistamine

select brand
the lower price name brand

NON-DROWSY*

24 Hour Allergy Relief

Allergy Relief

Loratadine Tablets USP, 10 mg

30 Tablets

INDOOR & OUTDOOR ALLERGIES

NDC 15127-715-30

select brand
the lower price name brand

NON-DROWSY*

Allergy Relief

Loratadine Tablets USP,

Antihistamine 10 mg

INDOOR & OUTDOOR ALLERGIES

RELIEF OF:
Sneezing; Runny Nose; Itchy, Watery Eyes;
Itchy Throat or Nose

24 Hour Allergy Relief

30 Tablets

* When taken as directed. See Drug Facts Panel.

Drug Facts (continued)

Inactive ingredients corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions? call 1-800-406-7984

Keep the carton. It contains important information. See end panel for expiration date.

Distributed by:
SELECT BRAND DISTRIBUTORS
Pine Bluff, AR 71603 USA
AC (870) 535-3635

1008

0 15127101329 1

*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., owner of the registered trademark Claritin®

Batch No. _____

Expiration Date: _____

Non Varnish Area

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:15127-715
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white (White to Off-White)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX526
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15127-715-10	10 in 1 BLISTER PACK		
2	NDC:15127-715-30	30 in 1 BLISTER PACK		
3	NDC:15127-715-60	60 in 1 BOTTLE		
4	NDC:15127-715-01	100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	08/19/2003	

Labeler - Select Brand (043562370)**Registrant** - Ranbaxy Pharmaceuticals Inc. (937890044)**Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		051565745	manufacture(15127-715)

