

**HEX-TRA - teat dip liquid**

**Tetradyne LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**Hex-Tra**

**USE DIRECTIONS:**

Use at full strength, do not dilute.

**POST-MILKING:**

Dip entire teat in **HEX-TRA**. Allow to air dry. If solution in cup becomes visibly dirty. Then replenish with **HEX-TRA** at full strength. Do not return unused product to original container.

**PROTECT FROM FREEZING  
IF FROZEN: SHAKE VIGOROUSLY  
AFTER THAWING**

**WARNING: CONTAINS CHLORHEXIDINE  
GLUCONATE.**

Not for human use.  
Avoid contamination of food. Avoid contact with eyes. Not for internal use.

OBSERVE LABEL DIRECTIONS  
KEEP OUT OF REACH OF CHILDREN!

**FIRST AID:**

**INTERNAL:** If swallowed, do not induce vomiting.

Drink large quantities of water. See physician immediately.

**EYES:** Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

**HEX-TRA**

**SANITIZING CHLORHEXIDINE TEAT DIP  
FORMULATED WITH EMOLLIENTS AND  
DERMAL CONDITIONERS**

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient.....0.50% Chlorhexidine Gluconate

Contains an Emollient System

Lot#: \_\_\_\_\_

Exp. Date: \_\_\_\_\_

Next Content: \_\_\_\_\_

**Manufactured For:**

Tetradyne LLC  
PO Box 17003  
Reno, NV 89511

# HEX - TRA

**USE DIRECTIONS:**

Use at full strength, do not dilute.

**POST-MILKING:**

Dip entire teat in HEX-TRA. Allow to air dry. If solution in cup becomes visibly dirty, then replenish with HEX-TRA at full strength. Do not return unused product to original container.

**SANITIZING CHLORHEXIDINE TEAT  
DIP FORMULATED WITH  
EMOLLIENTS AND DERMAL  
CONDITIONERS**

*This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.*

Active Ingredient . . . . 0.50% Chlorhexidine  
Gluconate

Contains an Emollient System

Lot #: \_\_\_\_\_

Exp. Date: \_\_\_\_\_

Net Contents: \_\_\_\_\_



**OBSERVE LABEL  
DIRECTIONS**

**WARNING:** CONTAINS CHLORHEXIDINE  
GLUCONATE.

Not For Human Use.  
Avoid contamination of food. Avoid contact  
with eyes. Not for internal use.

**KEEP OUT OF REACH OF CHILDREN!**

**FIRST AID:**

**INTERNAL:** If swallowed, do not induce  
vomiting. Drink large quantities of water. See  
physician immediately.

**EYES:** Flush eyes with clear water for 15  
minutes. If irritated, obtain medical guidance.

**GET MEDICAL ATTENTION IMMEDIATELY.**

PROTECT FROM FREEZING  
IF FROZEN: SHAKE  
VIGOROUSLY AFTER THAWING

Manufactured For:  
Tetradyne LLC  
PO Box 17003  
Reno, NV 89511

## HEX-TRA

teat dip liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:66399-083
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)		CHLORHEXIDINE GLUCONATE	0.50 L in 100 L	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C0OX)		5.0 L in 100 L		
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66399-083-01	3.78 L in 1 JUG		
2	NDC:66399-083-02	18.9 L in 1 PAIL		
3	NDC:66399-083-03	56.7 L in 1 DRUM		
4	NDC:66399-083-04	113.4 L in 1 DRUM		
5	NDC:66399-083-05	207.9 L in 1 DRUM		
6	NDC:66399-083-06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-083-07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/10/2001		

**Labeler** - Tetradyne LLC (130969293)

Revised: 11/2010

Tetradyne LLC