

**NATRIUM SULFURICUM 6X- anhydrous sodium sulfate tablet**  
**KALIUM PHOSPHORICUM 6X- potassium dihydrogen phosphate tablet**  
**FERRUM PHOSPHORICUM 6X- hydrated iron iii phosphate tablet**  
**Seroyal USA**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**UNDA Tissue salts**

Active ingredients

Natrium sulfuricum (Sodium sulfate anhydrous) 6X

Uses

For the temporary relief of symptoms associated with mild indigestion.

Warnings

Do not use if you ever had an allergic reaction to this product or any of its ingredients. Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if symptoms persist or worsen.

Other information

Do not use if seal is missing or broken.

Store in a cool, dry place.

Contents may not fill package in order to accommodate required labeling.

Please rely on stated quantity.

Inactive ingredients

Lactose monohydrate (milk), magnesium stearate, sodium carboxymethylcellulose, xylitol

Directions

Tip bottle slightly allowing for tablets to fall into the cap.

Use cap to drop tablets into mouth and allow them to dissolve under tongue.

Adults and adolescents (12 years and older): Take 1 to 4 tablets, one to four times daily, or as recommended by your healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

## Uses

For the temporary relief of symptoms associated with mild indigestion.

## Directions

Tip bottle slightly allowing for tablets to fall into the cap.

Use cap to drop tablets into mouth and allow them to dissolve under tongue.

Adults and adolescents (12 years and older): Take 1 to 4 tablets, one to four times daily, or as recommended by your healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

## Active ingredients

Kalium phosphoricum (Dibasic potassium phosphate) 6X

## Uses

For the temporary relief of symptoms associated with

occasional anxiety

overexertion

mental fatigue

## Warnings

Do not use if you ever had an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breastfeeding, ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if symptoms persist or worsen.

## Inactive ingredients

Lactose monohydrate (milk),

magnesium stearate,

sodium carboxymethylcellulose,

xylitol

## Directions

Tip bottle slightly allowing for tablets to fall into the cap.

Use cap to drop tablets into mouth and allow them to dissolve under the tongue.

Adults and adolescents (12 years and older): Take 1 to 4 tablets, one to four times daily, or as recommended by your healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

## Indications

For the temporary relief of symptoms associated with  
occasional anxiety  
overexertion  
mental fatigue

## Directions

Tip bottle slightly allowing for tablets to fall into the cap.  
Use cap to drop tablets into mouth and allow them to dissolve under the tongue.  
Adults and adolescents (12 years and older): Take 1 to 4 tablets, one to four times daily,  
or as recommended by your  
healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

## Active Ingredients

Ferrum phosphoricum (Ferrosulfate) 6X

## Uses

For the temporary relief of symptoms associated with fever and minor inflammatory  
conditions.

## Warnings

Do not use if you ever had an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if symptoms persist or worsen

If you are pregnant or breastfeeding, ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

If you are pregnant or breastfeeding, ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if symptoms persist or worsen.

## Inactive Ingredients

Lactose monohydrate (milk), magnesium stearate, sodium carboxymethylcellulose,  
xylitol

## Directions

Tip bottle slightly allowing for tablets to fall into the cap.

Use cap to drop tablets into mouth and allow them to dissolve under the tongue.

Adults and adolescents(12 years and older): Take 1 to 4 tablets, one to four times daily,  
or as recommended by your  
healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

## Uses

For the temporary relief of symptoms associated with fever and minor inflammatory conditions.

## Directions

Tip bottle slightly allowing for tablets to fall into the cap.

Use cap to drop tablets into mouth and allow them to dissolve under the tongue.

Adults and children (12 years and older): Take 1 to 4 tablets, one to four times daily, or as recommended by your healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.


## Other information

Do not use if seal is missing or broken.

Store in a cool, dry place.

Contents may not fill package in order to accommodate required labeling.

Please rely on stated quantity.



UNDA  
tissue salt

NATRIUM  
SULFURICUM 6X

Homeopathic Remedy  
Schüssler Salt

NDC 62106-1060-2



tissue salt

NATRIUM  
SULFURICUM 6X

Homeopathic Remedy  
Schüssler Salt

For the temporary relief of symptoms  
associated with mild indigestion.\*



100 Tablets

Seroyal UNDA  
Made in Belgium for  
Seroyal USA  
Pittsburgh, PA 15276  
1-888-787-8825

V2



**Drug Facts**

**Active ingredients Purpose**  
Natrium sulfuricum  
(Sodium sulfate  
anhydrous) 6X . . . . . Heartburn,  
flatulence,  
bloating, mild colic

X is a homeopathic dilution: see  
[www.seroyal.com/homeopathics](http://www.seroyal.com/homeopathics) for details.

**Uses**

For the temporary relief of symptoms  
associated with mild indigestion.

\* Product "Uses" are based on  
Homeopathic Materia Medica and are  
not supported by clinical trials. These  
"Uses" have not been evaluated by the  
Food and Drug Administration.

**Warnings**

Do not use if you ever had an allergic  
reaction to this product or any of its  
ingredients.

Stop use and ask a doctor if symptoms  
persist or worsen.

If pregnant or breastfeeding, ask a  
health professional before use.  
Keep out of reach of children. In case of  
overdose, get medical help or contact a  
Poison Control Center right away. →

**Drug Facts (continued)**

**Directions**

- Tip bottle slightly allowing for tablets to fall into the cap.
- Use cap to drop tablets into mouth and allow them to dissolve under the tongue.

Adults and  
adolescents  
(12 years  
and older)

Take 1 to 4 tablets, 1  
to 4 times daily, or as  
recommended by your  
healthcare practitioner.

Children  
(under  
12 years)

Take under the  
direction of your  
healthcare practitioner.

**Other information**

- Do not use if seal is missing or broken.
- Store in a cool, dry place.
- Contents may not fill package in order to accommodate required labeling. Please rely on stated quantity.

**Inactive ingredients**

Lactose monohydrate (milk), magnesium stearate, sodium carboxymethylcellulose, xylitol

ETU.2773 10.20

Lot

Exp.

NDC 62106-1060-2

UNDA

tissue salt


NATRIUM SULFURICUM 6X

Homeopathic Remedy

Schuessler salt

For the temporary relief of symptoms  
associated with mild indigestion.

100 Tablets



UNDA  
tissue salt

KALIUM  
PHOSPHORICUM 6X

Homeopathic Remedy  
Schüssler Salt

NDC 62106-1055-2



tissue salt  
KALIUM  
PHOSPHORICUM 6X

Homeopathic Remedy  
Schüssler Salt

For the temporary relief of  
symptoms associated with  
occasional anxiety, overexertion  
and mental fatigue.\*



100 Tablets

Seroyal

Made in Belgium for  
Seroyal USA  
Pittsburgh, PA 15276  
1-888-737-8925

v2



**Drug Facts**

**Active ingredients Purpose**

Kalium phosphoricum  
(Potassium dihydrogen  
phosphate) 6X..... Mental  
fatigue,  
overexertion,  
anxiety

X is a homeopathic dilution: see  
[www.seroyal.com/homeopathics](http://www.seroyal.com/homeopathics) for details.

**Uses**

For the temporary relief of symptoms  
associated with occasional anxiety,  
overexertion and mental fatigue.

\* Product 'Uses' are based on  
Homeopathic Materia Medica and are  
not supported by clinical trials. These  
'Uses' have not been evaluated by the  
Food and Drug Administration.

**Warnings**

Do not use if you ever had an allergic  
reaction to this product or any of its  
ingredients.

Stop use and ask a doctor if symptoms  
persist or worsen.

If pregnant or breastfeeding, ask a  
health professional before use. →

**Drug Facts (continued)**

Keep out of reach of children. In case of  
overdose, get medical help or contact a  
Poison Control Center right away.

**Directions**

- Tip bottle slightly allowing for tablets to  
fall into the cap.
- Use cap to drop tablets into mouth and  
allow them to dissolve under the tongue.

Adults and  
adolescents  
(12 years  
and older)

Take 1 to 4 tablets, 1  
to 4 times daily, or as  
recommended by your  
healthcare practitioner.

Children  
(under  
12 years)

Take under the  
direction of your  
healthcare practitioner.

**Other information**

- Do not use if seal is missing or  
broken.
- Store in a cool, dry place.
- Contents may not fill package in order  
to accommodate required labeling.  
Please rely on stated quantity.

**Inactive ingredients**

Lactose monohydrate (milk), magnesium  
stearate, sodium carboxymethylcellulose,  
xylitol

ETU.2763 10.20

Lot

Exp.

NDC 62106-1055-2

UNDA

tissue salt

NDC 62106-1055-2


KALIUM PHOSPHORICUM 6X

Homeopathic Remedy

# Schuessler salt

For the temporary relief of symptoms associated with occasional anxiety, overexertion and mental fatigue.

100 Tablets





NDC 62106-1053-2

UNDA

tissue salt

FERRUM PHOSPHORICUM 6X

Homeopathic Remedy

Cell salt

For the temporary relief of symptoms

associated with fever and minor inflammatory conditions.

100 Tablets

## NATRIUM SULFURICUM 6X

anhydrous sodium sulfate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62106-1060
<b>Route of Administration</b>	SUBLINGUAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM SULFATE</b> (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	6 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62106-1060-2	1 in 1 CARTON	05/01/2015	
1		100 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/01/2015	

## KALIUM PHOSPHORICUM 6X

potassium dihydrogen phosphate tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62106-1055
Route of Administration	SUBLINGUAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTASSIUM PHOSPHATE, MONOBASIC (UNII: 4J9FJ0HL51) (PHOSPHATE ION - UNII:NK08V8K8HR)	POTASSIUM PHOSPHATE, MONOBASIC	6 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
XYLITOL (UNII: VCQ006KQ1E)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62106-1055-2	1 in 1 CARTON	05/01/2015	
1		100 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
unapproved homeopathic		05/01/2015	

## FERRUM PHOSPHORICUM 6X

hydrated iron iii phosphate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62106-1053
<b>Route of Administration</b>	SUBLINGUAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FERROSFERRIC PHOSPHATE</b> (UNII: 91GQH8I5F7) (FERROSFERRIC PHOSPHATE - UNII:91GQH8I5F7)	FERROSFERRIC PHOSPHATE	6 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62106-1053-2	1 in 1 CARTON	05/01/2015	
1		100 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/30/2015	

---

**Labeler** - Seroyal USA (018361118)

**Establishment**

Name	Address	ID/FEI	Business Operations
SAN'UP		401010287	manufacture(62106-1053, 62106-1055, 62106-1060)

Revised: 7/2021

Seroyal USA