LIDOCAINE PAIN RELIEF PATCH- lidocaine pain relief patch patch Henan Enokon Medical Instrument Co., Ltd.

83559-004

Active Ingredient

Lidocaine 4%

Purpose

Topical analgesic

Use

For temporary relief of pain

Warnings

For external use only

Do not use

more than 1 patch at a time on wounds or damaged skin with a heating pad if you have ever had an allergic reaction to this product or any of its ingredients

When Using

use only as directed avoid contact with the eyes, mucous membranes or rashes do not bandage tightly

Stop Use

localized skin reactions occur, such as rash, itching, redness, irritation, pain swelling and blistering conditions worsen symptoms persist for more than 7 days symptoms clear up and occur again within a few days

Ask Doctor

If pregnant or breast-feeding, ask a health professional before use. Children under 12 years of age: consult a doctor

Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over clean and dry affected area remove film from patch and apply to the skin (see illustration) apply 1 patch at a time to affected area, not more than 3 to 4 times daily remove patch from the skin after at most 8 hours of application Children under 12 years of age: consult a doctor

Other information

avoid storing product in direct sunlight protect product from excessive moisture store at 20-25°C(68-77°F)

Inactive ingredients

Aluminum Glycinate, Edetate Disodium, Ethylhexylglycerin, Glycerin, Kaolin, Phenoxyethanol, Polyvinylpyrrolidone, Propylene Glycol, Sodium Carboxymethylcellulose, Sodium Polyacrylate, Tartaric Acid, Water

Questions

1-800-910-6874

PRINCIPAL DISPLAY PANEL

Compare to active ingredient in Salonpas® **Lidocaine Patch***

ocaine n Relief

Maximum Strength Patch

- 4% Lidocaine (topical anesthetic)
- Desensitizes aggravated nerves in back, neck, shoulders, knees and elbows
- For temporary relief of pain
 Numbing





1 PATCH - 3.9 IN x 5.5 IN (10 CM x 14 CM)



Drug Facts

Active ingredient

Uses For temporary relief of pain

Warnings For external use only

- Do not use
 more than 1 patch at a time on wounds or damaged skin with a heating pad
 if you have ever had an allergic reaction to this product or any of its ingredients
- When using this product
 use only as directed avoid contact with the eyes, mucous membranes or rashes do not bandage tightly

- Stop use and ask a doctor if

 Stop use and ask a doctor if

 localized skin reactions occur, such as reach, liching, redness, irritation, pain swelling and bilistering

 conclusions version. If symptoms clear up and occur again within a few days

 conclusions version. If you have been a symptom of the property of the pr
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right awa

- Directions
 Adults and children 12 years of age and over:

 clean and dry affected area

 remove firm from patch and apply to the skin (see illustration)

 apply 1 patch at a time to affected area, not more than 3 to 4 times daily

 remove patch from the skin after at most 8 tocurs of application

 filteren under 12 years of age: consult a coolor.

Other information
avoid storing product in direct sunlight protect product from excessive moisture store at 20-25°C (68-77°F)

Inactive ingredients
Aluminum Glycinate, Edetate Disodium, Ethylhexyfglycerin, Glycerin, Kaolin, Phenoxyethanol,
Polymythypyrolidden, Prophyrien Glycol, Sodium Carboxymethylcellulose, Sodium Polyacrylate,
Interior Vast, Waser

Questions? -800-910-6874

Child-Resistant Packaging

Satisfaction guaranteed -

Love it or your money back.

We welcome any questions you may have at Target.com/comments or 1-800-910-6874.

245071153 R00 C-002262-01-035-0000

Distributed by Target Corporation
Minneapois, NN 55403
Made in China
TIM S @2024 Target Brands, Inc.
"This product is not manufactured or distributed by the owner
of the registered trademarks Salongas".



LIDOCAINE PAIN RELIEF PATCH

lidocaine pain relief patch patch

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83559-004

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)
LIDOCAINE (UNII: 98PI200987) 4 g in 100

Inactive Ingredients				
Ingredient Name	Strength			
EDETATE DISODIUM (UNII: 7FLD91C86K)				
TARTARIC ACID (UNII: W4888I119H)				
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)				

CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
GLYCERIN (UNII: PDC6A3C0OX)	
KAOLIN (UNII: 24H4NWX5CO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POVIDONE (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM ACRYLATE (UNII: 7C98FKB43H)	

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:83559-004- 01	6 in 1 BOX; Type 0: Not a Combination Product	04/07/2024			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M017	04/07/2024			

Labeler - Henan Enokon Medical Instrument Co., Ltd. (701730676)

Establishment						
Name	Address	ID/FEI	Business Operations			
Henan Enokon Medical Instrument Co., Ltd.		701730676	manufacture(83559-004)			

Revised: 4/2024 Henan Enokon Medical Instrument Co., Ltd.