IHAVE SUNSCREEN- titanium dioxide, zinc oxide, ethylhexyl salicylate cream Guangdong Aimu Biological Technology Co., Ltd

ihave Sunscreen

ihave Sunscreen

TITANIUM DIOXIDE 6%, ZINC OXIDE 6%, ETHYLHEXYL SALICYLATE 3%

Broad SpectrumUVA/UVB Protection

Keep out of reach of children.

Directions: Apply liberally and evenly 15minutes before sun exposure. Reapply at least every 2 hours, or afterswimming, sweating, or towel drying

For external use only.

Directions: Apply liberally and evenly 15minutes before sun exposure. Reapply at least every 2 hours, or afterswimming, sweating, or towel drying

Store in a dark and cool place

GLYCERIN

TREHALOSE

ALLANTOIN

PAEONIA LACTIFLORA ROOT

CETEARYL GLUCOSIDE

CHLORPHENESIN

MEADOWFOAM SEED OIL

HYDROGENATED MACADAMIA SEED OIL

WHEAT GERM OIL

ASCORBIC ACID

CETEARETH-22

WATER

NIACINAMIDE

PROPYLENE GLYCOL

HYALURONATE SODIUM

DIMETHICONE

CANNABIS SATIVA LEAF

CETOSTEARYL ALCOHOL

ALPHA-TOCOPHEROL ACETATE

WHEAT GERM

GLYCYRRHIZINATE DIPOTASSIUM

ALKYL (C12-15) BENZOATE

ETHYLHEXYLGLYCERIN

1,3-BETA-GLUCAN SYNTHASE COMPONENT FKS1

CENTELLA ASIATICA ROOT

ALOE FEROX LEAF

XANTHAN GUM

LEVOMENOL



Ingredients: Water, Cannabis Sativa Leaf
Extract, Ascorbic Acid, Titanium Dioxide, Zinc
Oxide, Niacinamide, Propylene Glycol,
Oyden, Thealose, Allantioni, Sodium,
Gyeerin, Trehalose, Allantioni, Sodium,
Gyeerin, Trehalose, Allantioni, Sodium,
Limnanthes Alba (Meadowtoam) Seed Oil,
Macadamia Termifolia Seed Oil, Triticium
Vulgare, (Wheat) Germ Oil, Ethylheyot,
Alcohol, Cetearyl Giucoside, Ceteareth-22,
Dimethicone, Tocopheryl Acetale, Siasbolol,
Dimethicone, Tocopheryl Acetale, Siasbolol,
Chlorphenesin, Hydrolyzed Beta-Glucan,
Paeonia Ablidines Root Extract, Triticum
Vulgare (Wheat) Germ Extract, Centella
Asidac Root Extract, Alos Ferox Lore Extract,
Parfum Asiatica Root Extract, Aloo Ferox Leaf Extract, Parfum

Directions: Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours; or after the sun increases your risk of early skin aging. To decrease this risk, regularly use sunscreen or higher and take other sun protection measures, including: Limit time in the sun, especially between 10 Limit time in the sun, especially between 10 Wear long-eleved shirts, pants, hats, and sunglasses. Wear long-eleved shirts, pants, land sunglasses. Wear long-eleved shirts, pants, land sunglasses. Wear long-eleved shirts, pants, land sunglasses, we were land sunglasses. Wear long-eleved shirts, pants, land sunglasses. Wear long-eleved shirts, pants, land sunglasses and wear long-eleved shirts, pants, land sunglasses. Wear long-eleved shirts, pants, land sunglasses and sunglasses. Wear long-eleved shirts, pants, land sunglasses, we were long sunglasses. Wear long-eleved shirts, pants, land sunglasses, we were land sunglasses. Wear long-eleved sunglasses, we were land sunglasses. Wear long-eleved sunglasses, we were land sunglasses, we were land sunglasses. Wear long-eleved sunglasses sun

Guangdong Aimu Biological Technology Co., Ltd Address No.13, Xingtang Road, Datang Industrial Park, Datang Town, Sanshui District, Foshan, Guangdong, China Shelf Life: 36 months Date of manufacture: See the sprayed code











Made in China 🕙 🛅 👶 📻



Sunscreen 50_{SPF}PA+++ Oil-Free Formula Untinted Fast-Absorbing

Suitable for Sensitive and All Skin Types

1.01FL OZ(30ml)

Ingredients: Water, Cannabis Sativa Leaf
Extract, Ascorbic Acid, Titanium Dioxide, Zinc
Oxide, Niacinamide, Propylene Glycol,
Glycerin, Trehalose, Allantoin, Sodium et,
Glycerin, Techalose, Allantoin, Sodium et,
Limnamthes Alba (Meadowfoam) Seed Oil,
Macadamia Terrifolia Seed Oil,
Triticum vulgare, (Wheat) Germ Oil, Ethythevyl
Macadamia Terrifolia Seed Oil, Triticum
Vulgare, (Wheat) Germ Oil, Ethythevyl
Alcohol, Cetaeryl Glucoside, Cetaereth 22,
Dimethicone, Tocopheryl Acetate, Bisabolol,
Xanthan Gum, Ethythevyl glycerin,
Chiorphenesin, Hydrolysed Beta-Glucum
Vulgare (Wheat) Germ Extract, Centella
Asiatica Root Extract, Aloe Ferox Leaf Extract,
Parfum
Diractions: Apply liberally and evenly 15
minutes before som exposure, or after
swimming, sweating, or towel drying,
sun protection measures: Spending time in
sun protection measures: Spending time in
sun protection measures. Spending time in
twice the sun protection
Limit time in the sun, especially between 10
a.m. and 2 p.m.
Warning: For external use only. Avoid contact
with eyes, Discontinue use if irritation occurs or
Warning: For external use only. Avoid contact
with eyes, Discontinue use if irritation occurs or
swallowed, seek medical help or contact a. If
swallowed, seek medical help or con

Guangdong Aimu Biological Technology Co., Ltd Address:No.13, Xingtang Road, Datang Industrial Path, Datang Town, Sanshui District, Foshan, Guangdong, China Sheff Life: 36 months Date of manufacture: See the sprayed code



Made in China 🕜 🛅 🐔 🚋









Against note Oranst. Also Fereix star flatant.

Description, Jupic Visual and every 15. The contraction star of the contraction of the contraction

Made in China 🕜 🔯 🐔 🚋





Ingredients: Water, Cannabis Sativa Leaf
Extract, Ascorbic Acid, Titanium Dioxide, Zinc
Oxide, Niacinamide, Propylene Glycol,
Glycerin, Trehalose, Allantion, Sodium e,
Glycerin, Teshalose, Allantion, Sodium e,
Limnanthes Alba (Meadowfoam) Seed Oil,
Macadamia Terrifolia Seed Oil, Triticum
Vulgare, (Wheat) Germ Oil, Ethylhevyl
Salicylate, C12-15 Alkyl Benzoste, Cetearyl
Alcohol, Ceteary Glucoside, Ceteareth-22,
Dimethicone, Tocopheryl Actate, Bisabolol,
Dimethicone, Tocopheryl Actate, Bisabolol,
Paeonia Albiffora Root Extract, Triticum
Vulgare (Wheat) Germ Extract, Centella
Asiatica Root Extract, Loe Ferox Leaf Extract,
Parfum
Directions: Apply liberally and evenly 15 Assatica Noot Extract, Aloo e erox Leaf Extract, Parfum
Directions: Apply liberally and evenly 15 minutes before sun exposure. Or after swimming, sweating, or towel drying. Sun protection measures: Spending time in the sun increases your risk of early skin aging, with a broad spectrum SFV skille of 30 or higher and take other sun protection measures, including: Limit time in the sun, especially between 10 Wear long-devered shirts, pants, hats, and sunglasses. Wearing: For external use only, Avoid contact with year both of the sund the sund of the wallowed, seek medical help or contact an Poison Control Center immediately.

Poison Control Center immeniates.
Guangdong Almu Biological Technology Co., Ltd.
Address No. 13, Xingtang Road, Datang Industrial
Park, Datang Toun, Sanshiul District, Foshan,
Shelf Life. 36 months
Dato of manufacture: See the sprayed code



Made in China 🕖 🛅 🖏 📶









Made in China 🕙 🔯 🐔 📻





O 🖺 😘 😸




Ingredients: Water, Cannabis Sativa Leaf
Extract, Ascorbic Acid, Titanium Dioxide, Zinc
Giverin, Terhalose, Allantion, Sodium
Hyaluronate, Dipotassium Glycyrrhizate,
Limnanthea Alba (Maedowican) Seed Oil,
Vollgare, (Wheat) Germ Oil, Ethylheey,
Salicylate, C12-15 Aliyl Benozade, Cetearyl
Alcohol, Cetearyl Glucoside, Ceteareth-22,
Damethicone, Ecosuperyl Actace, Bisabolol,
Alexandria Charles, Cantella
Paennia Albiffora Root Extract, Fiscan
Vollgare (Wheat) Germ Extract, Centella
Paennia Albiffora Root Extract, Centella
Paennia Albiffora Root Extract, Centella
Parlum
Uilgare (Wheat) Germ Extract, Centella
Parlum
Directions: Apply liberally and evenly 15
minutes before sun exposure.
Reapply at least every 2 hours, or after
Reapply at least every 2 hours, or after
Reapply at least every 2 hours, or after
Sun protection measurers: Spending time in
the sun increases your risk of early skin aging.
To decrease thir sky, regularly use sunscreen
in the sun increases your risk of early skin aging.
To decrease thir sky, regularly use sunscreen
in the sun increases your risk of early skin aging.
To decrease thir sky, regularly use sunscreen
Wearlong-Seeded shirts, pants, hats, and
sunglasses.
Limit time in the sun, especially between 10
Wearlong-Seeded shirts, pants, hats, and
sunglasses.
Very Control Center immediately.
Reapply Control Center immediately.
Reapply Albana Town, Sanshui District, Foshan,
Guangdong, Chun Reapple Code
Bate of manufactures: See the sprayed code

Made in China 🙋 🛅 🛟 📾



Herperdicients Wester C. Germanics Service Leaf of Carbon. Learn Carbon. In C





begreffents: Water-Comachis Salivis (and Editors, According Acid Tablemin Books, 2nd Editors, According Acid Tablemin Books, 2nd Editors, Acid Tablemin Books, 2nd Editors, 2n



for Face Broad Spectrum UVA/UVB Protection

Fast-Absorbing

1.35FL OZ(40ml)

Ingredients: Water, Cannabis Sativa Leaf
Extract, Ascorbic Acid, Titanium Dioxide, Zinc
Oxide, Niacinamide, Propylene Glycol,
Glycerin, Trehalose, Allantion, Sodium
Hyaluronate, Dipotassium Glycyrrhizate,
Glycerin, Terhariolia See doi, In Triticum
Vulgare, (Wheat) Germ Oil, Ethylhey;
Salicylate, C12-5 Mkly Benzoste, Cetearyl
Alcohol, Cetearyl Glucoside, Ceteareth-22,
Dimethicone, Tocopheryl Acetae, Bisabolol,
Xanthan Gum, Ethylheys iglycerin,
Cannabar Gum, Ethylheys iglycerin,
Paeonia Albiffora Root Extract, Fritcum
Vulgare (Wheat) Germ Extract, Centella
Asiatica Root Extract, Aloe Ferox Leaf Extract,
Parfum











0 🖺 🗘 📾



Oil-Free Formula 3.38FL OZ(100ml) Ingredients: Water, Cannabis Sativa Leaf
Extract, Ascorbic Acid, Titanium Dioxide, Zinc
Oxide, Niacinamide, Propylene Gio,
Glycerin, Trehalose, Allantoin, Sodium
Hyaluronate, Djoutassium (Gycyniziate),
Macadamia Ternifolia Seed Oil, Triticum
Vulgare, Whead Germ Oil, Ethylichysol,
Salicylate, c12-15 Alkyl Benzoate, Cetearyl
Atonhoi, Cetearyl Giucoside, Ceteareth-22,
Lanthan Cum, Ethyleovig Giucoside, Ceteareth-22,
Lanthan Cum, Ethyleovig Giucoside,
Anathan Cum, Ethyleovig Giucoside,
Dioxide, Calestania
Lanthan Cum, Ethyleovig Giucoside,
Anathan Cum, Ethyleovig Germ Extract, Criticum
Vulgare (Wheat) Germ Extract, Criticum
Vulgare (Wheat) Germ Extract, Create
Anathun Root Extract, Triticum
Vulgare Wheat) Germ Extract, Create
Anathun Root Extract, Pricitum
Vulgare Wheat) Germ Extract, Create
Anathun Root Extract, Alex Ferox Leaf Extract,
Increate Acid Compiler Seed (Acid Compiler), 15
Increate Acid Compiler (Acid Compiler), 15 Assitica Noot Extract, Aloe Ferox Leaf Extract, Partum
Directions: Apply liberally and evenly 15 minutes before sun exposure or after swimming, sweating, or towel drying. Sun protection measures: Speding time in the sun increases your risk of early skin agine with a broad spectrum SFF value of 30 or higher and take other sun protection measures; including:
Limit time in the sun, especially between 10 Limit time in the sun, especially between 10 Wear long-leved shirts, pants, hats, and sunglasses.
Wear long-leved shirts, pants, hats, and sunglasses. or ash develops. Keep out of reach of children. If swallowed, seek medical help or contact a Poison Control Center immediately.

Guanagdong Alm Biological Technology Co., Ltd.

Guangdong Aimu Biological Technology Co., Ltd Address:No.13, Xingtang Road, Datang Industrial Park, Datang Town, Sanshui District, Foshan, Guangdong, Chim Sheff Life: 36 months Date of manufacture: See the sprayed code



Made in China 🕑 🛅 🐔 📶











Made in China 🕖 🔯 🐔





begrediente Witter, Casmabh Satiou (auf or Code, rise financiale, Peoplem Gyzul, Code, rise financiale, Code of the Code, rise financiale, rise financiale





agredients: Weier, Cannabis Salva Leaf
affact, Ascoblic Acid, Tilataian Bookie, Die
affact, Ascoblic Acid, Tilataian Bookie, Die
affact, Ascoblic Acid, Tilataian Bookie, Die
affact, Ascoblic Acid, Tilataian Bookie,
Alley Aston, Terbaine, Marientin,
Asian Marientin, Salaman
mannerine Abbit Metadouria Seed Gold,
Aston Johnson Gold, Aston Johnson,
Aston Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
Johnson, Johnson,
J

IHAVE SUNSCREEN

titanium dioxide, zinc oxide, ethylhexyl salicylate cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83566-501

Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6 g in 100 mL		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6 g in 100 mL		
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 mL		

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
TREHALOSE (UNII: B8WCK70T7I)	
ALLANTOIN (UNII: 344S277G0Z)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z 3866YW6P)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CHLORPHENESIN (UNII: 1670DAL4SZ)	
MEADOWFOAM SEED OIL (UNII: 412Z HA4T4Y)	
HYDROGENATED MACADAMIA SEED OIL (UNII: W4FFC8IM2K)	
WHEAT GERM OIL (UNII: 14C97E680P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CETEARETH-22 (UNII: 28VZG1E234)	
WATER (UNII: 059QF0KO0R)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CANNABIS SATIVA LEAF (UNII: A718Z7DA1K)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WHEAT GERM (UNII: YR3G369F5A)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
1,3-BETA-GLUCAN SYNTHASE COMPONENT FKS1 (UNII: 4FRY3LJG0V)	
CENTELLA ASIATICA ROOT (UNII: 8MXU1P42J0)	
ALOE FEROX LEAF (UNII: 0D145J8EME)	
XANTHAN GUM (UNII: TTV12P4NEE)	
LEVOMENOL (UNII: 24WE03BX2T)	

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:83566-501-	30 mL in 1 BOTTLE: Type 0: Not a Combination	0.4.100.1000.4	

_	01	Product	04/09/2024	
	NDC:83566-501- 02	40 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/09/2024	
	NDC:83566-501- 03	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/09/2024	
4	NDC:83566-501- 04	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/09/2024	
	NDC:83566-501- 05	80 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/09/2024	
u	NDC:83566-501- 06	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/09/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/09/2024	

Labeler - Guangdong Aimu Biological Technology Co., Ltd (712647107)

Establishment				
Name	Address	ID/FEI	Business Operations	
Guangdong Aimu Biological Technology Co., Ltd		712647107	manufacture(83566-501)	

Revised: 4/2024 Guangdong Aimu Biological Technology Co., Ltd