

MINERAL UV TINT 30- mineral uv tint 30 cream
Shenzhen XiaoMai Manufacturing Co., Ltd.

ACTIVE INGREDIENT

Homosalate: 10%
Titanium Dioxide: 5%
Octocrylene: 2%
Zinc Oxide: 9%
Niacinamide: 4%
Ceramide 3: 0.5%
Ceramide 6 II: 0.5%
Ceramide 1: 0.5%
Sodium Hyaluronate: 1.5%
Collagen: 1.5%
Centella Asiatica Extract: 2.5%

PURPOSE

helps prevent sunburn.

Uses

decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions for use

apply liberally 15 minutes before sun exposure.
reapply at least every 2 hours.
use a water resistant sunscreen if swimming or sweating.

INACTIVE INGREDIENT

Cetearyl Alcohol: 4.5%
Glycerin: 5.5%
Dimethicone: 3.5%
Behentrimonium Methosulfate: 1.5%
Aluminum Starch Octenylsuccinate: 2%
Ethylcellulose: 1%
Disodium EDTA: 0.6%
Propylparaben: 0.6%
Sodium Lauroyl Aspartate: 0.3%
Phytosphingosine: 0.2%
Lactic Acid: 0.2%
Carbomer: 0.2%
Xanthan Gum: 0.2%
Aqua: 42.7%

Other Information

Protect the product in this container from excessive heat and direct sun.

Drug Facts

Active ingredients	Purpose
Homosalate 10% Titanium Dioxide 5% Octocrylene 2% zinc oxide 9%	Sunscreen Sunscreen Sunscreen

Uses
helps prevent sunburn.
if used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.
Do not use on damaged or broken skin.

Water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

For sunscreen use:
apply liberally 15 minutes before sun exposure.
reapply at least every 2 hours,
use a Water resistant sunscreen swimming or sweating.
Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
limit time in the sun, especially from 10am-2pm.
wear long-sleeved shirts, pants, hats, and sunglasses.
children under 6 months of age. Ask a doctor.

BULUBIU

MINERAL UV-TINT FACE LIQUID

with Vitamin E

30
LIGHT

TINTED SUNSCREEN

BROAD SPECTRUM SPF 30
UV A/UV B PROTECTION

1.7 FL OZ/50 ml

Other information
to protect the product in this container from excessive heat and direct sun.

Ingredients
Homosalate, Titanium Dioxide, Octocrylene, Zinc Oxide, Aqua, Niacinamide, Cetearyl Alcohol, Glycerin, Dimethicone, Behentrimonium Methosulfate, Ceramide 3, Ceramide ESI, Ceramide 1, Sodium Hyaluronate, Collagen, Aluminum Starch Octenylsuccinate, Centella Asiatica Leaf Extract, Ethylhexylglycerin, Disodium EDTA, Propylparaben, Sodium Lauroyl Aspartate, Phytosphingosine Lactate, Carbomer, Xanthan Gum

Country of Origin China

Manufacturer
Shenzhen Xiaomai Manufacturing Co., Ltd

Address
61 Guantian Road, Niuhu, Shenzhen, China

MFG 2024/3/20
EXP 2026/3/20

Batch Number 20240202

EXPIRY DATE
Before 24 Months (Sealed/Unopened)
Best Before 12 Months (After Opening)

MEW...
...
...
...
...

MINERAL UV TINT 30

mineral uv tint 30 cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-098
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	20 mg in 1 g
CERAMIDE 6 II (UNII: F1X8L2B00J) (CERAMIDE 6 II - UNII:F1X8L2B00J)	CERAMIDE 6 II	5 mg in 1 g
CERAMIDE 1 (UNII: 5THT33P7X7) (CERAMIDE 1 - UNII:5THT33P7X7)	CERAMIDE 1	5 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 g
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	40 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	90 mg in 1 g
CERAMIDE 3 (UNII: 4370DF050B) (CERAMIDE 3 - UNII:4370DF050B)	CERAMIDE 3	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM LAUROYL ASPARTATE (UNII: 328G13N8ZR)	3 mg in 1 g
GLYCERIN (UNII: PDC6A3C0OX)	55 mg in 1 g
DIMETHICONE (UNII: 92RU3N3Y1O)	35 mg in 1 g

BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61)	15 mg in 1 g
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	20 mg in 1 g
XANTHAN GUM (UNII: TTV12P4NEE)	2 mg in 1 g
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	2 mg in 1 g
LACTIC ACID (UNII: 33X04XA5AT)	2 mg in 1 g
WATER (UNII: 059QF0KO0R)	427 mg in 1 g
PROPYLPARABEN (UNII: Z8IX2SC1OH)	6 mg in 1 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-098-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	04/10/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/10/2024	

Labeler - Shenzhen XiaoMai Manufacturing Co., Ltd. (712999147)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen XiaoMai Manufacturing Co., Ltd.		712999147	manufacture(83872-098)

Revised: 4/2024

Shenzhen XiaoMai Manufacturing Co., Ltd.