

BULUBIU MINERAL SUNSCREEN- mineral sunscreen cream
Shenzhen XiaoMai Manufacturing Co., Ltd.

ACTIVE INGREDIENT

Homosalate: 10%
Titanium Dioxide: 5%
Octocrylene: 2%
Zinc Oxide: 9%
Niacinamide: 4%
Ceramide 3: 0.5%
Ceramide 6 II: 0.5%
Ceramide 1: 0.5%
Sodium Hyaluronate: 1.5%
Collagen: 1.5%
Centella Asiatica Extract: 2.5%

PURPOSE

helps prevent sunburn.

Uses

decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions for use

apply liberally 15 minutes before sun exposure.

reapply at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

INACTIVE INGREDIENT

Cetearyl Alcohol: 4.5%

Ethylcellulose: 1%

Carbomer: 0.2%

Disodium EDTA: 0.6%

Glycerin: 5.5%

Dimethicone: 3.5%

Behentrimonium Methosulfate: 1.5%

Aluminum Starch Octenylsuccinate: 2%

Propylparaben: 0.6%

Sodium Lauroyl Aspartate: 0.3%

Phytosphingosine: 0.2%

Lactic Acid: 0.2%

Xanthan Gum: 0.2%

Aqua: 42.7%

Other Information

Protect the product in this container from excessive heat and direct sun.

Drug Facts

Active ingredients

Homosalate 10%

Purpose

Sunscreen

Other ingredients

Zinc oxide 9%

Sunscreen

Sunscreen

Uses

helps prevent sunburn

used as directed with other sun protection measures,

decreases the risk of skin cancer and early skin aging

caused by the sun.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. If use with

water, use caution.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical

help or contact a Poison Control Center right away.

For sunscreen use:

apply liberally 15 minutes before sun exposure.

reapply at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

Sun Protection Measures: Spending time in the sun

increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other

sun protection measures, including:

limit time in the sun, especially from 10am-2pm.

wear long-sleeved shirts, pants, hats and sunglasses.

children under 6 months of age. Ask a doctor.



SPF 50

minera

sunscreen

Calms and Protects Skin

broad spectrum SPF 50

water resistant (80 minutes)

WEIGHTLESS

MOISTURIZER

BROAD SPECTRUM

1.7 FL OZ/50 ml e

Other information

protect the product in this container from excessive

heat and direct sun.

Ingredients

Homosalate, Titanium Dioxide, Octocrylene, Zinc Oxide,

Aqua, Niacinamide, Ceteandel Alkyl, Glycerin, Dimethiconol, mg

Ethylhexylmethyl Methosulate, Ceramide 3, Ceramide 1-II,

Ceramide 1, Sodium Hyaluronate, Collagen, Aluminum

Starch, Octenylsuccinate Cellulose, Asiatic Acid Extract,

Ethylcellulose, Disodium EDTA, Propylparahen, Sodium

Lauroyl Aspartate, Phytosphingosine, Lactate, Carbomer,

Xanthan Gum.

Country of Origin

China

Manufacturer

Shenzhen XiaoMai Manufacturing Co., Ltd.

Address

61 Guantian Road, Nianhu, Shenzhen, China

MFG

2024/3/20

EXP

2028/3/20

Batch Number

20240202

EXPIRY DATE

Before 24 Months (Sealed/Unopened)

After 12 Months (After opening)

EWPodaD,

Arb

10-4425404

mem ectstsrlem

3

E

MANUFACTURED BY

Shenzhen XiaoMai Manufacturing Co., Ltd.

10-4425404

mem ectstsrlem

3

BULUBIU MINERAL SUNSCREEN

mineral sunscreen cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-100
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	20 mg in 1 g
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)		NIACINAMIDE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	90 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	100 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	50 mg in 1 g
CERAMIDE 3 (UNII: 4370DF050B) (CERAMIDE 3 - UNII:4370DF050B)		CERAMIDE 3	5 mg in 1 g
CERAMIDE 1 (UNII: 5THT33P7X7) (CERAMIDE 1 - UNII:5THT33P7X7)		CERAMIDE 1	5 mg in 1 g
CERAMIDE 6 II (UNII: F1X8L2B00J) (CERAMIDE 6 II - UNII:F1X8L2B00J)		CERAMIDE 6 II	5 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
GLYCERIN (UNII: PDC6A3C0OX)			55 mg in 1 g
ETHYLCELLULOSES (UNII: 7Z8S9VYZ4B)			10 mg in 1 g
WATER (UNII: 059QF0KO0R)			427 mg in 1 g

DIMETHICONE (UNII: 92RU3N3Y1O)	35 mg in 1 g
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	2 mg in 1 g
XANTHAN GUM (UNII: TTV12P4NEE)	2 mg in 1 g
BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61)	15 mg in 1 g
LACTIC ACID (UNII: 33X04XA5AT)	2 mg in 1 g
PROPYLPARABEN (UNII: Z8IX2SC1OH)	6 mg in 1 g
SODIUM LAUROYL ASPARTATE (UNII: 328G13N8ZR)	3 mg in 1 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-100-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	04/10/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/10/2024	

Labeler - Shenzhen XiaoMai Manufacturing Co., Ltd. (712999147)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen XiaoMai Manufacturing Co., Ltd.		712999147	manufacture(83872-100)