

BBULUBIU SENSITIVE MINERAL FACE ZINC OXIDE PROTECTION 35
SENSITIVE MINERAL FACE ZINC OXIDE PROTECTION 35- sensitive mineral face
zinc oxide protection 35 cream
Shenzhen XiaoMai Manufacturing Co., Ltd.

ACTIVE INGREDIENT

Homosalate: 10%
Titanium Dioxide: 5%
Octocrylene: 2%
Zinc Oxide: 9%
Niacinamide: 4%
Ceramide 3: 0.5%
Ceramide 6 II: 0.5%
Ceramide 1: 0.5%
Sodium Hyaluronate: 1.5%
Collagen: 1.5%
Centella Asiatica Extract: 2.5%

PURPOSE

helps prevent sunburn.

Uses

decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions for use

apply liberally 15 minutes before sun exposure.

reapply at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

INACTIVE INGREDIENT

Cetearyl Alcohol: 4.5%

Ethylcellulose: 1%

Carbomer: 0.2%

Disodium EDTA: 0.6%

Glycerin: 5.5%

Dimethicone: 3.5%

Behentrimonium Methosulfate: 1.5%

Aluminum Starch Octenylsuccinate: 2%

Propylparaben: 0.6%

Sodium Lauroyl Aspartate: 0.3%

Phytosphingosine: 0.2%

Lactic Acid: 0.2%

Xanthan Gum: 0.2%

Aqua: 42.7%

Other Information

Protect the product in this container from excessive heat and direct sun.

Drug Facts

Active ingredients	Purpose
Homosalate 10%	Sunscreen
Titanium Dioxide 5%	Sunscreen
Octocrylene 2%	Sunscreen
Zinc oxide 9%	Sunscreen

Uses

helps prevent sunburn.

if used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.

Do not use on damaged or broken skin.

Water to remove

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

For sunscreen use:

apply liberally 15 minutes before sun exposure.

reapply at least every 2 hours.

use a Water resistant sunscreen if swimming or sweating.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10am-2pm, wear long-sleeved shirts, pants, hats, and sunglasses, children under 6 months of age. Ask a doctor.

BULUBIU

SENSITIVE MINERAL FACE

ZINC OXIDE PROTECTION

35

BROAD SPECTRUM SPF 35

BLENDABLE TINT FOR ALL SKIN TONES

DEVELOPED WITH DERMATOLOGISTS

1.7 FL OZ/50 mL

Other information

protect the product in this container from excessive heat and direct sun.

Ingredients

Homosalate, Titanium Dioxide, Octocrylene, Zinc Oxide, Anua, Nicotinamide, Cetearyl Alcohol, Glycerin, Dimethicone, Behentrimonium Methosulfate, Ceramide 3, Ceramide 6 II, Ceramide 1, Sodium Hyaluronate, Collagen, Aluminum Starch Octenylsuccinate, Cetyl Asistat, Lauryl Extract, Ethylhexylglycerin, Disodium EDTA, Propylparaben, Sodium Lauryl Sulfate, Phytosphingosine Lactate, Carbomer, Xanthan Gum.

Country of Origin

China

Manufacturer

Shenzhen Xiaomai Manufacturing Co., Ltd.

Address

51 Guantian Road, Niuhe, Shenzhen, China

MFG

2024/3/20

EXP

2025/3/20

Batch Number

20240202

EXPIRY DATE

Before 24 Months Sealed/Unopened
Best Before 12 Months (After Opening)

MEWPodasD
it Lepcd uTR
10:447m54e4
t mmeectgsndem

MMUnid by Bihg
10:447m54e4
t mmeectgsndem

BULUBIU SENSITIVE MINERAL FACE ZINC OXIDE PROTECTION 35

ULUBIU SENSITIVE MINERAL FACE ZINC OXIDE PROTECTION 35

sensitive mineral face zinc oxide protection 35 cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-101
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	20 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	50 mg in 1 g
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)		NIACINAMIDE	40 mg in 1 g
CERAMIDE 1 (UNII: 5THT33P7X7) (CERAMIDE 1 - UNII:5THT33P7X7)		CERAMIDE 1	5 mg in 1 g
CERAMIDE 3 (UNII: 4370DF050B) (CERAMIDE 3 - UNII:4370DF050B)		CERAMIDE 3	5 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	100 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	90 mg in 1 g
CERAMIDE 6 II (UNII: F1X8L2B00J) (CERAMIDE 6 II - UNII:F1X8L2B00J)		CERAMIDE 6 II	5 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61)			15 mg in 1 g
GLYCERIN (UNII: PDC6A3C0OX)			55 mg in 1 g

XANTHAN GUM (UNII: TTV12P4NEE)	2 mg in 1 g
DIMETHICONE (UNII: 92RU3N3Y1O)	35 mg in 1 g
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	20 mg in 1 g
PROPYLPARABEN (UNII: Z8IX2SC1OH)	6 mg in 1 g
WATER (UNII: 059QF0KO0R)	427 mg in 1 g
SODIUM LAUROYL ASPARTATE (UNII: 328G13N8ZR)	3 mg in 1 g
LACTIC ACID (UNII: 33X04XA5AT)	2 mg in 1 g
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	2 mg in 1 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-101-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	04/10/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/10/2024	

Labeler - Shenzhen XiaoMai Manufacturing Co., Ltd. (712999147)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen XiaoMai Manufacturing Co., Ltd.		712999147	manufacture(83872-101)