

HUEY DAILY MINERAL- titanium dioxide, zinc oxide lotion
Huey

Huey Daily Mineral

Huey Daily Mineral

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - use a water-resistant sunscreen if swimming or sweating
 - at least every 2 hours.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Allantoin, Avena Sativa (Oat) Kernel Extract, Bisabolol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Camellia Sinensis Leaf Extract, Caprylyl Glycol, Ceteth-20, Cetyl Alcohol, Dicrateria Rotunda Oil, Dimethiconol/Caprylylsilsesquioxane/Silicate Crosspolymer, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Disodium EDTA, Ethylhexyl Isononanoate, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Hexylene Glycol, Hydrolyzed Sodium Hyaluronate, Lecithin, Lysolecithin, Neopentyl Glycol Diheptanoate, Octyldodecyl Neopentanoate, PEG-75 Stearate, Phenoxyethanol, Polyester-7, Potassium Sorbate, Pullulan, Pyrus Malus (Apple) Fruit Extract, Rutthera Lamellosa Oil, Sclerotium Gum, Silica, Sodium Ascorbate, Sodium Hyaluronate, Squalane, Steareth-20, Tocopherol, Triceteareth-4 Phosphate, Trilaureth-4 Phosphate, Water, Xanthan Gum

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Huey Daily Mineral

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Titanium Dioxide 2%	Sunscreen
Zinc Oxide 1%	Sunscreen

Huey Daily Mineral

Warning

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Huey Daily Mineral

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Titanium Dioxide 2%	Sunscreen
Zinc Oxide 1%	Sunscreen

Huey Daily Mineral

Warning

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Huey Daily Mineral

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 2%	Sunscreen
Zinc Oxide 1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warning

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - use a water-resistant sunscreen if swimming or sweating
 - at least every 2 hours.
 - Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Allantoin, Avena Sativa (Oat) Kernel Extract, Bisabolol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Camellia Sinensis Leaf Extract, Caprylyl Glycol, Ceteth-20, Cetyl Alcohol, Dicteratena Rotunda Oil, Dimethiconol/Caprylylsilsesquioxane/Silicate Crosspolymer, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer, Disodium EDTA, Ethylhexyl Isononanoate, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Hexylene Glycol, Hydrolyzed Sodium Hyaluronate, Lecithin, Lysolecithin, Neopentyl Glycol Diheptanoate, Octyldodecyl Neopentanoate, PEG-75 Stearate, Phenoxethanol, Polyester-7, Potassium Sorbate, Pullulan, Pyrus Malus (Apple) Fruit Extract, Ruttnera Lamellosa Oil, Solerotium Gum, Silica, Sodium Ascorbate, Sodium Hyaluronate, Squalane, Steareth-20, Tocopherol, Triceteareth-4 Phosphate, Trilaureth-4 Phosphate, Water, Xanthan Gum

HUEY DAILY MINERAL

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83599-391
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9.7 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	19.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYESTER-7 (UNII: 0841698D2F)	
GLYCERIN (UNII: PDC6A3C0OX)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ALLANTOIN (UNII: 344S277G0Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
AVENA SATIVA WHOLE (UNII: 5P8D0Z74RG)	
XANTHAN GUM (UNII: TTV12P4NEE)	
DICRATERIA ROTUNDA OIL (UNII: Z0DWJ9R4GM)	
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)	
CAMELLIA SINENSIS WHOLE (UNII: C5M4585ZBZ)	
TRICETARETH-4 PHOSPHATE (UNII: 69534Y66NO)	
PULLULAN (UNII: 8ZQ0AYU1TT)	
STEARETH-20 (UNII: L0Q8IK9E08)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
TRILAURETH-4 PHOSPHATE (UNII: M96W2OLL2V)	
SODIUM ASCORBATE (UNII: S033EH8359)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
SQUALANE (UNII: GW89575KF9)	
PEG-75 STEARATE (UNII: OT38R0N74H)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
DIMETHICONOL/PROPYLSILSESQUIOXANE/SILICATE CROSSPOLYMER (45000000 MW) (UNII: 9KB5R958PB)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYL ISONONANOATE (UNII: I6KB4GE3K4)	
CETETH-20 (UNII: I835H2IHHX)	

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)

TOCOPHEROL (UNII: R0ZB2556P8)

RUTTNERA LAMELLOSA OIL (UNII: 5XZ38R4SUT)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83599-391-02	1 in 1 CARTON	02/09/2024	
1	NDC:83599-391-01	60 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/09/2024	

Labeler - Huey (118333758)

Registrant - Nanophase Technologies Corporation (623502044)

Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		118812921	manufacture(83599-391) , pack(83599-391)

Revised: 4/2024

Huey