

BULUBIU UV AQUA RICH WEIGHTLESS MOISTURIZER BROAD SPECTRUM SPF 50 SUNSCREEN- broad spectrum spf 50 sunscreen cream
Shenzhen XiaoMai Manufacturing Co., Ltd.

ACTIVE INGREDIENT

Homosalate: 10%
Titanium Dioxide: 5%
Octocrylene: 2%
Zinc Oxide: 9%
Niacinamide: 4%
Ceramide 3: 0.5%
Ceramide 6 II: 0.5%
Ceramide 1: 0.5%
Sodium Hyaluronate: 1.5%
Collagen: 1.5%
Centella Asiatica Extract: 2.5%

PURPOSE

helps prevent sunburn.

Uses

decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

Do not use

on damaged or broken skin.

When using this product

keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions for use

apply liberally 15 minutes before sun exposure.

reapply at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

INACTIVE INGREDIENT

Cetearyl Alcohol: 4.5%

Ethylcellulose: 1%

Carbomer: 0.2%

Disodium EDTA: 0.6%

Glycerin: 5.5%

Dimethicone: 3.5%

Behentrimonium Methosulfate: 1.5%

Aluminum Starch Octenylsuccinate: 2%

Propylparaben: 0.6%

Sodium Lauroyl Aspartate: 0.3%

Phytosphingosine: 0.2%

Lactic Acid: 0.2%

Xanthan Gum: 0.2%

Water: 42.7%

Other Information

Protect the product in this container from excessive heat and direct sun.

Drug Facts

Active Ingredients	Purpose
Homosalate 10%	Sunscreen
Titanium Dioxide 5%	Sunscreen
Octocrylene 2%	Sunscreen
Zinc oxide 9%	Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure.
- reapply at least every 2 hours.
- use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.
- children under 6 months of age: Ask a doctor.

1.7 FL OZ / 50 mL e

Other information

- protect the product in this container from excessive heat and direct sun.

Ingredients

Homosalate, Titanium Dioxide, Octocrylene, Zinc Oxide, Aqua, Niacinamide, Cetearyl Alcohol, Glycerin, Dimethicone, Behentrimonium Methosulfate, Ceramide 3, Ceramide 6-II, Ceramide 1, Sodium Hyaluronate, Collagen, Aluminum Starch Octenylsuccinate, Centella Asiatica Leaf Extract, Ethylcellulose, Disodium EDTA, Propylparaben, Sodium Lauroyl Aspartate, Phytosphingosine Lactate, Carbomer, Xanthan Gum.

Country of Origin China
 Manufacturer
Shenzhen XiaoMai Manufacturing Co., Ltd.
 Address
61 Guantian Road, Nihu, Shenzhen, China
 MFG 2024/3/20
EXP 2026/3/20
Batch Number 20240202
 EXPIRY DATE
Before 24 Months (Sealed/Unopened)
Best Before 12 Months (After Opening)

NDCM Product LTD
Unit 36 A88p Arcade Brownlow
Hill, Liverpool, L3 5TL,
TEL: 01546 7825478184
E-Mail: nycm00020@gmail.com

NDCM Limited
Room A12, Uffley Building,
Deakin 1, Ireland
TEL: +353 884831055
E-Mail: nycm00020@gmail.com

BULUBIU UV Aqua Rich Weightless Moisturizer Broad Spectrum SPF 50 Sunscreen

broad spectrum spf 50 sunscreen cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-106
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	20 mg in 1 g
CERAMIDE 1 (UNII: 5THT33P7X7) (CERAMIDE 1 - UNII:5THT33P7X7)	CERAMIDE 1	5 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	90 mg in 1 g
CERAMIDE 6 II (UNII: F1X8L2B00J) (CERAMIDE 6 II - UNII:F1X8L2B00J)	CERAMIDE 6 II	5 mg in 1 g
CERAMIDE 3 (UNII: 4370DF050B) (CERAMIDE 3 - UNII:4370DF050B)	CERAMIDE 3	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61)	15 mg in 1 g
SODIUM LAUROYL ASPARTATE (UNII: 328G13N8ZR)	3 mg in 1 g
GLYCERIN (UNII: PDC6A3C0OX)	55 mg in 1 g
DIMETHICONE (UNII: 92RU3N3Y1O)	35 mg in 1 g

XANTHAN GUM (UNII: TTV12P4NEE)	2 mg in 1 g
PROPYLPARABEN (UNII: Z8IX2SC1OH)	6 mg in 1 g
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	2 mg in 1 g
LACTIC ACID (UNII: 33X04XA5AT)	2 mg in 1 g
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	20 mg in 1 g
WATER (UNII: 059QF0KO0R)	427 mg in 1 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-106-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	04/11/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

Labeler - Shenzhen XiaoMai Manufacturing Co., Ltd. (712999147)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen XiaoMai Manufacturing Co., Ltd.		712999147	manufacture(83872-106)