

**FACE50PREMIUMSUNSCREENFACELOTIONBROADSPECTRUM- face 50 premium
sunscreen face lotion cream
Shenzhen XiaoMai Manufacturing Co., Ltd.**

ACTIVE INGREDIENT

Homosalate: 10%
Titanium Dioxide: 5%
Octocrylene: 2%
Zinc Oxide: 9%
Niacinamide: 4%
Ceramide 3: 0.5%
Ceramide 6 II: 0.5%
Ceramide 1: 0.5%
Sodium Hyaluronate: 1.5%
Collagen: 1.5%
Centella Asiatica Extract: 2.5%

PURPOSE

helps prevent sunburn.

Uses

decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions for use

apply liberally 15 minutes before sun exposure.

reapply at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

INACTIVE INGREDIENT

Cetearyl Alcohol: 4.5%

Ethylcellulose: 1%

Carbomer: 0.2%

Disodium EDTA: 0.6%

Glycerin: 5.5%

Dimethicone: 3.5%

Behentrimonium Methosulfate: 1.5%

Aluminum Starch Octenylsuccinate: 2%

Propylparaben: 0.6%

Sodium Lauroyl Aspartate: 0.3%

Phytosphingosine: 0.2%

Lactic Acid: 0.2%

Xanthan Gum: 0.2%

Water: 42.7%

Other Information

Protect the product in this container from excessive heat and direct sun.

Drug Facts

Active Ingredients	Purpose
Homosalate 10%	Sunscreen
Titanium Dioxide 5%	Sunscreen
Octocrylene 2%	Sunscreen
Zinc oxide 9%	Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure.
- reapply at least every 2 hours.
- use a water resistant sunscreen if swimming or sweating.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.
- children under 6 months of age: Ask a doctor.

BULUBIU



Face 50

Premium Sunscreen Face Lotion
Broad Spectrum SPF50
Water Resistant (80 Minutes)

Lightweight • Breakout Free

Fragrance Free, Oxybenzone Free

1.7 FL OZ / 50 ml e

Other information

- protect the product in this container from excessive heat and direct sun.

Ingredients

Homosalate, Titanium Dioxide, Octocrylene, Zinc Oxide, Aqua, Niacinamide, Cetearyl Alcohol, Glycerin, Dimethicone, Behentrimonium Methosulfate, Ceramide 3, Ceramide 6-II, Ceramide 1, Sodium Hyaluronate, Collagen, Aluminum Starch Octenylsuccinate, Centella Asiatica Leaf Extract, Ethylcellulose, Disodium EDTA, Propylparaben, Sodium Lauroyl Aspartate, Phytosphingosine Lactate, Carbomer, Xanthan Gum,

Country of Origin China

Manufacturer

Shenzhen XiaoMai Manufacturing Co., Ltd.

Address

61 Guantian Road, Niuhu, Shenzhen, China

MFG 2024/3/20
EXP 2026/3/20

Batch Number 20240202

EXPIRY DATE

Before 24 Months (Sealed/Unopened)
Best Before 12 Months (After Opening)

**NDCM Product LTD**

Unit 36 A800 Arcade brownlow
Hill, Liverpool, L3 5TB,
TEL: 01544 702547864
E-Mail: nycm190020@gmail.com

**NDCM Limited**

Room A12, Uffley Building,
Deakin 1, Ireland
TEL: +353 894631055
E-Mail: nycm190020@gmail.com

FACE50PREMIUMSUNSCREENFACELOTIONBROADSPECTRUM

face 50 premium sunscreen face lotion cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-107
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name		Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE 90 mg in 1 g
CERAMIDE 1 (UNII: 5THT33P7X7) (CERAMIDE 1 - UNII:5THT33P7X7)		CERAMIDE 1 5 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE 100 mg in 1 g
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)		NIACINAMIDE 40 mg in 1 g
CERAMIDE 3 (UNII: 4370DF050B) (CERAMIDE 3 - UNII:4370DF050B)		CERAMIDE 3 5 mg in 1 g
CERAMIDE 6 II (UNII: F1X8L2B00J) (CERAMIDE 6 II - UNII:F1X8L2B00J)		CERAMIDE 6 II 5 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE 20 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE 50 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	2 mg in 1 g
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	20 mg in 1 g
LACTIC ACID (UNII: 33X04XA5AT)	2 mg in 1 g
DIMETHICONE (UNII: 92RU3N3Y1O)	35 mg in 1 g
BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61)	15 mg in 1 g

GLYCERIN (UNII: PDC6A3C0OX)	55 mg in 1 g
PROPYLPARABEN (UNII: Z8IX2SC1OH)	6 mg in 1 g
XANTHAN GUM (UNII: TTV12P4NEE)	2 mg in 1 g
SODIUM LAUROYL ASPARTATE (UNII: 328G13N8ZR)	3 mg in 1 g
WATER (UNII: 059QF0KO0R)	427 mg in 1 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-107-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	04/11/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

Labeler - Shenzhen XiaoMai Manufacturing Co., Ltd. (712999147)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen XiaoMai Manufacturing Co., Ltd.		712999147	manufacture(83872-107)