

**NEUTROGENA HEALTHY SKIN FIRMING SUNSCREEN BROAD SPECTRUM SPF15-avobenzene, homosalate, octisalate, octocrylene, and oxybenzone lotion  
Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Neutrogena<sup>®</sup> Healthy Skin<sup>®</sup> Firming Cream with sunscreen Broad Spectrum SPF 15**

**Drug Facts**

**Active ingredients**

Avobenzene 3%  
Homosalate 12%  
Octisalate 5%  
Octocrylene 5%  
Oxybenzone 3%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**For Sunscreen Use:**

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours

- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

water, butylene glycol, silica, tetrahydroxypropyl ethylenediamine, C12-15 alkyl benzoate, cetearyl alcohol, dimethicone, benzyl alcohol, cyclopentasiloxane, steareth-2, glyceryl stearate, steareth-21, phenoxyethanol, citric acid, dimethicone/vinyl dimethicone crosspolymer, cetearyl glucoside, aluminum starch octenylsuccinate, polyacrylamide, fragrance, arachidyl alcohol, PEG-100 stearate, C13-14 isoparaffin, methylparaben, ethylparaben disodium EDTA, behenyl alcohol, acrylates/C10-30 alkyl acrylate crosspolymer, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, propylparaben, arachidyl glucoside, laureth-7, polymethyl methacrylate, tocopheryl acetate, pantothenic acid, ascorbic acid, retinyl palmitate

### **Questions?**

Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free **800-582-4048** or **215-273-8755** (collect)

Distributed by:

**JOHNSON & JOHNSON  
CONSUMER INC.**

Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 73 mL Bottle Carton**

NEUTROGENA  
Healthy Skin<sup>®</sup>  
Firming cream

with  
sunscreen

Broad Spectrum  
SPF 15

firms & lifts

**A Firming Moisturizer  
with Multi-Vitamins and Tetrol-E<sup>®</sup>**

- Visibly improves skin elasticity and firmness while reducing the look of wrinkles in just 4 weeks

**Neutrogena**®

DERMATOLOGIST  
RECOMMENDED

2.5 FL OZ (73mL)

NEUTROGENA  
Healthy Skin®  
Firming Cream

Broad Spectrum SPF 15

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3%, Homosalate 12%, Octisalate 5%, Octocrylene 5%, Oxybenzone 3%	Sunscreen

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings** • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes, Rinse with water to remove, • Stop use and ask a doctor if rash occurs • Keep out of reach of children, If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For Sunscreen Use: • apply generously and every 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information** • protect this product from excessive heat and direct sun • may stain some fabrics

**Inactive ingredients** water, butylene glycol, silica, tetrahydropropyl ethylenediamine, C12-15 alkyl benzoate, cetearyl alcohol, dimethicone, benzyl alcohol, cyclopentasiloxane, steareth-2, glyceryl stearate, steareth-21, phenoxyethanol, citric acid, dimethicone/vinyl dimethicone crosspolymer, cetearyl glucoside, aluminum starch octenylsuccinate, polyacrylamide, fragrance, arachidyl alcohol, PEG-100 stearate, C13-14 isoparaffin, methylparaben, ethylparaben, disodium EDTA, behenyl alcohol, acrylates/C10-30 alkyl acrylate crosspolymer, pentaerythrityl tetra-di-l-butyl hydroxyhydrocinnamate, propylparaben, arachidyl glucoside, laureth-7, polymethyl methacrylate, tocopheryl acetate, pantothenic acid, ascorbic acid, retinyl palmitate

**Questions?** Visit [www.neutrogena.com](http://www.neutrogena.com) or call toll-free 800-582-4048 or 215-273-8755 (collect)

Visibly firms and lifts skin. Tretol-E®, a powerful anti-aging ingredient, helps tighten the look of skin and improves the look and feel of skin elasticity.

Broad Spectrum UVA/UVB SPF 15 helps prevent premature signs of skin aging, when used with other sun protection measures. Fine lines, wrinkles, and age spots can be caused by everyday exposure to the sun's damaging rays.

Softens and smoothes skin. Light, fast-absorbing formula boosts skin's moisture levels for softer, smoother skin.

NEUTROGENA  
Healthy Skin®  
Firming cream

with  
sunscreen

Broad Spectrum  
SPF 15

firms & lifts

A Firming Moisturizer  
with Multi-Vitamins and Tretol-E®

- Visibly improves skin elasticity and firmness while reducing the look of wrinkles in just 4 weeks

Neutrogena Healthy Skin® Firming Cream visibly firms skin and improves the look and feel of skin's elasticity for younger-looking skin in just four weeks.

Proven To:

- Visibly firm and lift the appearance of skin
- Reduce appearance of lines and wrinkles
- Improve skin elasticity and texture
- Moisturize and smooth skin

For best results:

- Smooth liberally on face and neck every morning after cleansing
- Works well under makeup or over a serum

This product is:

- Hypo-allergenic
- Non-comedogenic



Neutrogena®

DERMATOLOGIST  
RECOMMENDED

2.5 FL OZ (73 mL)

Distributed by:  
JOHNSON & JOHNSON  
CONSUMER INC.  
Skillman, NJ 08558 © J&J 2016  
Made in Canada 30034652



ACTUAL SIZE



30034652

**NEUTROGENA HEALTHY SKIN FIRMING SUNSCREEN BROAD SPECTRUM SPF15**

avobenzone, homosalate, octisalate, octocrylene, and oxybenzone lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0132
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	30 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>C13-14 ISOPARAFFIN</b> (UNII: E4F12ROE70)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>ETHYLPARABEN</b> (UNII: 14255EXE39)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35JOOJ)	
<b>LAURETH-7</b> (UNII: Z95S6G8201)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>EDETOL</b> (UNII: Q4R969U9FR)	

**SILICON DIOXIDE** (UNII: ETJ7Z6XBU4)

**CETOSTEARYL ALCOHOL** (UNII: 2DMT128M1S)

**CYCLOMETHICONE 5** (UNII: 0THT5PCI0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0132-2	1 in 1 CARTON	10/02/2010	06/26/2024
1		73 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/02/2010	06/26/2024

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 4/2023

Johnson & Johnson Consumer Inc.