

SENNOSIDES- sennosides tablet
NewVue LLC

Drug Facts

Active Ingredient

Sennosides

Purpose

Laxative

Keep out of Reach of Children

In case of accidental overdose, contact a doctor or Poison Control Center immediately.

Uses

For relief of occasional constipation and irregularity.

This product produces a bowel movement in 6 to 12 hours.

Warnings

Do not use laxative products for more than one week unless directed by a doctor

Ask a doctor before use if you have stomach pains, nausea, vomiting, notice a sudden change in bowel habits that continues over a period of 2 weeks.

Stop use and ask a doctor ifrectal bleeding or failure to have a bowel movement occur after use of a laxative. These could be signs of a serious condition.

If Pregnant or breast-feedingask a health professional before use.

Directions

Take preferably at bedtime or as directed by a doctor.

Adults and children over 12 years: 2 tablets once a day. Maximum of 4 tablets twice a day.

Children 6 to under 12 years: 1 tablet once a day. Maximum of 2 tablets twice a day.

Children 2 to under 6 years: 1/2 tablet once a day. Maximum of 1 tablet twice a day.

Children under 2: consult a doctor

Inactive Ingredients

croscarmellose sodium, dibasic dicalcium phosphate, magnesium stearate, microcrystalline cellulose, and silicon dioxide.

NDC 51824-058-01

CAREALL
Senna Laxative
SENNOSIDES 8.6mg

- ▶ Natural Vegetable Laxative
- ▶ Relieves Constipation

Compare to the active ingredient in Senokot®*



100 8.6mg Tablets

DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	Purpose Sennosides 8.6mg.....Laxative
Active ingredient (in each tablet) Sennosides 8.6mg.....Laxative	Uses <ul style="list-style-type: none"> ■ for relief of occasional constipation (irregularity) ■ generally produces a bowel movement in 6 to 12 hours
Warnings Do not use laxative products for more than one week unless directed by a doctor	Ask a doctor before use if you have <ul style="list-style-type: none"> ■ abdominal pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks
Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use	<i>Continued Under Label</i>

Distributed by: CareALL Products, 160 Athens Way, Nashville, TN 37228
www.careallproducts.com
*This product is not manufactured or distributed by Allantix Consumer Healthcare, Inc., owner of the registered trademark Senokot®.



0 85317 00730 0

Lot: _____ Exp: _____

PEEL HERE ↘

Drug Facts (continued)

of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) immediately.

Directions ■ take preferably at bedtime or as directed by a doctor

Age	Starting dosage	Maximum dosage
Adults and children over 12 years	2 tablets once a day	4 tablets twice a day
Children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
Children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
Children under 2 years	ask a doctor	ask a doctor

Other information
■ each tablet contains: calcium 50mg
■ store at 20°C-25°C (68°F-77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients
croscarmellose sodium, dicalcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide

SENNOSIDES			
sennosides tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83813-004
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

SENNOSIDES A AND B (UNII: 1B5FPI42EN) (SENNOSIDES A AND B - UNII:1B5FPI42EN)	SENNOSIDES A AND B	8.6 mg
---	---------------------------	--------

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

Product Characteristics			
Color	brown (Speckled various shades of brown)	Score	no score
Shape	ROUND (Round)	Size	8mm
Flavor		Imprint Code	CS
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83813-004-06	600 in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/18/2016	

Labeler - NewVue LLC (119120572)

Revised: 4/2024

NewVue LLC