

SENSITIVE SKIN SUNSCREEN- sunscreen cream
Shenzhen XiaoMai Manufacturing Co., Ltd.

ACTIVE INGREDIENT

Homosalate: 10%
Titanium Dioxide: 5%
Octocrylene: 2%
Zinc Oxide: 9%
Niacinamide: 4%
Ceramide 3: 0.5%
Ceramide 6 II: 0.5%
Ceramide 1: 0.5%
Sodium Hyaluronate: 1.5%
Collagen: 1.5%
Centella Asiatica Extract: 2.5%

PURPOSE

helps prevent sunburn.

Uses

decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions for use

apply liberally 15 minutes before sun exposure.

reapply at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

INACTIVE INGREDIENT

Cetearyl Alcohol: 4.5%

Ethylcelluloses: 1%

Carbomer: 0.2%

Disodium EDTA: 0.6%

Glycerin: 5.5%

Dimethicone: 3.5%

Behentrimonium Methosulfate: 1.5%

Aluminum Starch Octenylsuccinate: 2%

Propylparaben: 0.6%

Sodium Lauroyl Aspartate: 0.3%

Phytosphingosine: 0.2%

Lactic Acid: 0.2%

Xanthan Gum: 0.2%

Water: 42.7%

Other Information

Protect the product in this container from excessive heat and direct sun.

Drug	Facts
Active ingredients	
Homosalate 100%	Sunscreen
Titanium Dioxide 5%	Sunscreen
Octocrylene 2%	Sunscreen
Zinc oxide 9%	Sunscreen
Uses	
m helps prevent sunburn	
if used as directed with other sun protection measures	
decreases the risk of skin cancer and early sin aging	
caused by the sun	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes,Hinse with	
water to remove,	
Stop use and ask a doctor if rash occurs	
Keep out of reach of childrenif swallowed, get medical	
help or contacts Poison Control Center right away	
Directions	
For sunscreen use:	
apply liberally 15 minutes before sun exposure	
reapply at least very 2 hours	
s a water res tant sunscreeni swimming or sweating	
Sun Protection Measures. Spending time in the sun	
increases your risk of skin cancer and early shin aging	
To decrease this rsk, regularly use a sunscreen with	
a Broad Spectrum SPt walue of 15 or higher and other	
sun protection measures inclu ding	
m limit time in the sun, especially from 10 a m.-2pm	
wear long-sleved shirts, pants, hats, and sunglasses	
hildren under 6 months of age:Ask a doctor	

Jungshea

sensitive skin

sunscreen

BROAD SPECTRUM SPF 50

FOR FACE

100%zinc oxide

active ingredient

sweat+water resistant

(80 min)

SPF

50

1.7 FL OZ/50 ml

Other information	
protect the product in this container from excessive heat and direct sun	
Ingredients	
Homosalate, Titanium Dioxide, Octocrylene, Zinc Oxide	
Aqua, Niacinamide, Cetearyl Alcohol, Glycerin, Dimethicone	
Behentrimonium Methosulfate, Ceramide 3, Ceramide 6-II	
Ceramide 1, Sodium Hyaluronate, Collagen, Aluminum	
Starch Octenylsuccinate, Ceraella Asiatica Leaf/Extract	
Ethylcellulose, Disodium EDTA, Propylparaben, Sodium	
aurayl Aspartate, Phytosphingosine Lactate, Carbomer	
Xanthan Gum	
Country of Origin China	
Manufacturer	
Shenzhen XiaoMai Manufacturing Ca., Ltd	
Address	
61 Guantian Road, Niuhu, Shenzhen, China	
MFG 2024/3/20	
EXP 28/3/20	
Batch Number 20240202	
EXPIRY DATE	
Before 24 Months (Sealed/Unopened	
BEst Before 12Months (After Opening	
MCWpd.eip	
s Uri ae akepd ntkw	
hl.Lwerpeed.1357;	
7E:004478254m6184	
al mmeetsnilem	
MM Lird	
Room A&2 Lky Bukt	
DusIntkdand	
TEL:+85500043248	
E-d:irienis2s*grdzren	



SENSITIVE SKIN SUNSCREEN

sunscreen cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-112
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	100 mg in 1 g
CERAMIDE 6 II (UNII: F1X8L2B00J) (CERAMIDE 6 II - UNII:F1X8L2B00J)		CERAMIDE 6 II	5 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	20 mg in 1 g
CERAMIDE 3 (UNII: 4370DF050B) (CERAMIDE 3 - UNII:4370DF050B)		CERAMIDE 3	5 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	50 mg in 1 g
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)		NIACINAMIDE	40 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	90 mg in 1 g
CERAMIDE 1 (UNII: 5THT33P7X7) (CERAMIDE 1 - UNII:5THT33P7X7)		CERAMIDE 1	5 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)			2 mg in 1 g
GLYCERIN (UNII: PDC6A3C0OX)			55 mg in 1 g
PROPYLPARABEN (UNII: Z8IX2SC1OH)			6 mg in 1 g

WATER (UNII: 059QF0KO0R)	427 mg in 1 g
XANTHAN GUM (UNII: TTV12P4NEE)	2 mg in 1 g
LACTIC ACID (UNII: 33X04XA5AT)	2 mg in 1 g
BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61)	15 mg in 1 g
SODIUM LAUROYL ASPARTATE (UNII: 328G13N8ZR)	3 mg in 1 g
ETHYLCELLULOSES (UNII: 7Z8S9VYZ4B)	10 mg in 1 g
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	20 mg in 1 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-112-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	04/13/2024	

Drug	Facts
Active ingredients	Purpose
Homosalate 100%	Sunscreen
Titanium Dioxide 5%	***Sunscreen
Octocrylene 2%	Sunscreen
Zinc oxide 9%	Sunscreen
Uses	
m helps prevent sunburn if used as directed with other sun protection measures decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes, Rinse with water to remove,	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children If swallowed, get medical help or contact Poison Control Center right away	
Directions	
For sunscreen use: apply liberally 15 minutes before sun exposure reapply at least every 2 hours as a water resistant sunscreeni swimming or sweating Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including m limit time in the sun, especially from 10 a.m. -2pm wear long-sleeved shirts, pants, hats, and sunglasses children under 6 months of age: Ask a doctor	

Jungshea
sensitive skin
sunscreen

BROAD SPECTRUM SPF 50
FOR FACE

100% zinc oxide
active ingredient
sweat+water resistant
(80 min)

SPF

50

1.7 FL OZ/50 ml

Other information
protect the product in this container from excessive heat and direct sun
Ingredients
Homosalate, Titanium Dioxide, Octocrylene, Zinc Oxide, Aqua, Niacinamide, Octearyl Alcohol, Glyceryl Dimethicone, Behentrimonium Methosulfate, Ceramide 3, Ceramide 6-1, Ceramide 1, Sodium Hyaluronate, Collagen, Aluminum Starch Octenylsuccinate, Ceraella Asiatica Leaf/Extract, Ethylcellulose, Disodium EDTA, Propylparaben, Sodium Laureyl Aspartate, Phytosphingosine Lactate, Carbomer, Xanthan Gum
Country of Origin China
Manufacturer Shenzhen XiaoMai Manufacturing Co., Ltd
Address 61 Guantian Road, Niuhe, Shenzhen, China
MFG 2024/3/20 EXP 28/3/20
Batch Number 20240202
EXPIRY DATE Before 24 Months (Sealed/Unopened) Best Before 12 Months (After Opening)
MCWPd.eip s Uri ae akpAed ntkw hl, lwerpeed, 125Tg TE: 004478254m6134 al mmectsnilem MM Lird Room A&2 Lky Buzg Duslnk dand 181: +1530004824 E-d: rrenis2s@grdzen



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/13/2024	

Labeler - Shenzhen XiaoMai Manufacturing Co., Ltd. (712999147)

Establishment			
Name	Address	ID/FEI	Business Operations
Shenzhen XiaoMai Manufacturing Co., Ltd.		712999147	manufacture(83872-112)

Revised: 4/2024

Shenzhen XiaoMai Manufacturing Co., Ltd.