

VITACILINA- neomycin ointment
Teresa Cecena DBA Genesis

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

NEOMYCIN SULFATE 5mg

PURPOSE

Antibiotic

USES

First aid to help prevent infection in* minor cuts*scrapes*burns

Warnings

For external Use only

DO NOT USE

In the eyes or apply over large areas of the body

Longer than a week unless directed by doctor

Stop Use

And consult a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops

In case of accidental ingestion, seek professional assistance or contact a poison control center immediately.

Directions

Clean the affected area. Apply a small amount of the product (an amount equal to the surface area of the tip of finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Clean the affected area. Apply a small amount of the product on the area 1 to 3 times daily.

May be covered with a sterile bandage

Lanolin, Methylparaben, Petrolatum, propylparaben, vitamin A palmitate

Drug Facts**Active ingredients**

Neomycin sulfate 5 mg (eq to 3.5 mg neomycin)

Purpose

Antibiotic

Uses First aid to help prevent infection in •minor cuts •scrapes •burns**Warnings**

For external use only



MANUFACTURED BY FARMAQRO, S.A. de C.V., CALLE 2 NO. 42, PARQUE INDUSTRIAL
 BENITO JUÁREZ, SANTIAGO DE QUERÉTARO, QRO. C.P. 76120

NEOMYCIN SULFATE OINTMENT
 FIRST AID ANTIBIOTIC

VITACILINA®

NET WT ½ OZ

Drug Facts (Continued)

- Do not use in the eyes or apply over large areas of the body
- In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor
- Stop use and consult a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops
- Do not use longer than 1 week unless directed by a doctor

Keep out of the reach of children In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately

Directions Clean the affected area. Apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Inactive Ingredients lanolin, methylparaben, petrolatum, propylparaben, vitamin A palmitate

DISTRIBUTED BY **GENESIS SAN YSIDRO CA 92173**

NEOMYCIN SULFATE OINTMENT
 FIRST AID ANTIBIOTIC

VITACILINA®

NET WT ½ OZ

VITACILINA

neomycin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69772-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:H6QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
LANOLIN (UNII: 7EV65EAW6H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69772-019-35	1 in 1 CARTON	05/15/2015	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69772-019-31	1 in 1 CARTON	05/20/2015	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:69772-019-32	1 in 1 CARTON	02/03/2017	
3		32 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	05/15/2015	

Labeler - Teresa Cecena DBA Genesis (078760958)

Registrant - Teresa Cecena (078760958)

Establishment

Name	Address	ID/FEI	Business Operations
Teresa Cecena DBA Genesis		078760958	relabel(69772-019)

Establishment

Name	Address	ID/FEI	Business Operations
Farmaqro SA de CV		588161468	manufacture(69772-019)

Revised: 2/2017

Teresa Cecena DBA Genesis