XESSO NEO- benzocaine spray PREMIUM NATURAL COSMETICS INC

Xesso Neo 5% Benzocaine Oral Spray

Warning Section

Warning

 METHEMOGLOBINEMIA WARNING: Use of this product may cause methemoglobinemia, a rare but serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. Stop use and seek immediate medical attention if you or a child in your care develops: pale, gray, or blue-colored skin (cyanosis), headache, rapid heart rate, shortness of

breath, dizziness or lightheadedness, fatigue, or lack of energy.

- Sore Throat Warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly. For adult use only.
- Keep this and all drugs out of reach of children. In case of accidental overdose, seek medical help or call a Poison Control Center right away.
- As with any drug, consult a health care professional if you are pregnant or nursing.
 Ask a health care professional before using this product.
- Stop use and consult a doctor if difficulty in breathing occurs, swelling or fever develops, or if sore mouth or throat symptoms do not improve within 7 days.
- Do not exceed the recommended dosage.
- Keep away from fire or flames.

Keep out of reach of children section

Keep this and all drugs out of reach of children. In case of accidental overdose, seek medical help or call a Poison Control Center right away.

Directions

Apply to the affected area (one spray).
Allow to remain in place for at least 15 seconds then spit out.
May be repeated every two hours as needed or as directed by a health care professional.

Inactive Ingredients

Alcohol, FD&C RED NO. 40, Glycerinm, Natural Flavors, PEG-40 Hydrogenated Castor Oil, Polyvinylpryyolidone (PVP), Sucralose), Water

Use Section

For temporary relief of minor throat irritation, pain, and sore throat.

Active Ingredient

Benzocaine 5%

Purpose

Oral Anesthetic

Other Information

Tamper-Evident: Do not use if tamper evident seal on the outside of the container is broken or missing.

Store at room temperature 20 - 25 C (68 - 77 F)

PDP and Back Panel



FLAVORED



Suga-Free&Parden Free

2fl. oz. | 59ml. C











- Gently numbs throat for easier oral
- Reduces gag reflex with just one spray!
- 5% benzocaine formula
- Proudly made in USA









LAB01506-1 REV 240423

Drug Facts	Drug Facts (continued)	
Active Ingredient Purpose Benzocaine 5% Oral Anesthetic	Stop use and consult a doctor if difficulty in breathing occurs, swelling or fever develops, or if sore mouth or throat symptoms do not improve within 7 days. Do not exceed the recommended dosays.	
Use For temporary relief of minor throat imitation, pain, and sore throat.	Keep away from fire or flames. Directions	
Warning • METHEMOGLOBINEMIA WARNING: Use of this product may cause methemoglobinemia, a rare but serious condition that must be treated promptly because it reduces the amount of ongreen carried in the blood. Stop use and seek immediate medical alterion if you or a child in your care develops; pale, gray, or blue-colored skin (cyaniosis), headache, rapid freat rate, shortness of breath, diszliness or ighthreadediness, hadgue, or lock of energy. Sore Throat Warning: if sore throat is severe, pensists for more than 2 days, is accompanied or followed by fever, headache, rish, swelling, nausea or vomiting, consult a doctor promptly. For adult use only. Keep this and all drugs out of reach of children. In case	 Apply to the affected area (one spray). * Allow to remain in place for at least 15 seconds then spiqout. * May be repeated every two hours as needed or as directed by a health care professional. 	
	Other Information Tamper-Evident: Do not use if tamper evident seal on the outside of the container is broken or missing. Store at room temperature 20" - 25"C (68" - 77"F)	
	Inactive Ingredients Alcohol, FD&C RED NO. 40, Glycerin, Natural Flavors, PEG-40 Hydrogenated Castor Oil, Polyvinylpymolidone (PVP), Sucralose, Water	
of accidental overdose, seek medical help or call a Poison Control Center right away. As with any drug, consult a health care professional if you are pregnant or nursing. Ask a health care professional before using this product.		

XESSO NEO

benzocaine spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81777-106
Route of Administration	TOPICAL, ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	5 g in 100 mL	

Inactive Ingredients				
Ingredient Name	Strength			
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	0.1 g in 100 mL			
POLYOXYL 40 CASTOR OIL (UNII: 4ERD2076EF)	2 g in 100 mL			
SUCRALOSE (UNII: 96K6UQ3ZD4)	1 g in 100 mL			
GLYCERIN (UNII: PDC6A3C0OX)	33 g in 100 mL			
WATER (UNII: 059QF0KO0R)	18 g in 100 mL			
ALCOHOL 95% (UNII: 7528N5H79B)	40 g in 100 mL			
FD&C RED NO. 40 (UNII: WZB9127XOA)	0.0006 g in 100 mL			

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/16/2024	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/16/2024	

Labeler - PREMIUM NATURAL COSMETICS INC (051403646)

Registrant - Creative Essences Inc (079120182)

Establishment					
Name	Address	ID/FEI	Business Operations		
Creative Essences Inc		079120182	manufacture(81777-106)		

Revised: 4/2024 PREMIUM NATURAL COSMETICS INC