MILK OF MAGNESIA LIQUID- milk of magnesia liquid suspension MAJOR® PHARMACEUTICALS

Milk of Magnesia Liquid 2400 mg/30 mL

Drug Facts

Active ingredient (in each 30 mL)

Magnesium hydroxide 2,400 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 hour to 6 hours

Warnings

Ask a doctor before use if you have

• kidney disease

• a sudden change in bowel habits that lasts over

14 days

a magnesium-restricted diet

stomach pain, nausea, or vomiting

Ask a doctor or pharmacist before use if you are taking another medication.

This product may interact with certain medications.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period

- dose may be taken once a day preferably at bedtime, in divided doses or as directed by a doctor
- drink a full glass (8oz) of liquid with each dose

age	dose
Adults and children over 12 years of age	30 mL, not more than 60mL in 24 hrs
Children under 6 years of age	Do not use unless directed by a doctor

Other information

- each 30 mL contains: magnesium 1000 mg
- store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature]
- do not use if lid seal is open or damaged
- retain this insert for full product information

Inactive ingredients

purified water, and sodium hypochlorite

Questions or comments? (855) 879-4368

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

(800) 616-2471

www.majorpharmaceuticals.com

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

MAJOR®

NDC 0904-7327-62

Milk of Magnesia Liquid

2400 mg/30 mL

Saline Laxative

SHAKE WELL

Delivers 30 mL • See insert

For Institutional Use Only

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268



MILK OF MAGNESIA LIQUID

milk of magnesia liquid suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7327
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	2400 mg in 30 mL	

	Inactive Ingredients	
ı	Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0904- 7327-73	10 in 1 CASE	04/17/2024		
1		10 in 1 TRAY			
1	NDC:0904- 7327-62	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/17/2024	

Labeler - MAJOR® PHARMACEUTICALS (191427277)

Revised: 4/2024 MAJOR® PHARMACEUTICALS