

# **MEIJER SEVERE MENTHOL THROAT DROPS- menthol lozenge**

## **Meijer**

-----  
**Menthol 20 mg**

### **Active ingredient (in each drop)**

Menthol 20 mg

### **Purpose**

Oral anesthetic

**Uses** temporarily relieves:

- occasional minor irritation and pain associated with sore throat and sore mouth

### **Warnings**

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

### **Ask a doctor before use if you have**

- a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days.
- a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting.

### **Stop use and consult doctor if**

- sore mouth does not improve in 7 days
- irritation, pain or redness persists or worsens

**If pregnant or breast-feeding,** ask a health professional before use.

### **Keep out of reach of children.**

Do not exceed recommended dosage.

### **Directions**

adults and children 12 years and over - dissolve 1 drop slowly in mouth. Repeat every two hours as needed or as directed by a doctor.

children 12 years and under - do not use

### **Other information**

- 10 calories per drop
- do not use if bag is torn or open

**Inactive ingredients:** Corn starch, corn syrup, eucalyptus oil, FD&C blue no. 1, glycerin, gum arabic, medium chain triglycerides, potassium sorbate, soybean oil, sucrose and water.

**Questions?** Or to report an adverse event call **1-800-245-2898**, Monday - Friday, 9AM to 4PM EST

<<< TEAR HERE TO OPEN. RESEALABLE  
DO NOT USE IF BAG IS TORN OR OPEN

**meijer.**<sup>®</sup>

**SEVERE  
COOLING MENTHOL**

# Sore Throat Drops

**MAXIMUM  
STRENGTH**

**MENTHOL  
ORAL ANESTHETIC**

**WINTERFROST**

COMPARE TO  
VICKS<sup>®</sup> VapoCOOL  
SEVERE THROAT DROPS<sup>™</sup>  
ACTIVE INGREDIENT\*

NDC-79481-0092-1

Temporarily  
soothes sore  
throat & mouth

**45  
MEDICATED  
DROPS**

# Throat Drops

**MAXIMUM STRENGTH**

**MENTHOL ORAL ANESTHETIC**

**WINTERFROST**



DIST. BY MEIJER DISTRIBUTION, INC.  
 GRAND RAPIDS, MI 49544  
[www.meijer.com/satisfaction](http://www.meijer.com/satisfaction)



PN-60002410



actual size



Lot Code  
 Expiration Date

Gluten-Free



breathing or that lasts more than 2 days.  
 ■ a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting.  
**Stop use and consult doctor if**  
 ■ sore mouth does not improve in 7 days.  
 ■ irritation, pain or redness persists or worsens.  
**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of the reach of children.** Do not exceed recommended dosage.

**Directions**  
 adults and children  
 dissolve 1 drop slowly  
 in mouth. Repeat every two  
 12 years and over  
 hours as needed or as directed  
 by a doctor.  
 children 12 years and  
 under  
 do not use

**Other information** ■ 10 calories per drop  
 ■ do not use if bag is torn or open

**Inactive ingredients** Corn starch, corn syrup, eucalyptus oil, FD&C blue no. 1, glycerin, gum arabic, medium chain triglycerides, potassium sorbate, soybean oil, sucrose and water.

**Questions?** Or to report an adverse event call 1-800-245-2898, Monday - Friday, 9AM to 4PM EST

\*This product is not manufactured or distributed by the owner of the registered trademark VICKS®.



**Drug Facts**

**Active ingredient (in each drop)** Menthol 20 mg.....Oral anesthetic

**Uses** temporarily relieves:  
 ■ occasional minor irritation and pain associated with sore throat and sore mouth

**Warnings**  
 Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.  
 ■ Ask a doctor before use if you have a severe sore throat accompanied by difficulty in

## MEIJER SEVERE MENTHOL THROAT DROPS

menthol lozenge

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0092
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	20 mg

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	white (White with blue flakes)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>	MENTHOL	<b>Imprint Code</b>	B
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0092-1	45 in 1 BAG; Type 0: Not a Combination Product	04/18/2024	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/18/2024	

**Labeler** - Meijer (006959555)

**Registrant** - Bestco (002149136)

## Establishment

Name	Address	ID/FEI	Business Operations
Bestco		002149136	manufacture(79481-0092)

Revised: 5/2024

Meijer