

PAIN RELIEVING PATCH- lidocaine 4% patch
Hunan En Pu Pharmaceutical Co., Ltd.

LIDOCAINE PATCH

Lidocaine 4%

Topical anesthetic

For the temporary relief of pain

For external use only

more than 1 patch on your body at a time

on cut, irritated, or swollen skin

on puncture wounds

for more than one week without consulting a doctor

use only as directed. Read and follow all directions and warnings on this carton.

do not allow contact with the eyes

heat (such as heating pads) to the area of use

do not use at the same time as other topical analgesics

dispose of used patch in manner that always keeps product away from children and pets.

Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

condition worsens

symptoms persist for more than 7 days or clear up and occur again within a few days

redness or irritation develops

you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Adults and children 12 years of age and older:

Wash and dry the affected area.

Peel off the backing film from one side of the patch carefully

Apply the exposed portion of the patch to the affected area.

Gently press the patch with your hand to fit the affected area completely.

Do not exercise vigorously during use to prevent the patch from falling off.

Use only 1 patch for a maximum of 8 hours.

Children under 12 years of age: Ask a doctor before use

store at room temperature 15°-30C (59-86F).

aluminum glycinat

glycerin

methyl acrylate

polyacrylic acid

polysorbate 80

propylene glycol

sodium polyacrylate

tartaric acid
 poval
 alcohol



PAIN RELIEVING PATCH

lidocaine 4% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84273-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100

Inactive Ingredients

Ingredient Name	Strength
TARTARIC ACID (UNII: W4888I119H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYVINYL ALCOHOL (18000 MW) (UNII: BRY146A46V)	

ALCOHOL (UNII: 3K9958V90M)
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)
GLYCERIN (UNII: PDC6A3C0OX)
METHYL ACRYLATE (UNII: WC487PR91H)
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
WATER (UNII: 059QF0KO0R)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84273-001-01	5 in 1 BOX	04/22/2024	
1		1 in 1 BAG; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/22/2024	

Labeler - Hunan En Pu Pharmaceutical Co., Ltd. (842391330)

Establishment			
Name	Address	ID/FEI	Business Operations
Hunan En Pu Pharmaceutical Co., Ltd.		842391330	manufacture(84273-001)

Revised: 4/2024

Hunan En Pu Pharmaceutical Co., Ltd.