

NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - HEALTHY BLUSH 20- avobenzene, homosalate, octocrylene stick
NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - SHEER SHIMMER 10- avobenzene, homosalate, octocrylene stick
NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - SUNNY BERRY 30- avobenzene, homosalate, octocrylene stick
NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - FRESH PLUM 60- avobenzene, homosalate, octocrylene stick
NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - PETAL GLOW 40- avobenzene, homosalate, octocrylene stick
NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - SOFT CARAMEL 50- avobenzene, homosalate, octocrylene stick
Johnson & Johnson Consumer Inc.

Neutrogena Revitalizing Lip Balm Broad Spectrum SPF 20

Drug Facts

Active ingredients

Avobenzene (3%), Homosalate (6%), Octocrylene (10%)

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**

■ **Do not use**

■ on damaged or broken skin

■ **When using this product** ■ keep out of eyes. Rinse with water to remove.

- **Stop use and ask a doctor if** ■ rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ apply generously and evenly 15 minutes before sun exposure ■ reapply at least

every 2 hours ■ use a water resistant sunscreen if swimming or sweating ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses

■ children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Hydrogenated Polyisobutene, Polybutene, Petrolatum, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Mica, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Triisostearate, Palmitoyl Tripeptide-1, Iron Oxides, Titanium Dioxide, Red 7 Lake

Questions or comments?

Call toll-free **800-480-4812** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (6%), Octocrylene (10%)

Purpose

Sunscreen

Uses

■ helps prevent sunburn

■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

■ Do not use

■ on damaged or broken skin

- **When using this product**

- keep out of eyes. Rinse with water to remove.

- **Stop use and ask a doctor if** rash occurs.

- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions

■ apply generously and evenly 15 minutes before sun exposure ■ reapply at least every 2 hours ■ use a water resistant sunscreen if swimming or sweating ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses

■ children under 6 months of age: Ask a doctor

Other information

■ protect this product from excessive heat and direct sun

■ may stain some fabrics

Inactive ingredients

Hydrogenated Polyisobutene, Polybutene, Petrolatum, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Triisostearate, Palmitoyl Tripeptide-1, Iron Oxides, Titanium Dioxide, Red 7 Lake

Questions or comments?

Questions Or Comments?

Call toll-free

800-480-4812 or 215-273-8755

(collect) or visit

www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (6%), Octocrylene (10%)

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** ■ on damaged or broken skin
- **When using this product**
- keep out of eyes. Rinse with water to remove
- **Stop use and ask a doctor if.** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply generously and evenly 15 minutes before sun exposure ■ reapply at least

every 2 hours ■ use a water resistant sunscreen if swimming or sweating ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other

sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

Other information

■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive ingredients

Hydrogenated Polyisobutene, Petrolatum, Polybutene, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Triisostearate, Palmitoyl Tripeptide-1, Mica, Titanium Dioxide, Iron Oxides

Questions or comments?

Questions Or Comments?

Call toll-free

800-480-4812 or 215-273-8755

(collect) or visit

www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (6%), Octocrylene (10%)

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use**
 - on damaged or broken skin
 - **When using this product**
 - keep out of eyes. Rinse with water to remove.
 - **Stop use and ask a doctor if.** rash occurs.
 - **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions

■ apply generously and evenly 15 minutes before sun exposure ■ reapply at least every 2 hours ■ use a water resistant sunscreen if swimming or sweating ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other

sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Hydrogenated Polyisobutene, Petrolatum, Polybutene, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-

t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Triisostearate, Palmitoyl Tripeptide-1, Titanium Dioxide, Red 6 Lake, Red 7 Lake, Iron Oxides

Questions or comments?

Questions Or Comments?

Call toll-free

800-480-4812 or 215-273-8755

(collect) or visit

www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

Neutrogena Revitalizing Lip Balm Broad Spectrum SPF 20 - 4.2g Canister in Blister Pack Label - Sunny Berry 30

SUNNY BERRY 30

REVITALIZING

LIP BALM

**In one week, improve
texture of lips for softer,
healthier-looking lips.**

Broad Spectrum SPF 20

Neutrogena®

NET WT.

0.15 OZ. (4.2G)

SUNNY BERRY 30

REVITALIZING LIP BALM

In one week, improve texture of lips for softer, healthier-looking lips.

Broad Spectrum SPF 20

Neutrogena®

NET WT.
0.15 OZ. (4.2G)

Neutrogena® REVITALIZING LIP BALM SUNNY BERRY 30

This sheer tinted balm instantly moisturizes lips leaving them looking smoother and more defined. In just one week, balm helps to improve the lips' texture and restores the look of rosiness, so lips look naturally beautiful even after you take it off. SPF 20 helps protect lips from sun and keeps them looking healthy.

Drug Facts

Active ingredients Avobenzene (3%), Homosalate (6%), Octocrylene (10%)...**Purpose** Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • **Do not use** • on damaged or broken skin
• **When using this product** • keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if** • rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients Hydrogenated Polyisobutene, Polybutene, Petrolatum, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dioleolate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Mica, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Trisostearate, Palmitoyl Tripeptide-1, Iron Oxides, Titanium Dioxide, Red 7 Lake

Questions or comments?

Call toll-free
800-480-4812 or **215-273-8755**
(collect) or visit
www.neutrogena.com



Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2023
Made in Canada
30049469
Pat. www.jjciipats.com

Neutrogena Revitalizing Lip Balm Broad Spectrum SPF 20 - 4.2g Canister in Blister Pack Label - Sheer Shimmer 10

SHEER SHIMMER 10

REVITALIZING

LIP BALM

In one week, improve

texture of lips for softer,
healthier-looking lips.

sunscreen

Broad Spectrum SPF 20

Neutrogena®

NET WT.

0.15 OZ. (4.2G)

SHEER SHIMMER 10

REVITALIZING LIP BALM

In one week, improve
texture of lips for softer,
healthier-looking lips.
sunscreen
Broad Spectrum SPF 20

Neutrogena®

NET WT.
0.15 OZ. (4.2G)

Neutrogena® REVITALIZING LIP BALM SHEER SHIMMER 10

This sheer tinted balm instantly moisturizes lips leaving them looking smoother and more defined. In just one week, this balm helps to improve the lips' texture and restores the look of rosiness, so lips look naturally beautiful even after you take it off. SPF 20 helps protect lips from the sun and keeps them looking healthy.

Drug Facts

Active ingredients	Purpose
Avobenzone (3%), Homosalate (6%), Octocrylene (10%)...Sunscreen	

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use • on damaged or broken skin
• When using this product • keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients Hydrogenated Polyisobutene, Petrolatum, Polybutene, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Triisostearate, Palmitoyl Tripeptide-1, Mica, Titanium Dioxide, Iron Oxides, Red 7 Lake

Questions or comments?

Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit
www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2023
Made in Canada
30055555
Pat. www.jjcupats.com



Neutrogena Revitalizing Lip Balm Broad Spectrum SPF 20 - 4.2g Canister in Blister Pack Label - Fresh Plum 60

FRESH PLUM 60

REVITALIZING

LIP BALM

**In one week, improve
texture of lips for softer,
healthier-looking lips.**

Broad Spectrum SPF 20

Neutrogena®

NET WT.

0.15 OZ. (4.2G)

FRESH PLUM 60

REVITALIZING LIP BALM

In one week, improve texture of lips for softer, healthier-looking lips.

Broad Spectrum SPF 20

WGN8409D1

Neutrogena®

NET WT.
0.15 OZ. (4.2G)

Neutrogena® REVITALIZING LIP BALM FRESH PLUM 60

This sheer tinted balm instantly moisturizes lips leaving them looking smoother and more defined. In just one week, balm helps to improve the lips' texture and restores the look of rosiness, so lips look naturally beautiful even after you take it off. SPF 20 helps protect lips from sun and keeps them looking healthy.

Drug Facts

Active ingredients Avobenzone (3%), Homosalate (6%), Octocrylene (10%)...**Purpose** Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use • on damaged or broken skin • **When using this product** • keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if** • rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions

• apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

Other information

• protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients

Hydrogenated Polyisobutene, Polybutene, Petrolatum, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dimoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Mica, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Triisostearate, Palmitoyl Tripeptide-1, Iron Oxides, Titanium Dioxide, Red 7 Lake

Questions or comments?

Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit
www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2023
Made in Canada
30049470
Pat. www.jjciipats.com



Neutrogena Revitalizing Lip Balm Broad Spectrum SPF 20 - 4.2g Canister in Blister Pack Label - Petal Glow 40

PETAL GLOW 40

REVITALIZING

LIP BALM

in one week, improve

texture of lips for softer,
healthier-looking lips.

sunscreen

broad spectrum SPF 20

Neutrogena®

NET WT.

0.15 OZ. (4.2G)

PETAL GLOW 40

REVITALIZING LIP BALM

in one week, improve
texture of lips for softer,
healthier-looking lips.

sunscreen
broad spectrum SPF 20

Neutrogena®

NET WT.
0.15 OZ. (4.2G)

Neutrogena® REVITALIZING LIP BALM PETAL GLOW 40

This sheer tinted balm instantly moisturizes lips leaving them looking smoother and more defined. In just one week, this balm helps to improve the lips' texture and restore the look of rosininess, so lips look naturally beautiful even after you take it off. SPF 20 helps protect lips from the sun and keeps them looking healthy.

Drug Facts

Active ingredients	Purpose
Avobenzone (3%), Homosalate (6%), Octocrylene (10%)...Sunscreen	

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use • on damaged or broken skin
• When using this product • keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients Hydrogenated Polyisobutene, Petrolatum, Polybutene, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Triisostearate, Palmitoyl Tripeptide-1, Iron Oxides, Titanium Dioxide, Red 7 Lake

Questions or comments?

Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit
www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2024
Made in Canada
30055551
Pat. www.kenvuepats.com



Neutrogena Revitalizing Lip Balm Broad Spectrum SPF 20 - 4.2g Canister in Blister pack Label - Soft Caramel 50

SOFT CARAMEL 50

REVITALIZING

LIP BALM

**In one week, improve
texture of lips for softer,
healthier-looking lips.**

sunscreen

Broad Spectrum SPF 20

Neutrogena®

NET WT.

0.15 OZ. (4.2G)

SOFT CARAMEL 50

REVITALIZING LIP BALM

In one week, improve texture of lips for softer, healthier-looking lips. sunscreen Broad Spectrum SPF 20

Neutrogena®

NET WT.
0.15 OZ. (4.2G)

Neutrogena® REVITALIZING LIP BALM SOFT CARAMEL 50

This sheer tinted balm instantly moisturizes lips leaving them looking smoother and more defined. In just one week, this balm helps to improve the lips' texture and restores the look of rosininess, so lips look naturally beautiful even after you take it off. SPF 20 helps protect lips from the sun and keeps them looking healthy.

Drug Facts

Active ingredients Avobenzone (3%), Homosalate (6%), Octocrylene (10%)...**Purpose** Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use • on damaged or broken skin
• **When using this product** • keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if** • rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

Directions

• apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients Hydrogenated Polyisobutene, Petrolatum, Polybutene, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Trisostearate, Palmitoyl Tripeptide-1, Mica, Titanium Dioxide, Iron Oxides

Questions or comments?

Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit
www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2023
Made in Canada
30055557
Pat. www.jjciipats.com



Neutrogena Revitalizing Lip Balm Broad Spectrum SPF 20 - 4.2g Canister in Blister pack Label - Healthy Blush 20

HEALTHY BLUSH 20

REVITALIZING

LIP BALM

in one week, improve

texture of lips for softer,
healthier-looking lips.

sunscreen

broad spectrum SPF 20

Neutrogena®

NET WT.

0.15 OZ. (4.2G)

HEALTHY BLUSH 20

REVITALIZING LIP BALM

in one week, improve
texture of lips for softer,
healthier-looking lips.

sunscreen
broad spectrum SPF 20

Neutrogena®

NET WT.
0.15 OZ. (4.2G)

Neutrogena® REVITALIZING LIP BALM HEALTHY BLUSH 20

This sheer tinted balm instantly moisturizes lips leaving them looking smoother and more defined. In just one week, this balm helps to improve the lips' texture and restore the look of rosininess, so lips look naturally beautiful even after you take it off. SPF 20 helps protect lips from the sun and keeps them looking healthy.

Drug Facts

Active ingredients	Purpose
Avobenzone (3%), Homosalate (6%), Octocrylene (10%)...Sunscreen	

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use • on damaged or broken skin
• When using this product • keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients Hydrogenated Polyisobutene, Petrolatum, Polybutene, Phenyl Trimethicone, Ozokerite, Diethylhexyl 2,6-Naphthalate, Hydrogenated Lanolin, Synthetic Wax, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Butyrospermum Parkii (Shea) Butter, Euphorbia Cerifera (Candelilla) Wax, Cetyl Lactate, Myristyl Myristate, Silica, Copernicia Cerifera (Carnauba) Wax, Stearoxymethicone/Dimethicone Copolymer, Ethylhexyl Palmitate, Tribehenin, Flavor, Fragrance, Silica Silylate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Sorbitan Isostearate, Isopropyl Titanium Triisostearate, Palmitoyl Tripeptide-1, Titanium Dioxide, Red 6 Lake, Red 7 Lake, Iron Oxides

Questions or comments?

Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit
www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2024
Made in Canada
30055553
Pat. www.kenvuepats.com



0 86800 00962 7

NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - HEALTHY BLUSH 20

avobenzone, homosalate, octocrylene stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0884
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	60 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CANDELILLA WAX (UNII: WL0328HX19)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PETROLATUM (UNII: 4T6H12BN9U)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERESIN (UNII: Q1LS2UJO3A)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:69968-0884-1	1 in 1 BLISTER PACK	05/15/2024	
1		4.2 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/15/2024	

NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - SHEER SHIMMER 10

avobenzone, homosalate, octocrylene stick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0882
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	100 mg in 1 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	60 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CANDELILLA WAX (UNII: WL0328HX19)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PETROLATUM (UNII: 4T6H12BN9U)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERESIN (UNII: Q1LS2UJO3A)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
MICA (UNII: V8A1AW0880)	

CARNAUBA WAX (UNII: R12CBM0EIZ)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
TRIBEHENIN (UNII: 80C9U7TQZ0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0882-1	1 in 1 BLISTER PACK	05/15/2024	
1		4.2 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/15/2024	

NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - SUNNY BERRY 30

avobenzone, homosalate, octocrylene stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0886
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	60 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CANDELILLA WAX (UNII: WL0328HX19)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PETROLATUM (UNII: 4T6H12BN9U)	

SHEA BUTTER (UNII: K49155WL9Y)
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
CETYL LACTATE (UNII: A7EVH2RK4O)
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
MICA (UNII: V8A1AW0880)
CARNAUBA WAX (UNII: R12CBM0EIZ)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
CERESIN (UNII: Q1LS2UJO3A)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0886-1	1 in 1 BLISTER PACK	05/15/2024	
1		4.2 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/15/2024	

NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - FRESH PLUM 60

avobenzone, homosalate, octocrylene stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0887
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	60 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CANDELILLA WAX (UNII: WL0328HX19)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PETROLATUM (UNII: 4T6H12BN9U)	
SHEA BUTTER (UNII: K49155WL9Y)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
MICA (UNII: V8A1AW0880)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
CERESIN (UNII: Q1LS2UJO3A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0887-1	1 in 1 BLISTER PACK	05/15/2024	
1		4.2 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/15/2024	

NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - PETAL GLOW 40

avobenzone, homosalate, octocrylene stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0885
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	60 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CANDELILLA WAX (UNII: WL0328HX19)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PETROLATUM (UNII: 4T6H12BN9U)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERESIN (UNII: Q1LS2UJO3A)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0885-1	1 in 1 BLISTER PACK	05/15/2024	
1		4.2 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/15/2024	

NEUTROGENA REVITALIZING LIP BALM BROAD SPECTRUM SPF 20 - SOFT CARAMEL 50

avobenzone, homosalate, octocrylene stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0883
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	60 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CANDELILLA WAX (UNII: VL0328HX19)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PETROLATUM (UNII: 4T6H12BN9U)	
SHEA BUTTER (UNII: K49155WL9Y)	
CERESIN (UNII: Q1LS2UJO3A)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
MICA (UNII: V8A1AW0880)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0883-1	1 in 1 BLISTER PACK	05/15/2024	
1		4.2 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/15/2024	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 4/2024

Johnson & Johnson Consumer Inc.