

**GOODYS EXTRA STRENGTH- acetaminophen, aspirin, and caffeine powder
Medtech Products Inc.**

Goody's Extra Strength Headache Powders

FAST PAIN RELIEF

Goody's®

EXTRA STRENGTH

HEADACHE POWDERS

ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE

PAIN RELIEVER / PAIN RELIEVER AID

24 ENVELOPES CONTAINING 6 POWDERS EACH

Drug Facts

Active ingredients

(in each powder):

Acetaminophen 260 mg

Aspirin (NSAID*) 520 mg

Caffeine 32.5 mg

*nonsteroidal anti-inflammatory drug

Purposes

Pain reliever/fever reducer

Pain reliever/fever reducer

Pain reliever aid

Uses

- temporarily relieves minor aches and pains due to:

• headache	• muscle aches
• minor arthritis	• colds

pain

- temporarily reduces fever

Warnings:

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause severe allergic reaction which may include:

- hives • facial swelling • shock • asthma (wheezing).

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 powders in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Stomach bleeding warning: This product contains a NSAID, which may cause severe stomach

bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed.

Do not use

- if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

- you have liver disease
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

taking a prescription drug for diabetes, gout, or arthritis

When using this product

limit the use of caffeine-containing drugs, food, or drinks because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint

- vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
 - pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - redness or swelling is present
 - any new symptoms appear
 - ringing in the ears or a loss of hearing occurs
- These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

Overdose warning:

Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions:

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: place 1 powder on tongue every 6 hours, while symptoms persist. Drink a full glass of water with each dose, or stir powder into a glass of water or other liquid.
- do not take more than 4 powders in 24 hours unless directed by a doctor.
- children under 12 years of age: ask a doctor.

Other information

- each powder contains: potassium 60 mg
- store below 25°C (77°F)

Inactive ingredients

lactose monohydrate, potassium chloride

Questions or comments?

1-866-255-5197 (English/Spanish) weekdays

PRINCIPAL DISPLAY PANEL

FAST PAIN RELIEF
 Goody's®
 EXTRA STRENGTH
 HEADACHE POWDERS
ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE
 PAIN RELIEVER / PAIN RELIEVER AID
 24 ENVELOPES CONTAINING 6 POWDERS EACH

CONTENTS:
 This carton contains 2 Dozen packages of
 6 GOODY'S® EXTRA STRENGTH
 ANALGESIC POWDERS

Goody's®
FAST PAIN RELIEF

FAST PAIN RELIEF

Goody's®
FAST PAIN RELIEF

EXTRA STRENGTH
HEADACHE POWDERS
ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE
 PAIN RELIEVER • FEVER REDUCER / PAIN RELIEVER AID

NO PRINT OR VARNISH
ON THIS PANEL

NO PRINT OR VARNISH
ON THIS PANEL

Drug Facts

Active ingredients (in each powder)	Purposes
Acetaminophen 200 mg	Pain reliever/fever reducer
Aspirin (NSAID) 520 mg	Pain reliever/fever reducer
Caffeine 32.5 mg	Pain reliever aid
*nonsteroidal anti-inflammatory drug	

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - minor arthritis pain
 - muscular aches
 - colds
- temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Always alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 powders in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Stomach bleeding warning: This product contains an NSAID, which

Drug Facts (continued)

may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- take more or for a longer time than directed

Do not use

- if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

- you have liver disease
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver disease, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for diabetes, gout, or arthritis

When using this product limit the use of caffeine-containing drugs, food, or drinks because too much caffeine may cause nervousness,

©2012 DHEW by Medline Products Inc.
 Goody's is a registered trademark of
 Medline Products Inc.
 02010501
 A. H. Heston Brands Company
 Terrytown, NY 11561

Drug Facts (continued)

contains acetaminophen, an acetaminophen/fever reducer, and caffeine. The amount of caffeine in this product is 32.5 mg per powder. Caffeine is a stimulant. It may cause nervousness, jitteriness, or insomnia. It may also cause dizziness, headache, or upset stomach. Do not use if you are sensitive to caffeine or if you are taking other caffeine-containing drugs.

Drug Facts (continued)

contains acetaminophen, an acetaminophen/fever reducer, and caffeine. The amount of caffeine in this product is 32.5 mg per powder. Caffeine is a stimulant. It may cause nervousness, jitteriness, or insomnia. It may also cause dizziness, headache, or upset stomach. Do not use if you are sensitive to caffeine or if you are taking other caffeine-containing drugs.

Directions

- do not use more than 4 powders in 24 hours, which is the maximum daily amount
- do not use with other drugs containing acetaminophen
- do not use with 3 or more alcoholic drinks every day while using this product
- do not use if you are taking a prescription drug for diabetes, gout, or arthritis
- do not use if you are taking a prescription drug for high blood pressure, heart disease, liver disease, or kidney disease
- do not use if you are taking a diuretic
- do not use if you have asthma
- do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer
- do not use if you have had stomach ulcers or bleeding problems
- do not use if you are taking a blood thinning (anticoagulant) or steroid drug
- do not use if you are taking other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- do not use if you are taking more or for a longer time than directed

Other information

- each powder contains 200 mg acetaminophen, 520 mg aspirin (NSAID), and 32.5 mg caffeine
- contains 24 envelopes containing 6 powders each
- keep out of reach of children
- keep away from heat and moisture
- use by expiration date
- if you are pregnant or breastfeeding, consult your doctor before using this product
- if you are taking a prescription drug for diabetes, gout, or arthritis, consult your doctor before using this product
- if you are taking a prescription drug for high blood pressure, heart disease, liver disease, or kidney disease, consult your doctor before using this product
- if you are taking a diuretic, consult your doctor before using this product
- if you have asthma, consult your doctor before using this product
- if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer, consult your doctor before using this product
- if you have had stomach ulcers or bleeding problems, consult your doctor before using this product
- if you are taking a blood thinning (anticoagulant) or steroid drug, consult your doctor before using this product
- if you are taking other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others), consult your doctor before using this product
- if you are taking more or for a longer time than directed, consult your doctor before using this product

Inactive ingredients

- cellulose
- croscarmellose sodium
- hydroxypropyl methylcellulose
- polyethylene glycol
- polyvinylpyrrolidone
- starch
- talc
- triethylamine
- water

Contains 24 envelopes containing 6 powders each

FAST PAIN RELIEF

Goody's[®]

EXTRA STRENGTH[™]

HEADACHE POWDERS

ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE

PAIN RELIEVER / FEVER REDUCER / PAIN RELIEVER AID

24 ENVELOPES CONTAINING 6 POWDERS EACH

(Do not use in children under 12 years of age and over 65 years of age unless directed by your physician. Do not use if you are pregnant, nursing, or taking any medications. Do not use if you are allergic to aspirin or acetaminophen.)

Fast Pain Relief contains 6 packets of powder. Each packet contains 1/2 packet of powder. Each packet contains 6 packets of powder. Each packet contains 6 packets of powder.

Fast Pain Relief contains 6 packets of powder. Each packet contains 1/2 packet of powder. Each packet contains 6 packets of powder. Each packet contains 6 packets of powder.

Fast Pain Relief contains 6 packets of powder. Each packet contains 1/2 packet of powder. Each packet contains 6 packets of powder. Each packet contains 6 packets of powder.



FAST PAIN RELIEF

Goody's[®]

EXTRA STRENGTH[™]

HEADACHE POWDERS

ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE

PAIN RELIEVER / FEVER REDUCER / PAIN RELIEVER AID

24 ENVELOPES CONTAINING 6 POWDERS EACH

EXTRA STRENGTH[™]

HEADACHE POWDERS

ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE

PAIN RELIEVER / FEVER REDUCER / PAIN RELIEVER AID

24 ENVELOPES CONTAINING 6 POWDERS EACH

NO PRINT OR VARNISH ON THIS PANEL

NO PRINT OR VARNISH ON THIS PANEL



PRINCIPAL DISPLAY PANEL

FAST PAIN RELIEF

Goody's[®]

EXTRA STRENGTH

HEADACHE POWDERS

ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE

PAIN RELIEVER / PAIN RELIEVER AID

18 Powders

100591

SOLID COLOR BAND FOR LOT NO AND EXP IMPRINT

TAMPER EVIDENT FEATURE: DO NOT USE IF SAFETY OVERWRAP OR "S" TEAR-TAPE IS MISSING OR TORN.
©2012 Dist by Mediatech Products Inc. Tarrytown, NY 10591
a Fresco Brands Company
GD007101
Goody's® is a registered trademark of Mediatech Products Inc.

Drug Facts (continued)
Uses
temporarily relieves minor aches and pains due to:
• headache
• minor arthritis pain
• muscle aches
• colds
temporarily reduces fever
Warnings
Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, it changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
Allergy alert: Aspirin may cause a severe allergic

FAST PAIN RELIEF

Goody's®

EXTRA STRENGTH HEADACHE POWDERS

ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE
PAIN RELIEVER • FEVER REDUCER / PAIN RELIEVER AID

18 POWDERS

Drug Facts
Active ingredients (in each powder)
Acetaminophen 260 mg.....Pain reliever/fever reducer
Aspirin (NSAID)* 520 mg.....Pain reliever/fever reducer
Caffeine 32.5 mg.....Pain reliever aid
*nonsteroidal anti-inflammatory drug

Purposes
Pain reliever/fever reducer
Pain reliever/fever reducer
Pain reliever aid

Read and keep leaflet for complete directions, warnings and ingredients

Drug Facts (continued)
place 1 powder on tongue every 6 hours, while symptoms persist. Drink a full glass of water with each dose, or may stir powder into a glass of water or other liquid.
do not take more than 4 powders in 24 hours unless directed by a doctor.
Children under 12 years of age ask a doctor.

Drug Facts (continued)
Directions
adults and children 12 years of age and over:
• do not take more than directed (see overdose warning)
• take more or for a longer time than directed using this product
If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.
Keep out of reach of children.
Overdose warning: Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Take a blood thinning (anticoagulant) or steroid drug or have had stomach ulcers or bleeding problems or are age 60 or older
bleeding. The chance is higher if you take other drugs containing aspirin, ibuprofen, naproxen, or others)
Have 3 or more alcoholic drinks every day while using this product.
Severe liver damage may occur if you take more than 4 powders in 24 hours, which is the maximum daily amount.
With other drugs containing acetaminophen or 3 or more alcoholic drinks every day while using this product.
Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding, which may cause severe stomach bleeding. The chance is higher if you have had stomach ulcers or bleeding problems or take a blood thinning (anticoagulant) or steroid drug or other drugs containing aspirin, ibuprofen, naproxen, or others)
Have 3 or more alcoholic drinks every day while using this product.

Drug Facts (continued)
reaction which may include:
• hives
• facial swelling
• shock
• asthma (wheezing)
Laser warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4 powders in 24 hours, which is the maximum daily amount.
With other drugs containing acetaminophen or 3 or more alcoholic drinks every day while using this product.
Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding, which may cause severe stomach bleeding. The chance is higher if you have had stomach ulcers or bleeding problems or take a blood thinning (anticoagulant) or steroid drug or other drugs containing aspirin, ibuprofen, naproxen, or others)
Have 3 or more alcoholic drinks every day while using this product.

Drug Facts (continued)
Directions
adults and children 12 years of age and over:
• do not take more than directed (see overdose warning)
• take more or for a longer time than directed using this product
If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.
Keep out of reach of children.
Overdose warning: Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Take a blood thinning (anticoagulant) or steroid drug or have had stomach ulcers or bleeding problems or are age 60 or older
bleeding. The chance is higher if you take other drugs containing aspirin, ibuprofen, naproxen, or others)
Have 3 or more alcoholic drinks every day while using this product.

NO PRINT OR VARNISH ON THIS PANEL

PRINCIPAL DISPLAY PANEL

FAST PAIN RELIEF
Goody's®
EXTRA STRENGTH

HEADACHE POWDERS
ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE
 PAIN RELIEVER / PAIN RELIEVER AID
 24 Powders



PRINCIPAL DISPLAY PANEL

FAST PAIN RELIEF
Goody's®
EXTRA STRENGTH
HEADACHE POWDERS
ACETAMINOPHEN • ASPIRIN (NSAID) / CAFFEINE
PAIN RELIEVER / PAIN RELIEVER AID
50 Powders



GOODYS EXTRA STRENGTH
acetaminophen, aspirin, and caffeine powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-662
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	260 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	520 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	32.5 mg

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

POTASSIUM (UNII: RWP5GA015D)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-662-01	6 in 1 BOX; Type 0: Not a Combination Product	11/01/2013	11/30/2023

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/01/2013	11/30/2023

GOODYS EXTRA STRENGTH

acetaminophen, aspirin, and caffeine powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-655
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	260 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	520 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	32.5 mg

Inactive Ingredients

Ingredient Name	Strength
POTASSIUM (UNII: RWP5GA015D)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

Product Characteristics

Color	white	Score	
--------------	-------	--------------	--

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-655-01	18 in 1 BOX; Type 0: Not a Combination Product	11/01/2013	11/30/2023

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/01/2013	11/30/2023

GOODYS EXTRA STRENGTH

acetaminophen, aspirin, and caffeine powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-633
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	260 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	520 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	32.5 mg

Inactive Ingredients

Ingredient Name	Strength
POTASSIUM (UNII: RWP5GA015D)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-633-01	24 in 1 BOX; Type 0: Not a Combination Product	11/01/2013	11/30/2023

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/01/2013	11/30/2023

GOODYS EXTRA STRENGTH				
acetaminophen, aspirin, and caffeine powder				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-644	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	260 mg	
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)		ASPIRIN	520 mg	
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)		CAFFEINE	32.5 mg	
Inactive Ingredients				
Ingredient Name		Strength		
POTASSIUM (UNII: RWP5GA015D)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-644-01	50 in 1 BOX; Type 0: Not a Combination Product	11/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/01/2013	

Labeler - Medtech Products Inc. (122715688)

Revised: 10/2024

Medtech Products Inc.