

FNG I- echinacea (angustifolia), lomatium dissectum, nasturtium aquaticum, tabebuia impetiginosa, condurango, ginkgo biloba, ligusticum porteri, hydrastis canadensis, propolis, glandula suprarenalis bovine, thymus (bovine), lycopodium clavatum, nux vomica, phosphoricum acidum, phytolacca decandra, sepia, alternaria tenuis nees, aspergillus niger, candida albicans, candida parapsilosis, mucor racemosus, pullularia pullulans, rhizopus nigricans, torula cerevisiae liquid

BioActive Nutritional, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

Echinacea (Angustifolia) 3X, Lomatium Dissectum 3X, Nasturtium Aquaticum 3X, Tabebuia Impetiginosa 3X, Condurango 4X, Ginkgo Biloba 4X, Ligusticum Porteri 4X, Hydrastis Canadensis 5X, Astragalus Membranaceus 6X, Propolis 6X, Glandula Suprarenalis Bovine 8X, Thymus (Bovine) 8X, Lycopodium Clavatum 12X, Nux Vomica 12X, Phosphoricum Acidum 12X, Phytolacca Decandra 12X, Sepia 12X, Alternaria Tenuis Nees 12X, 30X, 200X, Aspergillus Niger 12X, 30X, 200X, Candida Albicans 12X, 30X, 200X, Candida Parapsilosis 12X, 30X, 200X, Mucor Racemosus 12X, 30X, 200X, Pullularia Pullulans 12X, 30X, 200X, Rhizopus Nigricans 12X, 30X, 200X, Torula Cerevisiae 12X, 30X, 200X.

INDICATIONS:

For temporary relief of bloating of the bowels, heartburn, and intolerance of dried fruits.

WARNINGS:

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

INDICATIONS:

For temporary relief of bloating of the bowels, heartburn, and intolerance of dried fruits.

INACTIVE INGREDIENTS:

Demineralized water, 25% Ethanol

QUESTIONS:

Distributed by:
BioActive Nutritional, Inc.
1803 N. Wickham Rd.
Melbourne, FL 32935
bioactivenutritional.com

*For a complete list of Fungus Nosodes contact BioActive Nutritional, Inc.

PACKAGE LABEL DISPLAY:

BIOActive Nutritional

FNG I

HOMEOPATHIC

1 FL OZ (30 ml)



WARNINGS: If pregnant or breast-feeding, ask a health care professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

LOT:

Distributed by:
BioActive Nutritional, Inc.
1803 N. Wickham Rd.
Melbourne, FL 32935
bioactivenutritional.com

FNG I

HOMEOPATHIC

ACTIVE INGREDIENTS:

Echinacea 3X, Lomatium Dissectum 3X, Nasturtium 3X, Tabebuia Impetiginosa 3X, Condurango 4X, Ginkgo 4X, Ligusticum Porteri 4X, Hydrastis 5X, Astragalus Membranaceus 6X, Propolis 6X, Glandula Suprarenalis Bovine 8X, Thymus 8X, Lycopodium 12X, Nux Vom 12X, Phosphoricum Ac 12X, Phytolacca 12X, Sepia 12X, Fungus Nosodes* 12X, 30X, 200X.

INACTIVE INGREDIENTS:
Demineralized Water, 25% Ethanol

1 FL OZ (30 ml)

INDICATIONS:

For temporary relief of bloating of the bowels, heartburn, and intolerance of dried fruits.

DIRECTIONS:

10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

*For a complete list of Fungus Nosodes contact BioActive Nutritional, Inc.

FNG I

echinacea (angustifolia), lomatium dissectum, nasturtium aquaticum, tabebuia impetiginosa, condurango, ginkgo biloba, ligusticum porteri, hydrastis canadensis, propolis, glandula suprarenalis bovine, thymus (bovine), lycopodium clavatum, nux vomica, phosphoricum acidum, phytolacca decandra, sepia, alternaria tenuis nees, aspergillus niger, candida albicans, candida parapsilosis, mucor racemosus, pullularia pullulans, rhizopus nigricans, torula cerevisiae liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43857-0397
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	3 [hp_X] in 1 mL
LOMATIUM DISSECTUM ROOT (UNII: 5329928G5N) (LOMATIUM DISSECTUM ROOT - UNII:5329928G5N)	LOMATIUM DISSECTUM ROOT	3 [hp_X] in 1 mL
NASTURTIIUM OFFICINALE (UNII: YH89GMV676) (NASTURTIIUM OFFICINALE - UNII:YH89GMV676)	NASTURTIIUM OFFICINALE	3 [hp_X] in 1 mL
TABEBUIA IMPETIGINOSA BARK (UNII: 6GLA1946WX) (TABEBUIA IMPETIGINOSA BARK - UNII:6GLA1946WX)	TABEBUIA IMPETIGINOSA BARK	3 [hp_X] in 1 mL
MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO BARK - UNII:R23QIR6YBA)	MARSDENIA CONDURANGO BARK	4 [hp_X] in 1 mL
GINKGO (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	4 [hp_X] in 1 mL
LIGUSTICUM PORTERI ROOT (UNII: 81FGO4H42J) (LIGUSTICUM PORTERI ROOT - UNII:81FGO4H42J)	LIGUSTICUM PORTERI ROOT	4 [hp_X] in 1 mL
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	5 [hp_X] in 1 mL
ASTRAGALUS PROPINQUUS ROOT (UNII: 922OP8YUPF) (ASTRAGALUS PROPINQUUS ROOT - UNII:922OP8YUPF)	ASTRAGALUS PROPINQUUS ROOT	6 [hp_X] in 1 mL
PROPOLIS WAX (UNII: 6Y8XYV2NOF) (PROPOLIS WAX - UNII:6Y8XYV2NOF)	PROPOLIS WAX	6 [hp_X] in 1 mL
BOS TAURUS ADRENAL GLAND (UNII: M2776SWB29) (BOS TAURUS ADRENAL GLAND - UNII:M2776SWB29)	BOS TAURUS ADRENAL GLAND	8 [hp_X] in 1 mL
BOS TAURUS THYMUS (UNII: 8XEJ88V2T8) (BOS TAURUS THYMUS - UNII:8XEJ88V2T8)	BOS TAURUS THYMUS	8 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 1 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	12 [hp_X] in 1 mL
PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 1 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	12 [hp_X] in 1 mL
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	12 [hp_X] in 1 mL
ALTERNARIA ALTERNATA (UNII: 52B29REC7H) (ALTERNARIA ALTERNATA - UNII:52B29REC7H)	ALTERNARIA ALTERNATA	12 [hp_X] in 1 mL
ASPERGILLUS NIGER VAR. NIGER (UNII: 9IOA40ANG6) (ASPERGILLUS NIGER VAR. NIGER - UNII:9IOA40ANG6)	ASPERGILLUS NIGER VAR. NIGER	12 [hp_X] in 1 mL
CANDIDA ALBICANS (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	12 [hp_X] in 1 mL
CANDIDA PARAPSILOSIS (UNII: 0KZ676D44N) (CANDIDA PARAPSILOSIS - UNII:0KZ676D44N)	CANDIDA PARAPSILOSIS	12 [hp_X] in 1 mL

MUCOR RACEMOSUS (UNII: 17RH99LQ7G) (MUCOR RACEMOSUS - UNII:17RH99LQ7G)	MUCOR RACEMOSUS	12 [hp_X] in 1 mL
AUREOBASIDIUM PULLULANS VAR. PULLUTANS (UNII: D1A2NG69CK) (AUREOBASIDIUM PULLULANS VAR. PULLUTANS - UNII:D1A2NG69CK)	AUREOBASIDIUM PULLULANS VAR. PULLUTANS	12 [hp_X] in 1 mL
RHIZOPUS STOLONIFER (UNII: FEE198DK4Q) (RHIZOPUS STOLONIFER - UNII:FEE198DK4Q)	RHIZOPUS STOLONIFER	12 [hp_X] in 1 mL
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)	SACCHAROMYCES CEREVISIAE	12 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43857-0397-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/14/2016	09/11/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/14/2016	09/11/2024

Labeler - BioActive Nutritional, Inc. (624980496)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43857-0397) , api manufacture(43857-0397) , label(43857-0397) , pack(43857-0397)

Revised: 6/2021

BioActive Nutritional, Inc.