

**EQUISETUM HYEMALE- equisetum hyemale pellet**  
**Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Equisetum hyemale 200CK**

Equisetum hyemale 200CK HPUS

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves bedwetting \*

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

**BoironUSA.com Info@boiron.com**

**1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx.80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

**Equisetum hyemale** **200ck**

Relieves bedwetting \*

**BOIRON®**

Made in France **HOMEOPATHIC MEDICINE**

HPUS NDC 0220-1897-41

Do not use if pellet dispenser seal is broken

LOT	EXP
3 06961	89741 4

Contains approx. 80 pellets. US

**Peel for Drugs Facts and instructions for use.**

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Equisetum hyemale 200 ck

### Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** **Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.**

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

### Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

#### Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073

How to dispense pellets?



## EQUISETUM HYEMALE

equisetum hyemale pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-1897
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE -	EQUISETUM	200 [kp C]

UNII:59677RXH25)

HYEMALE

in 200 [kp\_C]

**Inactive Ingredients**

Ingredient Name	Strength
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	
<b>SUCROSE</b> (UNII: C151H8M554)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-1897-41	200 [kp_C] in 1 TUBE; Type 0: Not a Combination Product	01/01/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2024	

**Labeler** - Boiron (282560473)**Registrant** - Boiron, Inc. (014892269)**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-1897)

Revised: 4/2024

Boiron