# **HYDROCORTISONE 1% ANTI-ITCH CREAM-** hydrocortisone cream DLC Laboratories, Inc.

-----

## **Hydrocortisone 1% Anti-Itch Cream**

Drug Fact

## **Active Ingredient**

Hydrocortisone, USP 1%

## **Purpose**

Antipruitic (Anti-Itch)

#### Uses

for the temporary relief of itching associated with minor skin irritation, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis

for external genital, feminine and anal itching

other uses of this product should be only under the advice and supervision of a doctor

## Warnings

For external use only

for the treatment of diaper rash. Consult a doctor.

for external feminine itching if you have a vaginal discharge. Consult a doctor.

## When using this product

avoid contact with the eyes

do not use more than directed unless told to do so by a doctor

do not put this product into rectum by using fingers or any methanical devices or applicator

## Stop use and ask a doctor if

condition worsens, or if symptoms persist for more than 7 days or clear up and occure again within a few days.

Do not begin use of any other hydrocotisone product unless you have consulted a doctor

rectal bleeding occurs

#### KEEP OUT OF THE REACH OF CHILDREN

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

**Adults and children 2 years of age and older:** Apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: do not use. Consult a doctor.

**Adults: for external anal itching: w**hen practical, cleanse the affected area with mild soap and warm water and rinse thoroughly.

gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product

**Children under 12 years of age:** for external anal itching, consult a doctor

#### Other information

Store at room temperature

#### **Inactive ingredients**

Aloe barbadensis (aloe vera), Butyrospermum parkii (shea) butter, C12-15 alkyl benzoate, caprylic/capric triglyceride, cetearyl alcohol, cetearyl glucoside, cetyl alcohol, dimethicone, ethylhexylglycerin, glyceryl stearate, Persea gratissima (avocado) oil, phenoxyethanol, propylene glycol, Prunus amygdalus dulcis (sweet almond) oil, purified water, sodium polyacrylate, sodium stearoyl glutamate, tocopheryl acetate (vitamin E), xanthan gum.

#### Questions

1-800-858-3889

dlclabs.com © 2023 DLC Laboratories, Inc.

Instagram: @delacruzproducts

Face Book @DLCLaboratories

## Manufactured by

De La Cruz Products, A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA

## **Principal Display**

Maximum Strength

DeLaCruz®

Ages 2+ years
Hydrocortisone 1%
Anti-Itch Cream
For Rapid Relief of Itching,
Rashes & Skin Irritations
No Dyes, Fragrance Free



caso de ingestión, obtenga asistencia médica o contáctese con un Centro de Control de Envenenamientos inmediatamente. yqnite: tor external anal itching: ■ when practical, cleanse the

Children under 2 years of age: do not use. Consult a doctor.

Datos Medicinales	orug Facts
Ingrediente activo Propósito Hidrocoffsona, USP 1%Antipruriginoso (confis la comezón)	ctive ingredient Purpose ydrocofisone, USP 1% Antipruriic (Anti-Rch)
Usos ■ para el alivio temporal de la comezón asociada con mitaciones, inflamaciones y simulidos teves de la piel debido a eccemas, predutes de insedios, hibeta venencas, cumaque venences, cumaque venences, para pera la cosmèticos, joyeria, dermatilis esborreica, soriasis ■ para la comezón de los gentiales externos, comezón temenina y anal	See Into the temporary relief of fichting associated with minor in relations, inflammation, and reathes due to ecsena, insect bites, by soon oak, poison surface, cape, detergants, coarnetics, work, poison oans, soons Into coarnetics, and or defendable gental, worky, sectoral gental, and or coarnetics and one and liching an other uses of this product be only defined as advice and supervision of a doctor.
enbeuvajou à ej cousejo de nu uiepqico expeuras ■ ojuce nace de eaje buognojo depeusu jiaceuse pajo ja	Varnings For external use only
Advertencias Pam uso externo únicamente No lo use a para el tratamiento del sarpulido por pañales. Consulte con un médico, a en casos de comezón externa.	<ul> <li>o not use at for the treatment of daper reah. Consult a doctor.</li> <li>for external faminine libring if you have a vaginal discharge.</li> <li>innessit a doctor.</li> <li>innessit a product a avoid contact with the eyes</li> </ul>
lemenina si Ud. Hene flujo vaginal. Consulte con un médico.  Cuando use este producto meville el contacto com los glos  Cuando use este producto menos que así lo  motique un médico meno ponga este producto dentro del recto  motique un médico meno ponga este producto dentro del recto  motique on medino meno ponga este producto dentro del recto  medico este decidos o cualquier dispositivo medinico o aplicador	do not use more than directed unless fold to do so by a octor at on on put this product into rectum by using tingers rany mechanical device or applicator fop use and ask a doctor if a condition worsens, or if symptoms prist for more than 7 days or clear up and occur again within a sistal for more than 7 days or clear up and occur again within a
Déjelo de usar y consulta con un médico el m la alección despereren y respereren a los pocos días. No nicie el uso de che producto con historocafíscha a menos que haya consultado por producto con historocafíscha a menos que haya consultado misena entrada en menos el menos por misena entrada en menos en menos misena entrada en menos en menos misena entrada en menos misena en menos en menos misena en menos en menos misena en menos en menos misena en menos misena misena en menos misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena misena	w days. Do not begin use of any other hydrocortisone product less you have consided a doctor. <b>a</b> read beeding occurs EEP OUT OF THE REACH OF CHILDREM. It swallowed, get added the product a Poison Control Center right away.
con un médico. ■ Nene sangrado recial MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS. En	Mirections Adults and children 2 years of age and older:

## **HYDROCORTISONE 1% ANTI-ITCH CREAM**

hydrocortisone cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24286-1578
Route of Administration	TOPICAL		

l	Active Ingredient/Active Moiety				
l	Ingredient Name	<b>Basis of Strength</b>	Strength		
l	HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g		

Inactive Ingredients				
Ingredient Name	Strength			
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	0.2 g in 100 g			
SHEA BUTTER (UNII: K49155WL9Y)	1 g in 100 g			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	10 g in 100 g			
DIMETHICONE (UNII: 92RU3N3Y10)	0.8 g in 100 g			
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	0.6 g in 100 g			
CETYL ALCOHOL (UNII: 936JST6JCN)	2.5 g in 100 g			
CAPRYLIC/CAPRIC/LAURIC TRIGLYCERIDE (UNII: FJ1H6M2JG9)	7 g in 100 g			
WATER (UNII: 059QF0KO0R)	65.65 g in 100 g			
C12-20 ALKYL BENZOATE (UNII: Y15I6XI14C)	4 g in 100 g			
ALMOND OIL (UNII: 66YXD4DKO9)	1 g in 100 g			
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	0.3 g in 100 g			
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	0.1 g in 100 g			
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	2 g in 100 g			
PHENOXYETHANOL (UNII: HIE492ZZ3T)	0.9 g in 100 g			
AVOCADO OIL (UNII: 6VNO72PFC1)	0.1 g in 100 g			
XANTHAN GUM (UNII: TTV12P4NEE)	0.3 g in 100 g			
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	2.5 g in 100 g			
ALOE VERA LEAF POLYSACCHARIDES (UNII: W210437517)	0.05 g in 100 g			

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:24286- 1578-1	1 in 1 BOX	05/15/2024		
1		28 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/15/2024	

## Labeler - DLC Laboratories, Inc. (093351930)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
DLC Laboratories, Inc.		093351930	manufacture(24286-1578)	

Revised: 4/2024 DLC Laboratories, Inc.