

HEALTHWISE LIDOCAINE PLUS CREAM- benzyl alcohol, lidocaine hydrochloride cream
Veridian Healthcare

HealthWise Lidocaine Plus Cream

Active ingredient

Benzyl alcohol 10%

Lidocaine HCl 4%

Purpose

Topical anesthetic

Use

temporarily pain relief

Warnings

For external use only.

Do not use

- on wounds or damaged skin
- in large quantities
- with a heating pad
- if you are allergic to any ingredients of this product

When using this product

- use only as directed.
- avoid contact with eyes, mucous membranes or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days within a few days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (800-222-1222) right away.

Directions

adults and children over 12 years:

- **clean and dry affected area**
- apply a thin layer to affected area not more than 3 to 4 times daily

children 12 years or younger: ask a doctor

Inactive ingredients

Aloe Vera Leaf, Aminomethyl propanol, butylene glycol, Carbomer Interpolymer Type A (allyl sucrose crosslinked), ceteth-10 phosphate, cetostearyl alcohol, dihexadecyl phosphate, dimethicone, glyceryl 1-stearate, hydroxyethyl acrylate/sodium acryloyl dimethyl taurate copolymer (100000 mPa.S at 1.5%), maltodextrin, polysorbate 80, SD alcohol, steareth-21, water

Other information

- Avoid storing product in direct sunlight
- Protect product from excessive moisture
- Store with lid closed tightly

PRINCIPAL DISPLAY PANEL

HealthWise, Inc. 10001 E. Sunset Blvd. Suite 100
 Culver City, CA 90230
 (310) 557-2121

Directions:
 Apply to the area of discomfort 2-4 times daily.
 Avoid use on the face, eyes, and mucous membranes.
 Avoid use on the face, eyes, and mucous membranes.
 Avoid use on the face, eyes, and mucous membranes.

Warnings:
 Do not use if you are allergic to any of the ingredients or if you have ever had an allergic reaction to lidocaine or prilocaine.
 Do not use if you have a history of heart disease, asthma, or other respiratory conditions.
 Do not use if you are pregnant or nursing a child.

Directions:
 Apply to the area of discomfort 2-4 times daily.
 Avoid use on the face, eyes, and mucous membranes.
 Avoid use on the face, eyes, and mucous membranes.

Warnings:
 Do not use if you are allergic to any of the ingredients or if you have ever had an allergic reaction to lidocaine or prilocaine.
 Do not use if you have a history of heart disease, asthma, or other respiratory conditions.
 Do not use if you are pregnant or nursing a child.

HealthWise

Pain Relief

LIDOCAINE PLUS CREAM

Apply to the area of discomfort 2-4 times daily.
 Avoid use on the face, eyes, and mucous membranes.
 Avoid use on the face, eyes, and mucous membranes.
 Avoid use on the face, eyes, and mucous membranes.

Directions:
 Apply to the area of discomfort 2-4 times daily.
 Avoid use on the face, eyes, and mucous membranes.
 Avoid use on the face, eyes, and mucous membranes.

Warnings:
 Do not use if you are allergic to any of the ingredients or if you have ever had an allergic reaction to lidocaine or prilocaine.
 Do not use if you have a history of heart disease, asthma, or other respiratory conditions.
 Do not use if you are pregnant or nursing a child.

HealthWise

10001 E. Sunset Blvd. Suite 100
 Culver City, CA 90230
 (310) 557-2121

LIDOCAINE PLUS CREAM

Apply to the area of discomfort 2-4 times daily.

- Topical Anesthetic
- Numbing Pain Relief
- Fast Acting
- Non-Greasy Formula

NET WT 3 OZ (85g)

LIC01T. 0500K0005000000000
 10001 E. Sunset Blvd. Suite 100
 Culver City, CA 90230

benzyl alcohol, lidocaine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71101-037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH) (BENZYL ALCOHOL - UNII:LKG8494WBH)	BENZYL ALCOHOL	10 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5VN99N)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
STEARETH-21 (UNII: 53J3F32P58)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71101-037-01	1 in 1 CARTON	04/01/2024	
1		85 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/01/2024	

Labeler - Veridian Healthcare (830437997)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(71101-037)

Revised: 4/2024

Veridian Healthcare