

# **GREEN GUARD ALLERGY 2 RELIEF- phenylephrine hydrochloride tablet, film coated**

**Unifirst First Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **205R Phenylephrine Green Guard Allergy 2 Relief**

### ***Drug Facts***

### ***Drug Facts***

### ***Active ingredient (in each tablet)***

Phenylephrine HCl 5mg

### ***Purpose***

Nasal decongestant

### ***Uses***

Temporarily relieves

- nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- sinus congestion and pressure

### ***Warnings***

#### **Do not use**

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

#### **When using this product**

#### **■ do not exceed recommended dosage**

#### **Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not use more than directed**

**Adults and children: (12 years and older)** Take 2 tablets every 4 - 6 hours. Do not take more than 12 tablets in 24 hours.

**Children under 12 years:** Ask a doctor

***Other information***

- store at room temperature 59°-86° F (15°-30° C).
- tamper evident sealed packets.
- do not use any opened or torn packets

***Inactive ingredients***

croscarmellose sodium, FD&C red #40, FD&C yellow #6, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, propylene glycol, silicon dioxide, titanium dioxide

***Questions or comments?*** 1-800-869-6970

**Green Guard Allergy 2 Relief Label**

Allergy 2 relief™

Pull To Open

Tire Para Abrir

Tabletas para el alivio de  
síntomas alérgicos

Phenylephrine HCl 5mg/ Hidrocloruro de Fenilefrina 5mg

Nasal Decongestant/ Descongestivo Nasal

Green Guard®

50 Packets of 2 Tablets

100 Tablets

Order #2230

Distributed by Green Guard®, St Louis, MO 63045

100 Tablets

Distributed by Green Guard®, St. Louis, MO 63045

**GREEN GUARD**

Phenylephrine HCl 5 mg  
Hidrocloruro de Fenilefrina 5 mg

**Allergy 2 relief**

**Información del medicamento (continuación)**

**Instrucciones**

- no consuma más de lo que se indica.

**Adultos y niños (de 12 años y mayores)** Tome 2 tabletas cada 4-6 horas. No consuma más de 12 tabletas en 24 horas.

**Niños menores de 12 años** consultar al médico.

**Otra información**

- almacenamiento: conservar a temperatura ambiente 59°-86° F (15°-30° C)
- paquetes con sellado evidente.
- no use ningún paquete abierto o roto.

**Ingredientes inactivos**  
microcristalina de celulosa, FD&C rojo #40, amarillo FD&C #6, hipromelosa, lactosa, estearato de magnesio, celulosa microcristalina, polietilenglicol, propilenglicol, dióxido de silicio, dióxido de titanio.

¿Tiene alguna pregunta o comentario? Llame al 1-800-888-8370.

CONSERVE LA CAJA PARA OBTENER LA INFORMACIÓN COMPLETA DEL PRODUCTO

Rev. 1/2021A, Pág. 1

PMS 172

PMS 286

**Información del medicamento**

**Ingrediente activo (en cada tableta)** **Propiedad**

Hidrocloruro de Fenilefrina, 5 mg Descongestivo nasal

**Usos**

- Alivio temporal
- la congestión nasal ocasionada por un resfriado común, frotos del hueso o virus alérgicos de las vías respiratorias
- la congestión y la presión sinusal

**Advertencias**

- No se administra
- si está tomando un medicamento recetado que contenga un inhibidor monoaminoxidasa (MAOI) dentro de los 14 días anteriores a la ingesta, para tratar condiciones psiquiátricas o emocionales, o la enfermedad de Parkinson o por 2 semanas después de dejar de tomar la medicina MAOI. Si usted no sabe con seguridad si su medicina con receta médica contiene MAOI, pregúntele a un médico o farmacéutico antes de consumir este producto.

**Información del medicamento (continuación)**

Consulte al médico si usted tiene:

- enfermedad del corazón
- presión sanguínea alta
- enfermedad de la tiroides
- diabetes
- dificultad para orinar debido al crecimiento de la glándula prostática.

**Con el consumo de este producto**

- no se debe exceder la dosis de consumo recomendada.
- Deje de tomar este medicamento y consulte con el médico si:
  - se produce náuseas, mareo o dificultad para dormir
  - los síntomas no mejoran en 7 días o se presentan con fiebre

Si está embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto. **Mantenga este y todos los medicamentos fuera del alcance de los niños.** En caso de ocurrir una sobredosis, comuníquese de inmediato con un médico o llame a un centro de control de envenenamiento (Poison Control Center), (consulte en la página interior de la caja).

**Drug Facts**

**Active ingredient (in each tablet)** **Purpose**

Phenylephrine HCl 5 mg Nasal decongestant

**Uses**

- Temporarily relieves:
  - nasal congestion due to the common cold, hay fever or other upper respiratory allergies
  - sinus congestion and pressure

**Warnings**

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropic, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**Drug Facts (continued)**

**When using this product**

- do not exceed recommended dosage

**Stop use and ask a doctor if**

- you get nervous, dizzy or drowsy
- symptoms do not improve within 7 days or are accompanied by fever
- if pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not use more than directed

**Adults and children (12 years and older)** Take 2 tablets every 4-6 hours. Do not take more than 12 tablets in 24 hours.

**Children under 12 years:** Ask a doctor.

**Drug Facts (continued)**

**Other information**

- store at room temperature 59°-86° F (15°-30° C)
- inspect evident sealed packages
- do not use any opened or torn packages

**Inactive ingredients**  
microcristalina de celulosa, FD&C rojo #40, FD&C amarillo #6, hipromelosa, lactosa, magnesio estearato, microcristalina de celulosa, polietilenglicol, propilenglicol, silicio dióxido, titanio dióxido.

**Questions or comments?** 1-800-888-8370

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

GREEN GUARD ALLERGY 2 RELIEF			
phenylephrine hydrochloride tablet, film coated			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-017
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	
Inactive Ingredients			
Ingredient Name	Strength		
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)			
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)			
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)			
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)			
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)			
<b>LACTOSE</b> (UNII: J2B2A4N98G)			
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)			
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)			
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)			
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)			
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)			
Product Characteristics			
<b>Color</b>	red (red)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	271

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-017-33	100 in 1 BOX	12/30/2008	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-017-48	250 in 1 BOX	12/30/2008	
2	NDC:47682-017-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-017-99	2 in 1 PACKET; Type 0: Not a Combination Product	12/30/2008	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/30/2008	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 3/2022

Unifirst First Aid Corporation