

**SILVERA PAIN RELIEF PATCH- silvera pain relief patch patch**  
**Home Aide Diagnostics, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Silvera External Pain Relief Patch**

Silvera

Silvera

Silvera  
PAIN RELIEF PATCH

(Capsaicin 0.0375% Lidocaine 1% Menthol 5%)

NDC#: 69379-0037-20

Qty 15 Patches

Lot#: \_\_\_\_\_  
Exp Date: \_\_\_\_\_



Distributed by:  
Home Aide Diagnostics, Inc.  
1072 S. Powerline Road  
Deerfield Beach, FL 33442  
1 (800) 915-0116  
www.homeaide.us  
Made in China



Distributed by:  
Home Aide Diagnostics, Inc.  
1072 S. Powerline Road  
Deerfield Beach, FL 33442  
1 (800) 915-0116  
www.homeaide.us



**Drug Facts**

**Active Ingredients**  
Capsaicin 0.0375%  
Lidocaine 1%  
Menthol 5%

**Warnings**  
FOR EXTERNAL USE ONLY.  
Use only as directed.  
Do not get into eyes or on mucous membranes.  
Do not apply to wounds, damaged or irritated skin.  
Do not apply to hands, changed or irritated skin.  
Do not use with a heating pad or apply a heating pad.  
Do not use in large quantities, particularly over raw surfaces or blistered areas.  
STOP USE AND ASK A DOCTOR IF:  
• Severe skin irritation occurs.  
• Pain persists for more than seven days.  
• Skin becomes red, swollen, or itchy.  
• If pregnant or breastfeeding, ask a healthcare professional before use.  
• This product may cause allergic reaction in some individuals.

**DIRECTIONS**  
Stick below 25 °C (77 °F). Avoid direct sunlight.  
Clean and dry affected area.  
Remove patch from backing and apply to affected area.  
Leave only one patch at a time and maximum of four patches daily.  
Leave patch on affected area for up to 8 hours.  
Do not use patches for longer than 5 consecutive days unless directed by a physician.  
Children under 12 years of age should consult a physician prior to use.

**CAUTIONS**  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Other information**  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Other information**  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Other information**  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Silvera

**ACTIVE INGREDIENTS**

- Capsaicin 0.0375% - Topical Analgesic
- Menthol 5% - External Analgesic
- Lidocaine 1% - Topical Analgesic

### **USES**

- For relief of muscle aches and pains as well as:
- Arthritis
- Backaches
- Strains
- Sprains

### **WARNINGS**

- Do not get into eyes or on mucous membranes
- Do not apply to wounds, damaged or irritated skin
- Do not bandage or cover with any type of wrap except clothing
- Do not use with a heating pad or apply external heat
- Do not use in large quantities, particularly over raw surfaces or blistered areas
- This product may cause allergic reaction in some individuals

### **STOP USE AND ASK A DOCTOR IF**

- Condition worsens
- Severe skin irritation occurs
- Pain persists for more than seven days

### **KEEP OUT OF REACH OF CHILDREN**

- If swallowed, get medical help or contact a poison control center right away

### **IF PREGNANT OR BREAST-FEEDING**

- Ask a healthcare professional before use

### **DIRECTIONS**

- Store below 25 °C (77 °F). Avoid direct sunlight
- Clean and dry affected area
- Remove patch from backing and apply to affected area
- Use only one patch at a time and maximum of four patches daily
- Leave patch on affected area for up to 8-hours
- Do not use patch for longer than 5 consecutive days unless directed by a physician
- Children under 12 years of age should consult a physician prior to use

### **INACTIVE INGREDIENTS**

- Water
- Pvpk-90
- tartaric acid
- NP-700
- Aluminium hydroxide
- EDTA2Na
- Titanium dioxide
- Glycerin
- Pvpp
- Alcohol borneol
- Camphor

- FOR EXTERNAL USE ONLY
- Use only as directed

## SILVERA PAIN RELIEF PATCH

silvera pain relief patch patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69379-037
<b>Route of Administration</b>	TRANSDERMAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.0375 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	1 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
BORNEOL (UNII: M89NIB437X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69379-037-20	5 in 1 BOX		
1		3 in 1 PACKAGE		
1		100 g in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/28/2015	

**Labeler** - Home Aide Diagnostics, Inc. (783518983)

Revised: 5/2015

Home Aide Diagnostics, Inc.