

WART REMOVE- wart remove liquid
Shenzhen Gaoye E-commerce Co., Ltd

84322-001

Active Ingredient(s)

salicylic acid-7%

Purpose

wart remover

Use

For the removal of common and plantar warts. The common wart is easily recognized by the rough cauliflower-like appearance on the surface. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only. DO not use on irritated skin or on any area that is infected or reddened. Do not use on moles, birthmarks, warts with hairs growing from them, genital warts or warts on the face of mucous membranes. Ask a doctor before you use if you have diabetes or poor blood circulation. When using this product avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. Stop and ask a doctor if discomfort persists. Extremely flammable. Keep away from fire and flame. Cap bottle tightly and store at room temperature away from heat. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Do not use

1. On damaged skin (cuts, abrasions, eczema, sunburn).
2. If you are allergic to any of the ingredients in this product.
3. If you are pregnant or breastfeeding.

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

● if discomfort persists.

- if you have diabetes or poor blood circulation.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

1. Wash the corns or warts with warm water.
2. Take out the inner plug from the bottle, install the brush into the bottle cap. press the brush tightly, and tighten the cap on the bottle.
3. Dry the skin, then open the cap, dip the brush into the liquid with the brush and apply it to the wart or corn,after the liquid dries and forms a mask, apply the liquid again.
4. Repeat this procedure once or twice daily as needed (until the wart is removed) for up to 12 weeks.

Other information

No data available

Inactive ingredients

Water, purslane, the rhizome of largeheaded atractylodes, radix angelicae, pericarpium citri reticulatae, Bamboo leaf, Platycodon grandiflorum.



标贴：60*28MM
合成纸不干胶 亮膜

彩盒：30.5*30.5*71MM
350G 白卡亮膜

WART REMOVE

wart remove liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84322-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	7 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ANGELICA DAHURICA VAR. FORMOSANA WHOLE (UNII: 247A107296)	
PURSLANE (UNII: M6S840WVG5)	
BAMBUSA VULGARIS LEAF (UNII: EMY54R518C)	
WATER (UNII: 059QF0KO0R)	
TANGERETIN (UNII: I4TLA1DLX6)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84322-001-01	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/10/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	05/10/2024	

Labeler - Shenzhen Gaoye E-commerce Co., Ltd (412499698)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Gaoye E-commerce Co., Ltd		412499698	manufacture(84322-001)

Revised: 5/2024

Shenzhen Gaoye E-commerce Co., Ltd