MUCORSAN- mucor racemosus cream sanPharmacy Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

MucorSAN Cream

Indications

Wound healing

Purpose

Wound healing

Dosage

apply sparesly to the affected area three times daily

Active ingredients

Mucor racemosus 3X

Inactive ingeredients

purified water, petrolatum, propylene Glycol, caprylic/capric triglyceride, PEG-20 glyceryl stearate, cetyl alcohol, glyceryl monostearate 60

Warnings

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of ingestion call Poison Control Center hotline immediately at 1-800-222-1222.

For external use only.

When using this product

■ do not use more than directed

If symptoms persist more than 5 days, contact a licensed practitioner.

Tamper Evident: Do not use product if tamper evident strip is broken. To report adverse events, contact MEDsan Inc. at 1-855-462-6334.

Keep out of reach of children. In case of ingestion call Poison Control Center hotline immediately at 1-800-222-1222


Manufactured in the USA for:

sanPharmacy Inc. 350 Fifth Avenue STE 5220 New York NY 10118-5220

Liability statement

These statements or claims are based upon traditional homeopathic practice. They have not been reviewed by the Food & Drug Administration

protect from light and heat



MucorSAN

Homeopathic Medicine



Wound healing

Cream



MucorSAN
Homeopathic Medicine
Wound healing
Cream
3.38 FL OZ (100 ml)
sanPharmacy
biological health solutions

Drug Facts	
Active ingredients Mucor racemosus 3X	Purpose Wound healing

Uses

For use in

wound healing • hemorrhoids

swellingscontusions

Warnings

see outer packaging

Directions

apply sparesly to the affected area three times daily

Other information

· protect from light and heat

Inactive ingredients

Purified water, petrolatum, propylene Glycol, caprylic/capric triglyceride, PEG-20 glyceryl stearate, cetyl alcohol, glyceryl monostearate 60

These statements or claims are based upon traditional homeopathic practice. They have not been reviewed by the Food & Drug Administration.

Manufactured in the USA for:

sanPharmacy Inc. 350 Fifth Avenue STE 5220 New York NY 10118-5220

3.38 FL OZ (100 ml)

NDC: 73479-022-07 / Exp./Lot#:

MUCORSAN

mucor racemosus cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:73479-022

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MUCOR RACEMOSUS (UNII: 17RH99LQ7G) (MUCOR RACEMOSUS - UNII:17RH99LQ7G)	MUCOR RACEMOSUS	3 [hp_X] in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PEG-20 GLYCERYL STEARATE (UNII: MJV0165YY8)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	

P	Packaging			
#	# Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:73479- 022-07	1 in 1 CARTON	04/30/2024	
1		100 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/30/2024	
homeopathic		04/30/2024	

Labeler - sanPharmacy Inc. (117235152)

Establishment				
Name	Address	ID/FEI	Business Operations	
MEDsan Inc.		004326784	manufacture(73479-022)	

Revised: 4/2024 sanPharmacy Inc.