

**TINACTIN DEODORANT- tolnaftate aerosol, powder**  
**Bayer HealthCare LLC.**

-----  
**Tinactin Deodorant Powder Spray Talc Free**

**Drug Facts**

**Active ingredients**

(To Deliver) Tolnaftate 1%

**Purpose**

Antifungal

**Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

**Warnings**

**For external use only**

**Flammable:** Do not use near heat, flame, or while smoking

**Do not use** on children under 2 years of age unless directed by a doctor

**When using this product**

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- contents under pressure. do not puncture or incinerate. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash the affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

### **Other information**

- store between 20° to 25°C (68° to 77° F)

### **Inactive Ingredients**

butylated Hydroxytoluene, fragrance, hydroxypropyl cellulose, isobutane, kaolin, magnesium stearate, PPG-12-Buteth-16, SD Alcohol 40-B (9% v/v), zea mays (corn) starch

### **Questions?**

**1-866-360-3266** or visit us at [www.tinactin.com](http://www.tinactin.com)

### **PRINCIPAL DISPLAY PANEL - 133 g Can Label**

***TOUGH ACTIN'*** ®

***Tinactin*** ®

**tolnaftate *ANTIFUNGAL***

### **CURES AND PREVENTS**

#### **MOST ATHLETE'S FOOT**

Relieves:

- Itching
- Burning

***DEODORANT  
POWDER SPRAY***

***Fights Odor***

***Talc Free***

NET WT 133g (4.6 oz)

**TOUGH ACTIN<sup>®</sup>**  
**Tinactin<sup>®</sup>**  
 tolnaftate ANTIFUNGAL

**CURES AND PREVENTS MOST ATHLETE'S FOOT**

Relieves:  
 • Itching  
 • Burning

**DEODORANT POWDER SPRAY**

**FIGHTS ODOR TALC FREE**

**NET WT 133g (4.6 oz)**

**Drug Facts**

**Active Ingredient** (To Deliver) Tolnaftate 1% **Purpose** Antifungal

**Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

**Warnings**

**For external use only**

**Flammables:** Do not use near heat, flame, or while smoking.

**Do not use on children** under 2 years of age unless directed by a doctor.

**When using this product**

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contains under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash the affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- instruct children in the use of this product
- for athlete's foot, pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

**Other information** store between 20° to 25°C (68° to 77°F)

**Inactive ingredients** butylated hydroxytoluene, fragrance, hydroxypropyl cellulose, isobutane, kaolin, magnesium stearate, PFD-12-buteth-16, SD alcohol 40-B (9% NVA), zinc maize (corn) starch

**Questions?** 1-888-360-3266 or visit us at [www.tinactin.com](http://www.tinactin.com)

Bayer, the Bayer Cross, Tinactin, Tough Actin<sup>®</sup> and the Tinactin flame are registered trademarks of Bayer.  
 © 2021 Bayer  
 Pat.: patents.livesell.bayer.com  
 Product of Finland  
 Dist. by: Bayer HealthCare LLC  
 Whippany, NJ 07981  
 Bayer  
 C00012350

0 41100 60004 2

DOT 20, M5706

## TINACTIN DEODORANT

tolnaftate aerosol, powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11523-0137
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TOLNAFTATE</b> (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9DOZ171K)	

<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>PPG-12-BUTETH-16</b> (UNII: 58CG7042J1)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

### Product Characteristics

<b>Color</b>	white (white to off-white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0137-1	133 g in 1 CAN; Type 0: Not a Combination Product	03/01/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	03/01/2024	

**Labeler** - Bayer HealthCare LLC. (112117283)

Revised: 4/2024

Bayer HealthCare LLC.