

**ASPIRIN LOW DOSE- aspirin tablet, chewable**  
**Valu Merchandisers Company**

-----  
**Best Choice 44-397A**

***Active ingredient (in each chewable tablet)***

Aspirin 81 mg (NSAID)\*

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever

***Uses***

for the temporary relief of minor aches and pains or as recommended by your doctor

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction, which may include:

- facial swelling
- hives
- shock
- asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- take a blood thinning (anticoagulant) or steroid drug
- are age 60 or older
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- have had stomach ulcers or bleeding problems
- take more or for a longer time than directed

**Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you have asthma
- you are taking a diuretic

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug for

- gout
- diabetes
- arthritis

**Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - vomit blood
  - have bloody or black stools
  - feel faint
  - have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- drink a full glass of water with each dose
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

***Other information***

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, flavor, maltodextrin, sucralose

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

Compare to the active ingredient in  
Bayer® Chewable  
Low Dose Aspirin†

### **Best Choice®**

LOW DOSE

**Aspirin 81 mg  
Chewable Tablets**

**PAIN RELIEVER (NSAID)**

Aspirin regimen\*\*

Chew or crush tablets completely  
before swallowing.

### **Actual Size**

**CHERRY**

**FLAVOR**

**36 CHEWABLE TABLETS**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†This product is not manufactured or distributed  
by Bayer AG, owner of the registered trademark  
Bayer® Chewable Low Dose Aspirin.

50844 REV0122D39707

**PROUDLY DISTRIBUTED BY:  
ASSOCIATED WHOLESALE GROCERS, INC.  
KANSAS CITY, KANSAS 66106**

\*\*Talk to your doctor or other healthcare provider before using  
this product for your heart.

For product information please visit: [bestchoicebrand.com/58897](http://bestchoicebrand.com/58897)

No print/No varnish  
Lot & Exp date

0  
70038 58897  
9

TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING  
BEST CHOICE 58897 0723 LMK



**LOW DOSE**  
**Aspirin 81 mg**  
**Chewable Tablets**  
**PAIN RELIEVER (NSAID)**

Compare to the active ingredient in  
**Bayer® Chewable  
Low Dose Aspirin†**



**CHERRY  
FLAVOR**

**36 CHEWABLE TABLETS**

Actual Size

B-2115-397A-07-RR  
REV0122D39707

**Drug Facts (continued)**

**Do not use** ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor ■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if** ■ you have asthma ■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you are taking a diuretic ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease

**Ask a doctor or pharmacist before use if you are** taking a prescription drug for ■ gout ■ diabetes ■ arthritis

**Stop use and ask a doctor if** ■ an allergic reaction occurs. Seek medical help right away. ■ you experience any of the following signs of stomach bleeding: ■ vomit blood ■ have bloody or black stools ■ feel faint ■ have stomach pain that does not get better ■ ringing in the ears or a loss of hearing occurs ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur

These could be signs of a serious condition.

**Drug Facts (continued)**

**Directions**

- do not take more than directed
- drink a full glass of water with each dose
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

**Other information**

- Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, flavor, maltodextrin, sucralose

**Drug Facts (continued)**

1-800-426-9391

**Questions or comments?**

\*This product is not manufactured or distributed by Bayer AG, owner of the registered trademark Bayer® Chewable Low Dose Aspirin. 50844 REV0122D39707

PROUDLY DISTRIBUTED BY:  
ASSOCIATED WHOLESALE ENTERPRISES, INC.  
KANSAAS CITY, KANSAS 66108  
www.bestchoicebrand.com  
\*\*Talk to your doctor or other healthcare provider before using this product for your heart.  
For product information please visit: bestchoicebrand.com/58897

**Drug Facts**

**Active ingredient**  
**(in each chewable tablet)**

Aspirin 81 mg (NSAID) \* ..... Pain reliever  
\*nonsteroidal anti-inflammatory drug

**Uses** for the temporary relief of minor aches and pains or as recommended by your doctor

**Warnings**  
**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
**Allergy alert:** Aspirin may cause a severe allergic reaction, which may include:  
■ hives ■ facial swelling ■ shock ■ asthma (wheezing) ■ stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ take a blood thinning (anticoagulant) or steroid drug ■ are age 60 or older ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

### Best Choice 44-397A

## ASPIRIN LOW DOSE

aspirin tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-397
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

### Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	8mm
Flavor	CHERRY	Imprint Code	44;397
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-397-07	1 in 1 CARTON	09/04/2001	
1		36 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/04/2001	

**Labeler** - Valu Merchandisers Company (868703513)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(63941-397)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(63941-397)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

LNK International, Inc.		868734088	manufacture(63941-397)
-------------------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(63941-397)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(63941-397)

Revised: 10/2023

Valu Merchandisers Company