

ASPIRIN LOW DOSE- aspirin tablet, chewable
Valu Merchandisers Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Best Choice 44-397

Active ingredient (in each tablet)

Aspirin 81 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

for the temporary relief of minor aches and pains or as recommended by your doctor

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- facial swelling
- hives
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- take more or for a longer time than directed
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- take a blood thinning (anticoagulant) or steroid drug
- have had stomach ulcers or bleeding problems
- have 3 or more alcoholic drinks every day while using this product

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease

- you have asthma
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
 - vomit blood
 - have bloody or black stools
 - feel faint
 - have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- new symptoms occur
- ringing in the ears or loss of hearing occurs
- pain gets worse or lasts more than 10 days
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

cherry flavor, corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans, sodium saccharin

Questions or comments?

1-800-426-9391

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT OF BAYER® CHEWABLE LOW DOSE ASPIRIN†

Best Choice®

CHEWABLE LOW DOSE

Aspirin 81 mg

Pain Reliever (**NSAID**)

Low Dose Chewable Aspirin

CHERRY FLAVOR

36 Tablets - 81 mg each

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

†This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Bayer® Chewable Low Dose Aspirin.

50844 REV0613B39707

**PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE.
KANSAS CITY, KS 66106**

Best Choice®

100% Guaranteed

www.bestchoicebrand.com

No print/No varnish
Lot & Exp date

0 700381 58897 9

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

BEST CHOICE

COMPARE TO THE ACTIVE INGREDIENT OF BAYER® CHEWABLE LOW DOSE ASPIRIN†

CHEWABLE LOW DOSE Aspirin 81 mg Pain Reliever (NSAID)

Best Choice®

Actual Size

Low Dose Chewable Aspirin
CHERRY FLAVOR

36 Tablets - 81 mg each

† This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Bayer® Chewable Low Dose Aspirin. 50844 REV0613B39707

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

Best Choice, 100% Guaranteed

www.bestchoicebrand.com

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredient (in each tablet)
Aspirin 81 mg (NSAID)*
*nonsteroidal anti-inflammatory drug

Purpose
Pain reliever

Uses
for the temporary relief of minor aches and pains or as recommended by your doctor

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:
 ■ facial swelling
 ■ hives
 ■ shock
 ■ asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:
 ■ are age 60 or older
 ■ take more or for a longer time than directed
 ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
 ■ take a blood thinning (anticoagulant) or steroid drug

B-2115-397-07-R
REV0613B39707

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 ■ drink a full glass of water with each dose
 ■ adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
 ■ children under 12 years: do not use unless directed by a doctor

Other information
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Inactive ingredients cherry flavor, corn starch, D&G red #27 aluminum lake, D&G red #30 aluminum lake, dextrans, sodium saccharin

Questions or comments?
1-800-426-9391

Drug Facts (continued)

■ have had stomach ulcers or bleeding problems
 ■ have 3 or more alcoholic drinks every day while using this product

Do not use
 ■ if you are allergic to aspirin or any other pain reliever/fever reducer
 ■ for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

Ask a doctor before use if
 ■ stomach bleeding warning applies to you as heartburn
 ■ you have high blood pressure, heart disease, liver cirrhosis or kidney disease
 ■ you have asthma
 ■ you are taking a diuretic

Ask a doctor or pharmacist before use if you are taking a prescription drug for:
 ■ gout
 ■ diabetes
 ■ arthritis

Stop use and ask a doctor if
 ■ you experience any of the following signs of stomach bleeding:
 ■ have bloody or black stools
 ■ feel faint
 ■ have stomach pain that does not get better
 ■ an allergic reaction occurs. Seek medical help right away
 ■ new symptoms occur
 ■ ringing in the ears or loss of hearing occurs
 ■ pain gets worse or lasts more than 10 days
 ■ redness or swelling is present
 These could be signs of a serious condition.

DG9146A

Best Choice 44-397

ASPIRIN LOW DOSE			
aspirin tablet, chewable			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-397
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTRATES (UNII: G263MI44RU)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	8mm
Flavor	CHERRY	Imprint Code	44;397
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-397-07	1 in 1 CARTON	09/04/2001	
1		36 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	09/04/2001	

Labeler - Valu Merchandisers Company (868703513)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(63941-397)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(63941-397)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(63941-397)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(63941-397)

Revised: 10/2017

Valu Merchandisers Company