

WARRIOR BROAD SPECTRUM SPF 50- titanium dioxide, zinc oxide lotion
Prime Enterprises

Warrior Broad Spectrum SPF 50 Mineral Sunscreen Lotion

Active Ingredients

Titanium Dioxide 4.5%

Zinc Oxide 4%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every two hours
 - Sun Protection Measures: Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 am - 2 pm
- wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months: ask a doctor

Inactive Ingredients

Acrylic Acid/VP Crosspolymer, Allantoin, Aluminum Hydroxide, C12-15 Alkyl Benzoate, C13-15 Alkane, Camellia Oleifera (Green Tea) Leaf Extract, Caprylyl Glycol, Cetareth-20, Cetyl Alcohol, Glycerin, Isododecane, Isohexadecane, Phenoxyethanol, Polyglyceryl-3 Distearate, Sodium Hydroxide, Stearic Acid, Stearyl Alcohol, VP/Acrylates/Lauryl Methacrylate Copolymer, Water

Other Information

protect this product from excessive heat and direct sun

Warrior Broad Spectrum SPF 50 Mineral Sunscreen Lotion



WARRIOR
— WIN YOUR BATTLES —

50
BROAD SPECTRUM SPF50
SUNSCREEN
LOTION

WATER RESISTANT
— (80 minutes) —

— unscented —
3 FL. OZ. (88.7 mL)

PABA, LATEX & FRAGRANCE FREE

Drug Facts

| Active Ingredients | Purpose |
|--|-------------|
| Titanium Dioxide 4.5% Zinc Oxide 4% | } Sunscreen |

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every two hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses
 - children under 6 months: ask a doctor

Inactive Ingredients

Acrylic Acid/VP Copolymer, Allantoin, Aluminum Hydroxide, C12-15 Alkyl Benzoate, C13-15 Alkane, Camellia Oleifera (Green Tea) Leaf Extract, Caprylyl Glycol, Cetareth-20, Cetyl Alcohol, Glycerin, Isododecane, Isononadecane, Phenoxethanol, Polyglyceryl-3 Distearate, Sodium Hydroxide, Stearic Acid, Stearyl Alcohol, VP/Acrylates/Lauryl Methacrylate Copolymer, Water

Other Information

- protect this product from excessive heat and direct sun

NSN 6505-01-657-9247

Recycled Content
 Give Plastic a Chance
 EPA 10 and Recycled Ingredients

MANUFACTURED FOR UNITED SPIRIT OF AMERICA, INC, PEACHTREE CITY, GA 30268 • WWW.WARRIORMART.COM • 888.285.0277
DAPA 8P0500-11-H0834 • CARDINAL HEALTH SUP 177801 • OWENS & MINDR VENDOR 6516

PATENT NO D 658,013 3.0 OF_SUN6_SPF50T



WARRIOR BROAD SPECTRUM SPF 50

titanium dioxide, zinc oxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:58443-0647 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 41.8 mg in 1 mL |
| TITANIUM DIOXIDE (UNII: 1559V02U) (TITANIUM DIOXIDE) | | |

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)

TITANIUM DIOXIDE

47.025 mg in 1 mL

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| C13-15 ALKANE (UNII: 114P5I43UJ) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| CAMELLIA OLEIFERA LEAF (UNII: 5077ELOC60) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| STEARYL ALCOHOL (UNII: 2KR89I4H1Y) | |
| ACRYLIC ACID (UNII: J94PBK7X8S) | |
| POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| LAURYL METHACRYLATE (UNII: B6L83074BZ) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| ALLANTOIN (UNII: 344S277G0Z) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| WATER (UNII: 059QF0KO0R) | |
| POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| N-VINYLPYRROLIDINONE (UNII: 76H9G81541) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |

Product Characteristics

| | | | |
|----------|-------|--------------|--|
| Color | white | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:58443-0647-3 | 88.7 mL in 1 TUBE; Type 0: Not a Combination Product | 05/02/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 05/02/2024 | |

Labeler - Prime Enterprises (101946028)

Registrant - Prime Enterprises (101946028)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------|---------|-----------|---|
| Prime Enterprises | | 101946028 | label(58443-0647) , manufacture(58443-0647) , analysis(58443-0647) , pack(58443-0647) |

Revised: 5/2024

Prime Enterprises