MIDOL COMPLETE CAFFEINE FREE- acetaminophen, caffeine, and pyrilamine maleate tablet Bayer HealthCare LLC.

Midol ® Complete Caffeine Free UI1600668

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever
Pamabrom 25 mg	Diuretic
Pyrilamine maleate 15 mg	Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- bloating
- water-weight gain
- headache
- backache
- muscle aches

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert

acetamonophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- hives
- facial swelling
- asthma (wheezing)
- shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than the recommended dose
- adults and children 12 years and older:
 - take 2 caplets with water
 - repeat every 6 hours, as needed
 - do not exceed 6 caplets per day
- children under 12 years: consult a doctor

Other information

Store at room temperature. Avoid temperatures above 25 °C (77 °F).


Inactive ingredients

carnauba wax, croscarmellose sodium, D&C red #30 aluminum lake, D&C yellow #10 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, propylene glycol, shellac, titanium dioxide, triacetin

Questions or comments?

1-800-331-4536 (Mon-Fri 9AM - 5PM EST)

PRINCIPAL DISPLAY PANEL - 24 Caplet Blister Carton



Midol ®

Complete

Caffeine Free

Acetaminophen/Pamabrom/Pyrilamine Maleate

Pain Reliever/Diuretic/Antihistamine

MULTI-SYMPTOM RELIEF OF CRAMPS, BLOATING

HEADCACHE, BACKACHE
24 CAPLETS

MIDOL COMPLETE CAFFEINE FREE

acetaminophen, caffeine, and pyrilamine maleate tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0280-0078
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg	
PAMABROM (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	PAMABROM	25 mg	
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg	

Inactive Ingredients		
Ingredient Name	Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
HYPROMELLOSES (UNII: 3NXW29V3WO)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
SHELLAC (UNII: 46N107B710)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
TRIACETIN (UNII: XHX3C3X673)		

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL (oblong)	Size	17mm	
Flavor		Imprint Code	MCC	
Contains				

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-0078- 01	6 in 1 CARTON	01/29/2021	
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M027	01/29/2021	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 5/2024 Bayer HealthCare LLC.