UNDA 8- hamamelis virginiana, millefolium, equisetum arvense, mercurialis perennis, thlaspi bursa-pastoris, cactus grandiflorus, crataegus, cuprum metallicum liquid

UNDA 5- tormentilla, tussilago farfara, adiantum capillus-veneris, glycyrrhiza glabra, drosera, grindelia, inula helenium, cuprum metallicum, argentum metallicum liquid

UNDA 14- eucalyptus globulus, inula helenium, jateorhiza palmata, camphora, argentum metallicum, aurum metallicum, cuprum metallicum liquid

UNDA 212- menyanthes trifoliata, viola tricolor, hydrastis canadensis, aloe socotrina liquid

UNDA 226- urtica dioica, berberis vulgaris, boldo, juniperus communis, aloe socotrina, chelidonium majus liquid

UNDA 258- berberis vulgaris, bryonia dioica, lycopodium clavatum, mercurialis annua, hydrastis canadensis, boldo, solidago virgaurea liquid Seroyal USA

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

### **Unda numbers**

Active ingredients

Each drop contains:

Tormentilla (Bloodwort) Rhizome . 4X
Tussilago farfara (Coltsfoot) Whole Plant . 4X
Adiantum capillus-veneris (Maidenhair) Leaf. 4X
Glycyrrhiza glabra (Licorice) Root . 4X
Drosera (Sundew)Whole Plant . 4X
Grindelia Aerial Parts. 4X
Inula helenium (Elecampane) Root . 4X
Cuprum metallicum(Copper) . 12X
Argentum metallicum(Silver). 12X

Uses

For the temporary relief of symptoms associated with common colds.

### Warnings

Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache,

nausea and vomiting may be serious.

Consult physician promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by physician.

Ask a doctor before use if you have Persistent or chronic cough such as occurs with smoking, asthma, chronic

bronchitis, or emphysema. Cough that is accompanied by excessive phlegm (mucus) or fever.

Stop use and ask a doctor if Cough persists for more than 1 week, tends to recur, or is accompanied by a

fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

And if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

If you are pregnant or breastfeeding, ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive Ingredients:

Ethanol (beet), purified water

Directions

Adults and adolescents (12 years and older)

Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Uses

For the temporary relief of symptoms associated with common colds.

Directions

Adults and adolescents (12 years and older)

Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Active ingredients

Each drop contains:

Cactus grandiflorus (Night-blooming cereus) Stem and Flower 4X

Crataegus (Hawthorn) Fruit 4X

Cuprum metallicum (Copper) 12X

Equisetum arvense (Common horsetail) Stem 4X

Hamamelis virginiana (Witch hazel) Bark 4X

Mercurialis perennis (Dog's mercury) Whole Plant 4X

Millefolium (Yarrow) Aerial Parts 4X

Thlaspi bursa-pastoris (Shepherd's purse) Aerial Parts 4X

Uses

For the temporary relief of symptoms associated with overall poor circulation.

Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if symptoms persist or worsen

Inactive Ingredients:

Ethanol (beet), purified water

Directions

Adults and adolescents (12 years and older)

Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Uses

For the temporary relief of symptoms associated with overall poor circulation.

Directions

Adults and adolescents (12 years and older)

Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Other information

Do not use if seal is missing or broken.

Store in a cool, dry place.

Active ingredients

Each drop contains:

Argentum metallicum (Silver) 12X

Aurum metallicum (Gold) 12X

Camphora (Camphor from

Cinnamomum camphora) 4X

Cuprum metallicum (Copper) 12X

Eucalyptus globulus (Fever tree) Leaf 4X

Inula helenium (Elecampane) Root 4X

Jateorhiza palmata (Columbo) Root 4X

#### Uses

For the temporary relief of symptoms associated with low energy and common colds

### Warnings

Ask a doctor before use if you have Persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

Cough that is accompanied by excessive phlegm (mucus) or fever. Stop use and ask a doctor if Cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition. Symptoms persist or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If you are pregnant or breastfeeding, ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if Cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition. Symptoms persist or worsen.

### Inactive Ingredients:

Ethanol (beet), purified water

### **Directions**

Adults and adolescents (12 years and older): Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

### Uses

For the temporary relief of symptoms associated with low energy and common colds

Directions

Adults and adolescents (12 years and older): Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

Other information

Do not use if seal is missing or broken.

Store in a cool, dry place.

Active ingredients

Each drop contains:

Menyanthes trifoliata (Buckbean) Whole Plant . 4X Viola tricolor (Pansy) Whole Plant. 4X Hydrastis canadensis (Golden seal) Rhizome and Root . 10X Aloe socotrina (Aloes) Inspissated Juice. 10X

**Indications** 

For the relief of symptoms associated with anxiousness.

Warnings

If you are pregnant or breastfeeding, ask a healthcare practitioner before use. Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. If symptoms persist or worsen, consult your healthcare practitioner.

If you are pregnant or breastfeeding, ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

If symptoms persist or worsen, consult your healthcare practitioner.

Inactive Ingredients:

Ethanol (beet), purified water

Directions

Adults and adolescents (12 years and older)

Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

**Indications** 

For the relief of symptoms associated with anxiousness.

Directions

Adults and adolescents (12 years and older)

Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Active ingredients

Each drop contains:

Aloe Inspissated Juice 6X

Berberis vulgaris (Barberry) Bark 6X

Boldo Leaf 6X

Chelidonium majus (Greater celandine) Root and Rhizome 6X

Juniperus communis (Common juniper) Berry 6X

Urtica dioica (Common nettle) Whole Plant 6X

### Uses

For the temporary relief of symptoms associated with poor digestion and lack of appetite.

### Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If you are pregnant or breastfeeding, ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor If symptoms persist or worsen.

Inactive Ingredients:

Ethanol (beet), purified water

### Directions

Adults and adolescents (12 years and older): Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

#### Uses

For the temporary relief of symptoms associated with poor digestion and lack of appetite.

### Directions

Adults and adolescents (12 years and older): Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years): Take under the direction of your healthcare practitioner.

### Other information

Do not use if seal is missing or broken.

Store in a cool, dry place.

Active ingredients

Each drop contains:

Berberis vulgaris (Barberry) Bark 4X

Boldo Leaf 4X

Bryonia dioica (Bryony) Root 4X

Hydrastis canadensis (Goldenseal) Rhizome and Root 4X

Lycopodium clavatum (Clubmoss) Spore 4X

Mercurialis annua Aerial Parts 4X

Solidago virgaurea (Goldenrod) Inflorescences 4X

Uses

For the temporary relief of symptoms associated with poor digestion minor urinary discomfort

Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If you are pregnant or breastfeeding, ask a healthcare practitioner before use. Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

If you are pregnant or breastfeeding, ask a healthcare practitioner before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive Ingredients:

Ethanol (beet), purified water

Directions

Adults and adolescents (12 years and older)

Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Uses

For the temporary relief of symptoms associated with poor digestion minor urinary discomfort

Directions

Adults and adolescents (12 years and older)


Take 5 drops three times daily or as recommended by your healthcare practitioner.

Children (under 12 years)

Take under the direction of your healthcare practitioner.

Other information


Do not use if seal is missing or broken. Store in a cool, dry place. Contents may not fill package in order to accommodate required labeling. Please rely on stated quantity.



**UNDA 258** 

Homeopathic Preparation


For the temporary relief of symptoms associated with poor digestion and minor urinary discomfort.



UNDA 8

Homeopathic Preparation


For the temporary relief of symptoms associated with overall poor circulation.



UNDA 14

Homeopathic Preparation

For the temporary relief of symptoms associated with low energy and common colds.



NDC 62106-1158-8
UNDA
numbered compounds

Homeopathic Preparation

For the temporary relief of symptoms associated with poor digestion and lack of appetite.

Contains 31% Alcohol


0.7 fl oz (20 ml)



UNDA numbered compounds NDC 62106-1104-8

Homeopathic Preparation

For the temporary relief of symptoms associated with common colds.



### **UNDA 212**

Homeopathic Preparation

For the temporary relief of symptoms associated with anxiousness.

Contains 31% Alcohol

0.7 fl oz (20 mL)

## UNDA 8

hamamelis virginiana, millefolium, equisetum arvense, mercurialis perennis, thlaspi bursa-pastoris, cactus grandiflorus, crataegus, cuprum metallicum liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62106-1107
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
<b>HAMAMELIS VIRGINIANA BARK</b> (UNII: IH3063S9MY) (HAMAMELIS VIRGINIANA BARK - UNII: IH3063S9MY)	HAMAMELIS VIRGINIANA BARK	4 [hp_X] in 20 mL	
MERCURIALIS PERENNIS (UNII: Q35465A1MA) (MERCURIALIS PERENNIS - UNII: Q35465A1MA)	MERCURIALIS PERENNIS	4 [hp_X] in 20 mL	
CRATAEGUS FRUIT (UNII: Q21UUL2105) (CRATAEGUS FRUIT - UNII:Q21UUL2105)	CRATAEGUS FRUIT	4 [hp_X] in 20 mL	
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	12 [hp_X] in 20 mL	
ACHILLEA MILLEFOLIUM (UNII: 2FXJ6SW4PK) (ACHILLEA MILLEFOLIUM - UNII:2FXJ6SW4PK)	ACHILLEA MILLEFOLIUM	4 [hp_X] in 20 mL	
<b>EQUISETUM ARVENSE BRANCH</b> (UNII: 1L0VKZ185E) (EQUISETUM ARVENSE BRANCH - UNII:1L0VKZ185E)	EQUISETUM ARVENSE BRANCH	4 [hp_X] in 20 mL	
CAPSELLA BURSA-PASTORIS (UNII: W0X9457M59) (CAPSELLA BURSA-PASTORIS - UNII: W0X9457M59)	CAPSELLA BURSA- PASTORIS	4 [hp_X] in 20 mL	
SELENICEREUS GRANDIFLORUS STEM (UNII: 7114SV0MYK) (SELENICEREUS GRANDIFLORUS STEM - UNII:7114SV0MYK)	SELENICEREUS GRANDIFLORUS STEM	4 [hp_X] in 20 mL	

Inactive Ingredients	
Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62106- 1107-8	1 in 1 CARTON	06/02/2015	
		20 mil in 1 DOTTLE CLACC. Time O. Not a		

haut Maukating Fud
tart Marketing End Date

tormentilla, tussilago farfara, adiantum capillus-veneris, glycyrrhiza glabra, drosera, grindelia, inula helenium, cuprum metallicum, argentum metallicum liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62106-1104
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
POTENTILLA ERECTA ROOT (UNII: BI896CKT6B) (POTENTILLA ERECTA ROOT - UNII:BI896CKT6B)	POTENTILLA ERECTA ROOT	4 [hp_X] in 20 mL	
ADIANTUM CAPILLUS-VENERIS LEAF (UNII: 4817H7M565) (ADIANTUM CAPILLUS-VENERIS LEAF - UNII:4817H7M565)	ADIANTUM CAPILLUS- VENERIS LEAF	4 [hp_X] in 20 mL	
<b>DROSERA ROTUNDIFOLIA FLOWERING TOP</b> (UNII: 750014T1HG) (DROSERA ROTUNDIFOLIA FLOWERING TOP - UNII:750014T1HG)	DROSERA ROTUNDIFOLIA FLOWERING TOP	4 [hp_X] in 20 mL	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZ A GLABRA	4 [hp_X] in 20 mL	
GRINDELIA HIRSUTULA FLOWERING TOP (UNII: IDB0NAZ6AI) (GRINDELIA HIRSUTULA FLOWERING TOP - UNII: IDB0NAZ6AI)	GRINDELIA HIRSUTULA FLOWERING TOP	4 [hp_X] in 20 mL	
INULA HELENIUM ROOT (UNII: E55SMD6DA8) (INULA HELENIUM ROOT - UNII: E55SMD6DA8)	INULA HELENIUM ROOT	4 [hp_X] in 20 mL	
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	12 [hp_X] in 20 mL	
SILVER (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G)	SILVER	12 [hp_X] in 20 mL	
TUSSILAGO FARFARA WHOLE (UNII: 6177A89GA2) (TUSSILAGO FARFARA WHOLE - UNII:6177A89GA2)	TUSSILAGO FARFARA WHOLE	4 [hp_X] in 20 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:62106- 1104-8	1 in 1 CARTON	06/02/2015	
]	L	20 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/02/2015	

eucalyptus globulus, inula helenium, jateorhiza palmata, camphora, argentum metallicum, aurum metallicum netallicum liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62106-1113
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
INULA HELENIUM ROOT (UNII: E55SMD6DA8) (INULA HELENIUM ROOT - UNII: E55SMD6DA8)	INULA HELENIUM ROOT	4 [hp_X] in 20 mL		
JATEORHIZA CALUMBA ROOT (UNII: V36I2B8LD5) (JATEORHIZA CALUMBA ROOT - UNII:V36I2B8LD5)	JATEORHIZA CALUMBA ROOT	4 [hp_X] in 20 mL		
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	4 [hp_X] in 20 mL		
SILVER (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G)	SILVER	12 [hp_X] in 20 mL		
<b>GOLD</b> (UNII: 79Y1949PYO) (GOLD - UNII:79Y1949PYO)	GOLD	12 [hp_X] in 20 mL		
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	12 [hp_X] in 20 mL		
<b>EUCALYPTUS GLOBULUS LEAF</b> (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	4 [hp_X] in 20 mL		

Inactive Ingredients				
Ingredient Name	Strength			
ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII: 059QF0KO0R)				

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:62106-	1 : 1 CARTON	06/02/2015		

<b>1</b> 1113-8	I III I CARTON	00/02/2013	
1	20 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		06/02/2015		
homeopathic		06/02/2015		

menyanthes trifoliata, viola tricolor, hydrastis canadensis, aloe socotrina liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62106-1155	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MENYANTHES TRIFOLIATA (UNII: 7H0QTZ446K) (MENYANTHES TRIFOLIATA - UNII:7H0QTZ446K)	MENYANTHES TRIFOLIATA	4 [hp_X] in 20 mL		
VIOLA TRICOLOR (UNII: 9Q24RAI43V) (VIOLA TRICOLOR - UNII:9Q24RAI43V)	VIOLA TRICOLOR	4 [hp_X] in 20 mL		
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	10 [hp_X] in 20 mL		
ALOE (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	ALOE	10 [hp_X] in 20 mL		

Inactive Ingredients				
Ingredient Name	Strength			
ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII: 059QF0KO0R)				

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:62106- 1155-8	1 in 1 CARTON	06/02/2015		
1		20 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product			

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/02/2015	

urtica dioica, berberis vulgaris, boldo, juniperus communis, aloe socotrina, chelidonium majus liquid

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62106-1158
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
PEUMUS BOLDUS LEAF (UNII: Q4EWM09M3O) (PEUMUS BOLDUS LEAF - UNII:Q4EWM09M3O)	PEUMUS BOLDUS LEAF	6 [hp_X] in 20 mL		
URTICA DIOICA (UNII: 710FLW4U46) (URTICA DIOICA - UNII:710FLW4U46)	URTICA DIOICA	6 [hp_X] in 20 mL		
<b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	6 [hp_X] in 20 mL		
JUNIPER BERRY (UNII: O84B5194RL) (JUNIPER BERRY - UNII:O84B5194RL)	JUNIPER BERRY	6 [hp_X] in 20 mL		
ALOE (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	ALOE	6 [hp_X] in 20 mL		
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII: 7E889U5RNN)	CHELIDONIUM MAJUS	6 [hp_X] in 20 mL		

Inactive Ingredients		
Ingredient Name	Strength	
ALCOHOL (UNII: 3K9958V90M)		
WATER (UNII: 059QF0KO0R)		

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:62106- 1158-8	1 in 1 CARTON	06/02/2015		
1	20 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/02/2015	

berberis vulgaris, bryonia dioica, lycopodium clavatum, mercurialis annua, hydrastis canadensis, boldo, solidago virgaurea liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62106-1165
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	4 [hp_X] in 20 mL	
MERCURIALIS ANNUA FLOWERING TOP (UNII: 7D28M9SL9B) (MERCURIALIS ANNUA FLOWERING TOP - UNII:7D28M9SL9B)	MERCURIALIS ANNUA FLOWERING TOP	4 [hp_X] in 20 mL	
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	4 [hp_X] in 20 mL	
PEUMUS BOLDUS LEAF (UNII: Q4EWM09M3O) (PEUMUS BOLDUS LEAF - UNII:Q4EWM09M3O)	PEUMUS BOLDUS LEAF	4 [hp_X] in 20 mL	
<b>SOLIDAGO VIRGAUREA FLOWERING TOP</b> (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	4 [hp_X] in 20 mL	
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	4 [hp_X] in 20 mL	
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	4 [hp_X] in 20 mL	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
ALCOHOL (UNII: 3K9958V90M)		

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:62106- 1165-8	1 in 1 CARTON	06/02/2015	
	1		20 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/02/2015	

# Labeler - Seroyal USA (018361118)

Esta	Establishment		
Name	Address	ID/FEI	Business Operations
SAN'UP		401010287	manufacture(62106-1104, 62106-1107, 62106-1113, 62106-1155, 62106-1158, 62106-1165)

Revised: 7/2021 Seroyal USA