

**TEXACLEAR FAST ACTING ALLERGY RELIEF- chlophedianol hydrochloride,
pyrilamine maleate liquid
GM Pharmaceuticals, INC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TexaClear Fast Acting Allergy Relief

(Chlophedianol HCl & Pyrilamine Maleate), solution

GM Pharmaceuticals, Inc.

Drug Facts

Active ingredients (in each 30 mL)

Chlophedianol HCl 25 mg

Pyrilamine Maleate 50 mg

Purpose

Cough suppressant

Antihistamine

Uses

■ temporarily relieves these symptoms due to the common cold, hay fever or other upper respiratory allergies:

- runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
- cough due to minor throat and bronchial irritation

Warnings

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

- a cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor before use if you are

- taking sedative or tranquilizers

When using this product

- do not use more than directed
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days, tend to recur, or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 4 doses in any 24 hour period
- use enclosed dose cup and keep with product
- mL= milliliter
- adults and children 12 yrs and over: 30 mL every 6 to 8 hrs
- children under 12 years of age: do not use

Other information

- each 30 mL contains: Sodium 17 mg
- read all product information before using

■ store at room temperature 20-30°C (68-86°F)

Inactive ingredients

citric acid anhydrous, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol

Questions or comments?

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

PRINCIPAL DISPLAY PANEL

NDC 58809-360-08
TEXACLEAR
FAST ACTING
ALLERGY
RELIEF
8 fl oz (237 mL)

TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING

NDC 58809-360-08

LIFT HERE FOR COMPLETE DRUG FACTS

**FAST ACTING
FREE & CLEAR
FORMULA**

- Dye Free
- Sugar Free
- Gluten Free
- Alcohol Free
- Acetaminophen Free

TEXACLEAR®

**FAST ACTING
ALLERGY
RELIEF**

Chlophedianol HCl - 25 mg Cough Suppressant
Pyrilamine Maleate - 50 mg Antihistamine

Sneezing • Runny Nose
Itchy Nose • Itchy Throat
Watery Eyes • Cough

SEVERE RELIEF
UP TO 8 HOURS

• Ages: 12+
• 30 mL every 6 to 8 hours

Please visit our website
www.texaclear.com

Distributed by:
GM Pharmaceuticals, Inc.
Fort Worth, TX 76118
401068-05 Rev.0423

8 fl oz (237 mL)

U.S. Pat. 9,463,191

3 58809 36008 6

Drug Facts

Active ingredients (in each 30 mL)

Chlophedianol HCl 25 mg.....Cough suppressant
Pyrilamine Maleate 50 mg.....Antihistamine

Purpose

Uses

- temporarily relieves these symptoms due to the common cold, hay fever or other upper respiratory allergies:
 - runny nose
 - itching of the nose or throat
 - sneezing
 - itchy, watery eyes
- cough due to minor throat and bronchial irritation

Warnings

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor before use if you are

- taking sedatives or tranquilizers

When using this product

- do not use more than directed
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days, tend to recur, or are accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 4 doses in any 24 hour period
- use enclosed dose cup and keep with product
- mL= milliliter
- adults and children 12 yrs and over: 30 mL every 6 to 8 hrs
- children under 12 years of age: do not use

Other information

- each 30 mL contains: **Sodium 17 mg**
- read all product information before using
- store at room temperature 20-30°C (68-86°F)

Inactive ingredients

citric acid anhydrous, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium saccharin, sorbitol

Questions or comments?

Call 1-888-535-0305 9 a.m. - 5 p.m. CST.

TEXACLEAR FAST ACTING ALLERGY RELIEF

chlophedianol hydrochloride, pyrilamine maleate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58809-360
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLOPHEDIANOL HYDROCHLORIDE (UNII: 69QQ58998Y) (CHLOPHEDIANOL - UNII:42C50P12AP)	CHLOPHEDIANOL HYDROCHLORIDE	25 mg in 30 mL
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58809-360-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/21/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/21/2014	

Labeler - GM Pharmaceuticals, INC (793000860)

Revised: 8/2023

GM Pharmaceuticals, INC