# ANTACID- antacid tablet Xiamen Kang Zhongyuan Biotechnology Co., Ltd.

-----

83698-002

## **Active Ingredient**

Calcium carbonate 500mg

# **Purpose**

**Antacid** 

#### Use

- 1.heartourn
- 2.acid indigestion
- 3.sour stomach
- 4.upset stomach associated with these symptoms

# **Warnings**

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

#### Do not use

IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

# When Using

- 1.do not take more than 15 tablets in 24 hours.
- 2.if pregnant do not take more than 5 tablets in 24 hours.
- 3.do not use the maximum dosage for more than 2 weeks except under the advice and supervision of a doctor.

# Keep Oot Of Reach Of Children

If a child ingests it, call emergency services immediately.

#### **Directions**

1.adults and children 12 years of age and over: chew 2-4 tablets completely as

symptoms occur, or as directed by a doctor. Do not swallow tablets whole. 2.do not take for symptoms that persist for more than 2 weeks unless advised by a doctor.

#### Other information

1.each tablet contains: calcium 200mg

2.store at room temperature. Keep the container tighty closed.

# **Inactive ingredients**

medicinal dextrin, anhydrous glucose, magnesium stearate.

# **Questions**

0086-0592--7290587

#### PRINCIPAL DISPLAY PANEL



# DRUG FACTS

# Active ingredient (per tablet)

Purposes

Calcium carbonate USP 500mg..... Antacid

- Uses relieves:
- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

## Warnings

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

- When using this product:

  do not take more than 15 tablets in 24 hours

  if pregnant do not take more than 5 tablets in 24 hours

  do not use the maximum dosage for more than 2 weeks except under the advice and supervision of a doctor.

#### Directions

- adults and children 12 years of age and over: chew 2-4 tablets completely as symptoms occur, or as directed by a doctor. Do not swallow tablets whole.
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor.

#### Other information

- each tablet contains: calcium 200mg
- store at room temperature. Keep the container tightly closed.

Inactive ingredients dextrose, flavors, magnesium stearate, maltodextrin, corn starch, stearic acid, stevia extract, sucralose.

#### Questions or comments?

customerservice@mgc.us - 1-866-306-9136

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

DISTRIBUTED BY: MEDICAL GROUP CARE, LLC, 1035 COLLIER CENTER WAY, STE.5, NAPLES, FL34110

### **ANTACID**

antacid tablet

#### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:83698-002

ORAL **Route of Administration** 

# **Active Ingredient/Active Moiety**

Ingredient Name	Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII: 2M83C4R6ZB)	CALCIUM CARBONATE	500 mg in 1 g

Inactive Ingredients		
Ingredient Name	Strength	
ICODEXTRIN (UNII: 2NX48Z0A9G)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
ANHYDROUS DEXTROSE (UNII: 5SL0G7R0OK)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

	Packaging				
1	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:83698-002-	100 g in 1 BOTTLE; Type 0: Not a Combination Product	05/05/2024		

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M001	05/05/2024		

# **Labeler -** Xiamen Kang Zhongyuan Biotechnology Co., Ltd. (411759931)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Xiamen Kang Zhongyuan Biotechnology Co., Ltd.		411759931	manufacture(83698-002)	

Revised: 5/2024 Xiamen Kang Zhongyuan Biotechnology Co., Ltd.