

PAIN RELIEF ACETAMINOPHEN PM EXTRA STRENGTH- acetaminophen and diphenhydramine hcl tablet, film coated
Rite Aid Corporation

Rite Aid 44-235

Active ingredients (in each caplet)

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Purpose

Pain reliever
Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis

- liver disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages
- drowsiness will occur
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

Other information

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C blue #1 aluminum lake, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 11822-2350-5

Compare to the active ingredients
of **Extra Strength Tylenol® PM***

**EXTRA STRENGTH PAIN RELIEF
ACETAMINOPHEN PM**

ACETAMINOPHEN 500 mg • **DIPHENHYDRAMINE HCl** 25 mg

PAIN RELIEVER/NIGHTTIME SLEEP AID
non-habit forming

ACTUAL SIZE

50 CAPLETS

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by
Kenvue Inc., owner of the registered trademark Extra
Strength Tylenol® PM.

50844 REV0521F23515

DISTRIBUTED BY:

RITE AID, 200 NEWBERRY COMMONS
ETTERS, PA 17319 www.riteaid.com

**SATISFACTION
GUARANTEE**

If you're not satisfied, we'll happily refund your money.



Rite Aid 44-235

PAIN RELIEF ACETAMINOPHEN PM EXTRA STRENGTH

acetaminophen and diphenhydramine hcl tablet, film coated

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11822-2350 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 25 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CROSCARMELOSE SODIUM (UNII: M28OL1HH48) | |
| FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|------|---------------------|----------|
| Color | blue | Score | no score |
| Shape | OVAL | Size | 17mm |
| Flavor | | Imprint Code | 44;235 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:11822-2350-8 | 1 in 1 CARTON | 04/03/2023 | |
| 1 | | 24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| 2 | NDC:11822-2350-5 | 1 in 1 CARTON | 05/15/1994 | |
| 2 | | 50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| 3 | NDC:11822-2350-2 | 1 in 1 CARTON | 05/15/1994 | |
| 3 | | 100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| 4 | NDC:11822-2350-9 | 1 in 1 CARTON | 03/16/2023 | |
| 4 | | 150 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| 5 | NDC:11822-2350-7 | 300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 05/15/1994 | |
| 6 | NDC:11822-2350-4 | 1 in 1 CARTON | 05/15/1994 | 10/16/2021 |
| 6 | | 2 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 05/15/1994 | |

Labeler - Rite Aid Corporation (014578892)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 038154464 | pack(11822-2350) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|--|
| LNK International, Inc. | | 832867837 | manufacture(11822-2350) , pack(11822-2350) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|-------------------------|
| LNK International, Inc. | | 832867894 | manufacture(11822-2350) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|-------------------------|
| LNK International, Inc. | | 868734088 | manufacture(11822-2350) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 967626305 | pack(11822-2350) |

Revised: 7/2023

Rite Aid Corporation