PROACTIV SOLUTION KIT- solutions kit Alchemee, LLC

Proactiv Solution 30 Day Kit

Renewing Cleanser - Drug Facts

Drug Facts

Repairing Treatment - Drug Facts

Drug Facts

Renewing Cleanser- Active ingredient

Benzoyl peroxide 2.5%

Repairing Treatment - Active Ingredient

Benzoyl peroxide 2.5%

Renewing Cleanser - Purpose

Acne treatment

Repairing Treatment - Purpose

Acne treatment

Renewing Cleanser - Use

for the management of acne

Repairing Treatment - Use

for the management of acne

Renewing Cleanser - Warnings

For external use only

Renewing Cleanser - When using this product

 skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips, and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product.
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not useif you

- have very sensitive skin
- are sensitive to benzoyl peroxide

Stop use and ask a doctor if

irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Repairing Treatment - Warnings

For external use only

Renewing Cleanser - When using this product

skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

avoid unnecessary sun exposure and use a sunscreen.

avoid contact with eyes, lips and mouth.

avoid contact with hair and dyed fabrics, which may be bleached by this product.

skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Repairing Treatment - When using this product

skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

avoid unnecessary sun exposure and use a sunscreen.

avoid contact with eyes, lips and mouth.

avoid contact with hair and dyed fabrics, which may be bleached by this product.

skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Renewing Cleanser - Do not use if you

have very sensitive skin.

Repairing Treatment - Do not use if you

have very sensitive skin.

are sensitive to benzoyl peroxide.

Renewing Cleanser - Stop use and ask a doctor if

Irritation becomes Severe

Repairing Treatment - Stop use and ask a doctor if

irritation becomes severe.

Renewing Cleanser - Keep out of reach of children

If swallowed, call a Poison Control Center or get medical help right away.

Repairing Treatment - Keep out of reach of children

If swallowed, call a Poison Control Center or get medical help right away.

Repairing Treatment - Keep out of reach of children

If swallowed, call a Poison Control Center or get medical help right away.

Renewing Cleanser - Directions

- Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- cover the entire affected area with a thin layer <u>and rinse thoroughly</u>one to three times daily.
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Repairing Treatment - Directions

Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. clear the skin thoroughly before applying this product.

cover the entire affected area with a thin layer one to three times daily.

because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Repairing Treatment - other information

Store at 20oC - 25oC (68o - 77oF).

Renewing Cleanser - Other information

Store at 20oC - 25oC (68o - 77oF).

Repairing Treatment - Other Informations

Store at 20oC - 25oC (68o - 77oF).

Renewing Cleanser - Inactive ingredients

water, magnesium aluminum silicate, glyceryl stearate, PEG-100 stearate, sorbitol, dimethyl isosorbide, disodium PEG-12 dimethicone sulfosuccinate, tridecyl stearate, neopentyl glycol dicaprylate/dicaprate, paraffin, cetyl esters, tridecyl trimellitate, trisodium sulfosuccinate, PEG-12 dimethicone, xanthan gum, imidazolidinyl urea, fragrance, methylparaben, sodium sulfate, propylparaben, sodium PCA, propylene glycol, anthemis nobilis flower extract, phenoxyethanol, sodium hyaluronate

Repairing Treatment - Inactive Ingredient

water, ethoxydiglycol, cyclopentasiloxane, propylene glycol, cetearyl alcohol, glyceryl stearate, PEG-100 stearate, dimethicone, ceteareth-20, diazolidinyl urea, carbomer, fragrance, methylparaben, xanthan gum, panthenol, allantoin, sodium hydroxide, propylparaben.

Questions or comments?

1-800-950-4695

Distributed by Alchemee LLC Santa Monica, CA 90401 Made in the USA of Foreign and Domestic Components Questions? 1-800-950-4695 • proactiv.com

Proactiv is a registered trademark of Taro Pharmaceuticals U.S.A., Inc.

PRINCIPAL DISPLAY PANEL - Proactiv Solution Kit

proactiv®

Proactiv Solution

3-step acne treatment system

Featuring micronized benzoyl peroxide

Step 1: Cleanse

Washes away debris & treats acne

Step 2: Tone

Refreshes & removes impurities

Step 3: Repair

Helps Kill acne-causing bacteria

Kits Contains: RENEWING CLEANSER 2 FL. OZ. (60 mL) Revitalizing Toner 2 FL. OZ. (60

mL) Repairing Treatment 1 FL. OZ. (30mL)



Proactiv Solution

3-step acne treatment system

Three steps specially formulated to work together to treat and help prevent breakouts for most skin types, especially oily or combination skin. Benzoyl peroxide helps kill acne-causing bacteria while glycolic acid, an exfoliating alpha hydroxy acid, helps keep pores clear.

Directions:

Step 1: Renewing Cleanser 🐺 🥒



Apply twice daily, morning and night. Treat your whole face. Apply a small (dime-sized) amount to dampened skin and gently massage with fingertips for 1 to 2 minutes. Rinse thoroughly with warm water. Pat dry and follow with Step 2 (Revitalizing Toner). If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, use a sunscreen.

Step 2: Revitalizing Toner 🔭 🥒



Apply twice daily, morning and night, after Step 1 (Renewing Cleanser). Treat whole face. Apply a small amount (dime size) with cotton ball or pad. Leave on; allow to dry. Do not rinse off. Follow with Step 3 (Repairing Treatment).

Step 3: Repairing Treatment 💥 🥒



Cover the entire affected area with a thin layer 1 to 3 times daily. Because excessive drying of the skin may occur, start with 1 application daily, then gradually increase to 2 or 3 times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, use a sunscreen.

Renewing Cleanser

Drug Facts

Active ingredient

Purpose

Use for the management of agree

Warnings

For external use only

When using this product = skin irritation and dryness s more likely to occur if you use another topical acne nedication at the same time. If initation occurs, only use one topical acne medication at a time.

avoid unnecess exposure and use a sunscreen avoid contact with the eyes, lips, and mouth a avoid contact with hair and dyed fabrics which may be bleached by this product a skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use if you . have very sensitive skin . are sensitive

Stop use and ask a doctor if a irritation becomes severe

Keep out of reach of children. If swallowed, get medical

Directions Sensitivity Test for a New User.

Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. • over the entire affected area with a thin layer and rinse thoroughly one to three times daily

because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day # if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients water, magnesium aluminum silicate, glyceryl stearate, PEG-100 stearate, sorbitol, dimethyl isosorbide, disodium PEG-12 dimethicone sulfosuccinate, tridecyl stearate, neopentyl glycol dicaprylate/dicaprate, paraffin, cetyl esters, trimellitate, trisodium sulfosuccinate. PEG-12 dimethicone xanthan gum, imidazolidinyl urea, fragrance, methylparaben, sodium sulfate, propylparaben, sodium PCA, propylene glycol, anthemis nobilis flower extract, phenoxyethanol, sodium hvaluronate

Questions or comments? 1-800-950-4695

Repairing Treatment

Drug Facts

Active ingredient

Purpose

Use for the management of acne

Warnings For external use only

When using this product = skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. - avoid unner sun exposure and use a sunscreen avoid contact with the eyes, lips, and mouth a avoid contact with hair and dyed fabrics, which may be bleached by this product skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swell may be reduced by using the product less frequently or in a lower concentration.

Do not use if you - have very sensitive skin are sensitive to benzovl peroxide

Stop use and ask a doctor if a imitation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. • clean the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily a because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor **a** if bothersome dryness or peeling occurs, reduce application to once a day or every other day • if going outside, apply sunscreen after using this product. If imitation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients water, ethoxydiglyco cyclopentasiloxane, propylene glycol, cetearyl alcohol, glyceryl stearate, PEG-100 stearate, dimethicone, ceteareth-20, diazolidnyl urea, carbomer, fragrance, methylparaben, xanthan gum, panthenol, all'antoin, sodium hydroxide, propylparaben

Questions or comments? 1-800-950-4695

Revitalizing Toner

For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away. Sunburn Alert: This product contains an alpha hydroxy acid (AHA) that may increase your skin's sensitivity to the sun and particularly the possibility of sunburn. Use a sunscreen, wear protective clothing, and limit sun exposure while using this product and for a week afterwards.

Directions

Apply to deansed skin with a cotton ball or pad, morning and night as needed. Allow Toner to dry and follow with Step 3. If going outside, use a sunscreen. If irritation or sensitivity develops, discontinue use and consult a doctor

water, glycolic acid, sodium hydroxide, polysorbate 20, hamamelis virginiana (witch hazel) leaf extract, anthemis nobilis flower extract, aloe barbadensis leaf juce, rosa canina fruit extract, sodium PCA, glycerin, panthenol, allantoin, benzophenone-4, hydroxyethylcellulose, tetrasodium EDTA, imidazolidinyl urea, methylparaben, propylparaben, fragrance,

Questions or comments? 1-800-950-4695

PROACTIV SOLUTION KIT

solutions kit kit

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:11410-215

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:11410-215- 30	1 in 1 BOX; Type 0: Not a Combination Product	05/08/2024	
2	NDC:11410-215- 60	1 in 1 BOX; Type 0: Not a Combination Product	05/08/2024	

Quant	Quantity of Parts			
Part #	Package Quantity	Total Product Quantity		
Part 1	1 BOTTLE	60 mL in 100		
Part 2	1 BOTTLE	60 mL in 100		
Part 3	1 BOTTLE, PLASTIC	60 mL in 100		

Part 1 of 3

PROACTIV RENEWING CLEANSER

benzoyl peroxide gel

Product Information	
Item Code (Source)	NDC:11410-005
Route of Administration	TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII: W9WZN9A0GM)	BENZOYL PEROXIDE	2.5 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)		
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)		
TRIDECYL STEARATE (UNII: A80E252M6L)		
CHAMAEMELUM NOBILE (UNII: 7NF3GE7IWR)		
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 4690TG57A2)		
PARAFFIN (UNII: 1900E3H2ZE)		
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		
SORBITOL (UNII: 506T60A25R)		
TRISODIUM SULFOSUCCINATE (UNII: 085WB9L09N)		
XANTHAN GUM (UNII: TTV12P4NEE)		
PROPYLPARABEN (UNII: Z8IX2SC10H)		

PEG-100 STEARATE (UNII: YD01N1999R)
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)
CETYL ESTERS WAX (UNII: D072FFP9GU)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
METHYLPARABEN (UNII: A2I8C7HI9T)

ı	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:11410-005- 20	60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing In			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	10/21/2011	

Part 2 of 3

REVITALIZING TONER

cleansing (cold creams, cleansing lotions, liquids, and pads) [skin care preparations (creams, lotions, powder, and sprays)] liquid

Product Information

Route of Administration TOPICAL

l	Pa	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1		60 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Cosmetic		05/08/2024		

Part 3 of 3

PROACTIV REPAIRING TREATMENT

benzoyl peroxide gel

Product Information

Item Code (Source) NDC:11410-040

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZOYL PEROXIDE (UNII: W9WZ N9A0GM) (BENZ OYL PEROXIDE - UNII: W9WZ N9A0GM)	BENZOYL PEROXIDE	2.5 mg in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)		
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)		
DIMETHICONE (UNII: 92RU3N3Y10)		
PEG-100 STEARATE (UNII: YD01N1999R)		
PANTHENOL (UNII: WV9CM0O67Z)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A118X02B)		
ALLANTOIN (UNII: 344S277G0Z)		
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		
SODIUM HYDROXIDE (UNII: 55X04QC32I)		
XANTHAN GUM (UNII: TTV12P4NEE)		
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)		
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)		

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:11410- 040-15	60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing In	Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End		

Category	Citation	Date	Date		
OTC Monograph Drug	M006	11/01/2011			
Marketing Information					
Marketing	Application Number or Monograph	Marketing Start	Marketing End		
Category	Citation	Date	Date		
OTC Monograph Drug	M006	05/08/2024			

Labeler - Alchemee, LLC (080216357)

Establishment				
Name	Address	ID/FEI	Business Operations	
kdc/one Chatsworth, Inc.		118542196	manufacture(11410-215)	

Establishment				
Name	Address	ID/FEI	Business Operations	
VEE PAK, LLC		874763303	manufacture(11410-215)	

Revised: 5/2024 Alchemee, LLC