

**MINOXIDIL HAIR GROWTH FOAM- minoxidil hair growth foam aerosol, foam  
Guangzhou Yibai Technology Sarl**

-----  
**84315-001**

Minoxidil 5% w/w (without propellant)

Diaminopyrimidine oxide 3%

Hair regrowth treatment

Treat hair loss caused by premature loss of hair roots

Treatment of hair loss and alopecia areata

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

You are allergic to any of the ingredients

You have no family history of hair loss.

Your hair loss is sudden and/or patchy.

You do not know the reason for Your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Ask a doctor before use if you have heart disease

Do not apply on other parts of the body.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair, Results may occur at 2 months with twice a day usage. For some one, you may need to use this product for at least 4 months before you see results. The amount of hair regrowth is different for each person. This product will not work for all.

Stop use and ask a doctor if

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

Your hands or feet swell.

Scalp irritation or redness occurs.

Unwanted facial hair growth occurs.

You do not see hair regrowth in 4 months.

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. if swallowed, get medical help or contact a Poison Control Center right away(1-800-222-1222)

Apply evenly to hair loss areas twice a day and massage scalp for 1-2 minutes until absorbed, then wash hands well. See enclosed leaflet for complete directions how to use. Using more or more often will not improve results. Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Store at controlled room temperature 20° to 25°C (68° to 77°F) Contents under pressure.

Do not puncture or incinerate container.

Do not expose to heat or store at temperatures above 120°F (49°C)

1,2-propylene glycol 37%, ethanol 25%, water 30%



ROR AEM  
CREATIVE LIFE

**Drug Facts**

Active Ingredient	Purpose
Minoxidil 5% w/w (without propellant)	Hair regrowth treatment
Diminocypimidine oxide 3%	Treat hair loss caused by premature loss of hair roots

**Use**

Treatment of hair loss and alopecia areata

**Warnings**

For external use only.  
Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

You are allergic to any of the ingredients  
You have no family history of hair loss.  
Your hair loss is sudden and/or patchy.  
You do not know the reason for your hair loss.  
You are under 18 years of age. Do not use on babies and children.  
Your scalp is red, inflamed, infected, irritated, or painful.  
You use other medicines on the scalp.

**Ask a doctor before use if you have** heart disease

**When using this product**

Do not apply on other parts of the body.  
Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.  
Some people have experienced changes in hair color and/or texture.  
It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some one, you may need to use this product for at least 4 months before you see results.  
The amount of hair regrowth is different for each person. This product will not work for all.

**Stop use and ask a doctor if**

Chest pain, rapid heartbeat, faintness or dizziness occurs.  
Sudden, unexplained weight gain occurs.  
Your hands or feet swell.  
Scalp irritation or redness occurs.  
Unwanted facial hair growth occurs.  
You do not see hair regrowth in 4 months.

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

Apply evenly to hair loss areas twice a day and massage scalp for 1-2 minutes until absorbed then wash hands well. See enclosed leaflet for complete directions how to use. Using more or more often will not improve results. Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

**Other information**

Store at controlled room temperature 20° to 25°C (68° to 77°F). Contents under pressure.  
Do not puncture or incinerate container.  
Do not expose to heat or store at temperatures above 120°F (49°C).

**Inactive ingredients**

1,2-propylene glycol 37%, ethanol 25%, water 30%

ROR AEM  
CREATIVE LIFE

MINOXIDIL  
HAIR  
GROWTH FOAM

Ease of application

Topical Aerosol  
**MINOXIDIL 5%**

Men & woman

REACTIVATES  
HAIR FOLLICLES  
TO STIMULATE REGROWTH

#1 Dermatologist Recommended Active Ingredient

Clinically Proven to Help Regrow Hair

Non-irritating friendly to sensitive people



• WITHOUT LEAVING ANY RESIDUE • HAIR SILKY • RAPID SCALP ABSORPTION • UNSCENTED

Use twice daily **One Month**  
supply One 60 g (2.11 Oz) Can

Expiry date: 2024/12

尺寸: 50X40X158mm  
材质: 325克银卡纸, 白色漏银, 覆亚膜

**MINOXIDIL HAIR GROWTH FOAM**

minoxidil hair growth foam aerosol, foam

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84315-001
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DIAMINOPYRIMIDINE OXIDE</b> (UNII: 1756681479) (DIAMINOPYRIMIDINE OXIDE - UNII:1756681479)	DIAMINOPYRIMIDINE OXIDE	3 g in 100 g
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:84315-001-01	60 g in 1 CANISTER; Type 0: Not a Combination Product	05/09/2024	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA075357	05/09/2024	

**Labeler** - Guangzhou Yibai Technology Sarl (281523247)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Guangzhou Yibai Technology Sarl		281523247	manufacture(84315-001)

Revised: 5/2024

Guangzhou Yibai Technology Sarl