

**QC NATURAL DAILY FIBER SUGAR FREE ORANGE FLAVOR- psyllium husk powder
QUALITY CHOICE (CHAIN DRUG MARKETING ASSOCIATION)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Quality Choice 100% Natural Psyllium Husk Orange Flavor Sugar free

Drug Facts

Active ingredient: (in each teaspoon)

Psyllium husk approximately 3.4 g

Purpose

Bulk-forming Laxative

Uses:

- for relief of occasional constipation (irregularity)
- Generally produces bowel movement in 12-72 hours

Warnings:

Choking:

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert:

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions:

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & Children 12 years & older:	1 rounded teaspoon in 8 ounces of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
Children 6-11 yrs :	½ adult dose in 8 ounces of liquid, up to 3 times daily
Children under 6 yrs:	Consult a doctor

Bulk forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine. As your body adjusts to increased fiber intake, you may experience changes in bowel habits or minor bloating.

New Users

Start with 1 serving per day; gradually increased to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information:

- **each teaspoon contains:** potassium 35 mg; sodium 5 mg
- **PHENYLKETONURICS: CONTAINS PHENYLALANINE**, 25 mg per teaspoon
- store at room temperature tightly closed to protect from humidity
- do not use if printed inner seal is broken or missing
- contains a 100% natural, therapeutic fiber

Inactive ingredients:

aspartame, citric acid, FD&C yellow 6, maltodextrin, natural and artificial orange flavor, silica.

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

QUALITY CHOICE®

***Compare to the Fiber Content in Metamucil® 4 in 1 MultiHealth Fiber!™**

Sugar Free not a low calorie food.

Fiber Therapy

100% NATURAL PSYLLIUM HUSK

Orange Smooth

Naturally and Artificially Flavored

MultiHealth Daily Fiber Supplement

Therapy for Regularity

Helps you **feel less hungry** between meals**

Helps maintain **healthy blood sugar** levels as part of your diet**

Helps **lower cholesterol** to promote heart health†

Promotes **digestive health****

Gluten free

†See back for information about soluble fiber and heart disease.

‡Serving size varies. See DIRECTIONS on back panel for more information

114 Teaspoon Doses†

Net Wt. 23.3 oz. (1.4 LBS) 660 g

fill controlled by weight, not volume

****THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.**

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil ®. 4 in 1 MultiHealth Fiber!™.

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

GLUTEN FREE (may contain trace amounts less than 20 ppm). If you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

100 % SATISFACTION GUARANTEED

Distributed by: C.D.M.A, Inc. ©

43157 W 9 Mile Rd.

Novi, MI 48375

www.qualitychoice.com

Questions: 800-935-2362



NDC 63868-512-48

Compare to the Fiber Content in Metamucil® 4 in 1 MultiHealth Fiber!¹

Sugar Free not a low calorie food

Fiber Therapy

100% Natural Psyllium Husk

MultiHealth Daily Fiber Supplement Therapy for Regularity

Helps you feel less hungry between meals**
Helps maintain healthy blood sugar levels as part of your diet**
Helps lower cholesterol to promote heart health
Promotes digestive health**
Gluten-Free

¹Serving size varies. See DIRECTIONS on back panel for more information.
²See back for information about soluble fiber and heart disease

Orange Smooth
Naturally and Artificially Flavored

48 teaspoon doses¹ Net Wt 10 oz (283 g)
fill controlled by weight, not volume

****THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.**

Supplement Facts

Serving Size	2 rounded tsp (11.6g)	1 rounded tsp (5.8g)
Servings Per Container	About 24	About 48
Amount per Serving	%DV*	%DV*
Calories	45	20
Total Carbohydrate	11 g 4%*	5 g 2%*
Dietary Fiber	6 g 24%*	3 g 12%*
Soluble Fiber	5 g †	2 g †
Total Sugars	0 g †	0 g †
Includes Added Sugars	0 g †	0 g †
Iron	1.4 mg 8%	0.7 mg 4%
Sodium	10 mg <1%	5 mg <1%
Potassium	70 mg 1%	35 mg 1%

*Percent Daily Values (%DV) are based on a 2,000 calorie diet.
†Daily Value (DV) not established.

INGREDIENTS: Psyllium Husk, Maltodextrin, Citric Acid, Natural and Artificial Orange Flavor, Silica, Aspartame, FD&C Yellow No. 6.

Notice: Put 1 dose of product into an empty glass. Mix this product with at least 8 ounces (a full glass) of liquid. Stir briskly and drink promptly. Taking without enough liquid may cause choking. Do not take if you have difficulty swallowing.

Allergy alert: This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium. Contact your doctor BEFORE USING this dietary supplement if you have recently experienced a sudden change in bowel habits persisting for 2 weeks, abdominal pain, nausea or vomiting. STOP USING this dietary supplement and ask a doctor if constipation lasts more than 7 days or rectal bleeding occurs. These may be signs of a serious condition.

New Users: Start with 1 serving per day; gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

When used as a daily fiber supplement:

Fiber Supplement Information

Uses & Directions:
For feeling less hungry between meals**
Adults & children 12 yrs. and over: Two rounded teaspoons in 8 or more ounces of liquid with meals, up to 3 times daily.

For lowering cholesterol to promote heart health¹
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of liquid, 3 times daily. ¹Diets low in saturated fat and cholesterol that include 7 grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product has 2.4 grams of this soluble fiber. Consult a doctor if you are considering use of this product as a part of a cholesterol-lowering program.

For maintaining healthy blood sugar levels as part of your diet**
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of liquid, 3 times daily. Consult your doctor before use if you are currently using medication to control your blood sugar levels.

For promoting and maintaining digestive health**
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of liquid up to 3 times daily for fiber supplementation. For occasional constipation and to help promote and maintain regularity. **For children under 12 yrs:** consult a doctor.

When used as a therapy for regularity:

Drug Facts

Active ingredient (in each teaspoon)
Psyllium husk approximately 3.4 g.....**Purpose**
Bulk-forming Laxative

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hours

Warnings
Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.
Allergy alert: This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have ■ a sudden change in bowel habits persisting for 2 weeks ■ abdominal pain, nausea or vomiting

Stop use and ask a doctor if ■ constipation lasts more than 7 days ■ rectal bleeding occurs
These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions: Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12 years & older:	1 rounded teaspoon in 8 ounces of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
Children 6-11 yrs:	1/2 adult dose in 8 ounces of liquid, up to 3 times daily
Children under 6 yrs:	Consult a doctor

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users: Start with 1 serving per day; gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information ■ each teaspoon contains: potassium 35 mg; sodium 5 mg ■ **PHENYLKETONURICS: CONTAINS PHENYLALANINE,** 25 mg per teaspoon ■ store at room temperature. Keep the container tightly closed to protect from humidity ■ contains a 100% natural, therapeutic fiber

Inactive ingredients aspartame, citric acid, FD&C Yellow No. 6, maltodextrin, natural & artificial orange flavor, silica.

Questions or comments? 1-866-467-2748

****This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber!¹**

****THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.**

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

LOT: 51548CCLR

UNVARNISHED AREA

EXP:

Distributed by C.D.M.A., Inc.
43157 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

6 35515 94677 4

114 Teaspoons doses



NDC 63868-512-14

Compare to the Fiber Content in Metamucil® 4 in 1 MultiHealth Fiber!¹

Sugar Free not a low calorie food

Fiber Therapy

100% Natural Psyllium Husk

MultiHealth Daily Fiber Supplement Therapy for Regularity

Helps You Feel Less Hungry Between Meals**
Helps Maintain Healthy Blood Sugar Levels as Part of Your Diet**
Helps Lower Cholesterol to Promote Heart Health
Promotes Digestive Health**
Gluten-Free

¹Serving Size Varies. See Directions On Back Panel For More Information.
²See Back For Information About Soluble Fiber and Heart Disease

Orange Smooth
Naturally and Artificially Flavored

114 Teaspoon Doses¹ Net Wt 23.3 oz (1.4 LBS) 660 g
fill controlled by weight, not volume

****THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.**

Supplement Facts

Serving Size	2 rounded tsp (11.6g)	1 rounded tsp (5.8g)
Servings Per Container	About 57	About 114
Amount per Serving	%DV*	%DV*
Calories	45	20
Total Carbohydrate	11 g 4%*	5 g 2%*
Dietary Fiber	6 g 24%*	3 g 12%*
Soluble Fiber	5 g †	2 g †
Total Sugars	0 g †	0 g †
Includes Added Sugars	0 g †	0 g †
Iron	1.4 mg 8%	0.7 mg 4%
Sodium	10 mg <1%	5 mg <1%
Potassium	70 mg 1%	35 mg 1%

*Percent Daily Values (%DV) are based on a 2,000 calorie diet.
†Daily Value (DV) not established.

Ingredients: Psyllium Husk, Maltodextrin, Citric Acid, Natural & Artificial Orange Flavor, Silica, Aspartame, FD&C Yellow No. 6.

Notice: Put 1 dose of product into an empty glass. Mix this product with at least 8 ounces (a full glass) of liquid. Stir briskly and drink promptly. Taking without enough liquid may cause choking. Do not take if you have difficulty swallowing.

Allergy alert: This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium. Contact your doctor BEFORE USING this dietary supplement if you have recently experienced a sudden change in bowel habits persisting for 2 weeks, abdominal pain, nausea or vomiting. STOP USING this dietary supplement and ask a doctor if constipation lasts more than 7 days or rectal bleeding occurs. These may be signs of a serious condition.

New Users: Start with 1 serving per day; gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

When used as a daily fiber supplement:

Fiber Supplement Information

Uses & Directions:
For feeling less hungry between meals**
Adults & children 12 yrs. and over: Two rounded teaspoons in 8 or more ounces of liquid with meals, up to 3 times daily.

For lowering cholesterol to promote heart health¹
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of liquid, 3 times daily. ¹Diets low in saturated fat and cholesterol that include 7 grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product has 2.4 grams of this soluble fiber. Consult a doctor if you are considering use of this product as a part of a cholesterol-lowering program.

For maintaining healthy blood sugar levels as part of your diet**
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of liquid, 3 times daily. Consult your doctor before use if you are currently using medication to control your blood sugar levels.

For promoting and maintaining digestive health**
Adults & children 12 yrs. and over: One rounded teaspoon in 8 ounces of liquid up to 3 times daily for fiber supplementation. For occasional constipation and to help promote and maintain regularity. **For children under 12 yrs:** consult a doctor.

When used as a therapy for regularity:

Drug Facts

Active ingredient (in each teaspoon)
Psyllium husk approximately 3.4 g.....**Purpose**
Bulk-forming Laxative

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hours

Warnings
Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.
Allergy alert: This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have ■ a sudden change in bowel habits persisting for 2 weeks ■ abdominal pain, nausea or vomiting

Stop use and ask a doctor if ■ constipation lasts more than 7 days ■ rectal bleeding occurs
These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions: Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12 years & older:	1 rounded teaspoon in 8 ounces of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
Children 6-11 yrs:	1/2 adult dose in 8 ounces of liquid, up to 3 times daily
Children under 6 yrs:	Consult a doctor

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users: Start with 1 serving per day; gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information ■ each teaspoon contains: potassium 35 mg; sodium 5 mg ■ **PHENYLKETONURICS: CONTAINS PHENYLALANINE,** 25 mg per teaspoon ■ store at room temperature. Keep the container tightly closed to protect from humidity ■ contains a 100% natural, therapeutic fiber

Inactive ingredients aspartame, citric acid, FD&C Yellow No. 6, maltodextrin, natural and artificial orange flavor, silica.

Questions or comments? 1-866-467-2748

****This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber!¹**

****THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.**

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

LOT: 5151140CLR

EXP:

Distributed by C.D.M.A., Inc.
43157 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

6 35515 99277 1

QC NATURAL DAILY FIBER SUGAR FREE ORANGE FLAVOR

psyllium husk powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-512
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSYLLIUM HUSK (UNII: 0SHO53407G) (PSYLLIUM HUSK - UNII:0SHO53407G)	PSYLLIUM HUSK	3.4 g in 5.8 g

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C Yellow No. 6 (UNII: H77VEI93A8)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	BROWN (Light Yellowish)	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-512-48	283 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/10/2019	
2	NDC:63868-512-14	660 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/10/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/10/2019	

Labeler - QUALITY CHOICE (CHAIN DRUG MARKETING ASSOCIATION) (011920774)