

**SUNSCREEN BROAD SPECTRUM SPF 60- invisible daly defense lotion
sunscreen broad spectrum spf 60 cream
Shenzhen XiaoMai Manufacturing Co., Ltd.**

ACTIVE INGREDIENT

Homosalate: 10%
Titanium Dioxide: 5%
Octocrylene: 2%
Zinc Oxide: 9%
Niacinamide: 4%
Ceramide 3: 0.5%
Ceramide 6 II: 0.5%
Ceramide 1: 0.5%
Sodium Hyaluronate: 1.5%
Collagen: 1.5%
Centella Asiatica Extract: 2.5%

PURPOSE

helps prevent sunburn.

INDICATIONS

decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions for use

apply liberally 15 minutes before sun exposure.

reapply at least every 2 hours.

use a water resistant sunscreen if swimming or sweating.

INACTIVE INGREDIENT

Cetearyl Alcohol: 4.5%

Ethylcelluloses: 1%

Carbomer: 0.2%

Disodium EDTA: 0.6%

Glycerin: 5.5%

Dimethicone: 3.5%

Behentrimonium Methosulfate: 1.5%

Aluminum Starch Octenylsuccinate: 2%

Propylparaben: 0.6%

Sodium Lauroyl Aspartate: 0.3%

Phytosphingosine: 0.2%

Lactic Acid: 0.2%

Xanthan Gum: 0.2%

Water: 42.7%

Other Information

Protect the product in this container from excessive heat and direct sun.

Drug Facts

Active ingredients	Purpose
Homosalate 10%.....	Sunscreen
Titanium Dioxide 5%.....	Sunscreen
Octocrylene 2%.....	Sunscreen
Zinc oxide 9%.....	Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures, decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure.
- reapply at least every 2 hours.
- use a water resistant sunscreen i swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.
 - children under 6 months of age: Ask a doctor.

DRUGGIST

Invisible Daly
defense

lotion

sunscreen

BROAD SPECTRUM SPF 60+

60+

sun + environment
oxybenzone free
water resistant (80 minutes)

1.7 FL OZ / 50 ml e

Other information

- protect the product in this container from excessive heat and direct sun.

Ingredients

Homosalate, Titanium Dioxide, Octocrylene, Zinc Oxide, Aqua, Niacinamide, Cetearyl Alcohol, Glycerin, Dimethicone, Behentrimonium Methosulfate, Ceramide 3, Ceramide 6-II, Ceramide 1, Sodium Hyaluronate, Collagen, Aluminum Starch Octenylsuccinate, Centella Asiatica Leaf/ Extract, Ethylcellulose, Disodium EDTA, Propylparaben, Sodium Lauroyl Aspartate, Phytosphingosine Lactate, Carbomer, Xanthan Gum.

Country of Origin China

Manufacturer
Shenzhen XiaoMai Manufacturing Co., Ltd.

Address
61 Guantian Road, NiuHu, Shenzhen, China

MFG 2024/3/20
EXP 2026/3/20

Batch Number 20240202

EXPIRY DATE
Before 24 Months (Sealed/Unopened)
Best Before 12 Months (After Opening)

<p>MCIM Product LTD Unit 18 Alcoa Arcade Inverlow hill, Liverpool, L1 5TX, UK TEL: 0044 7825478164 E-Mail: mcim8000@gmail.com</p>	<p>MCIM Limited Room AA7, Colley Building, Dublin 1, Ireland TEL: +353 8894831656 E-Mail: mcim8000@gmail.com</p>
---	--

SUNSCREEN BROAD SPECTRUM SPF 60

invisible daly defense lotion sunscreen broad spectrum spf 60 cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83872-164
Route of Administration	CUTANEOUS, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	20 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	90 mg in 1 g
CERAMIDE 3 (UNII: 4370DF050B) (CERAMIDE 3 - UNII:4370DF050B)	CERAMIDE 3	5 mg in 1 g
BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61) (BEHENTRIMONIUM METHOSULFATE - UNII:5SHP745C61)	BEHENTRIMONIUM METHOSULFATE	15 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 g
CERAMIDE 1 (UNII: 5THT33P7X7) (CERAMIDE 1 - UNII:5THT33P7X7)	CERAMIDE 1	5 mg in 1 g
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	40 mg in 1 g
CERAMIDE 6 II (UNII: F1X8L2B00J) (CERAMIDE 6 II - UNII:F1X8L2B00J)	CERAMIDE 6 II	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	55 mg in 1 g
XANTHAN GUM (UNII: TTV12P4NEE)	2 mg in 1 g
PROPYLPARABEN (UNII: Z8IX2SC1OH)	6 mg in 1 g
SODIUM LAUROYL ASPARTATE (UNII: 328G13N8ZR)	3 mg in 1 g
LACTIC ACID (UNII: 33X04XA5AT)	2 mg in 1 g
ETHYLCELLULOSES (UNII: 7Z8S9VYZ4B)	10 mg in 1 g
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	20 mg in 1 g
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	2 mg in 1 g
WATER (UNII: 059QF0KO0R)	427 mg in 1 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83872-164-01	100 g in 1 BOTTLE; Type 0: Not a Combination Product	05/14/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/14/2024	

Labeler - Shenzhen XiaoMai Manufacturing Co., Ltd. (712999147)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen XiaoMai Manufacturing Co., Ltd.		712999147	manufacture(83872-164)

Revised: 5/2024

Shenzhen XiaoMai Manufacturing Co., Ltd.